



The Calcutta Gazette

THURSDAY, APRIL 11 1929.

CONTENTS:

	PAGE.
Statement under the Cotton Ginning and Pressing Factories Act, 1925	445
Monthly and annual rainfall table in the province of Bengal for the year 1928 ..	446—465
Return of Vital Statistics for the month of March 1928	466—471
Statements of weekly gauge-readings on the rivers in Bengal	472, 477, 488
Weather and Crop Report for the week ending on the 3rd April 1929	473—476
Prices-current (wholesale and retail) of food-grains and salt, etc., in the districts of Bengal for the second-half of March 1929	478—485
Statement showing water-levels in the rivers for the month of February 1929 ..	486—487
Vital statistics for the towns of Bengal for the weeks ending 23rd and 30th March 1929 ..	489—490
Abstract statement showing tollage in Canals in Bengal classed as Major and Minor Works for the month of February 1929	491
Statement of donations in the Dacca Division	492

Supplement.

Official Papers.

FORM C—BENGAL.

Statement of cotton pressed in the Bengal Presidency for the week ending 29th March 1929.

[Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925.]

1 Name of Division or Block.	2 Number of bales pressed.		4 Number of bales pressed.		6 District included in the block.
	3 During the week.	During the corresponding week last year.	5 Since 1st September 1928 (the date prescribed by the Local Government as the commencement of the season).	During the corresponding period last year.	
The Bengal Presidency ..	1,182 or 1163·4072 bales of 400 lbs. each.	1,357	8,454	17,802	All districts in the Presidency.

R. P. ADAMS,

Chief Inspector of Factories, Bengal.

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	January.			February.			March.		
			Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.
Presidency	24-Parganas ..	Saugar Island (Obsy.) ..	Nil	Nil	0.30	Nil	Nil	1.12	Nil	Nil	1.43
		Diamond Harbour ..	Nil	Nil	0.55	Nil	Nil	1.30	Nil	Nil	1.66
		Budge-Budge ..	1	0.14	0.47	Nil	0.02	1.37	Nil	0.02	1.85
		Canning Town ..	Nil	Nil	0.39	Nil	Nil	0.84	Nil	Nil	1.71
		Allpore (Obsy.) ..	1	0.17	0.34	Nil	0.03	1.40	1	0.13	1.44
		Barrackpore ..	1	0.17	0.39	Nil	0.09	1.28	Nil	0.06	1.65
		Dum-Dum ..	Nil	0.05	0.46	Nil	Nil	1.12	Nil	0.06	1.49
		Baraset ..	Nil	Nil	0.52	Nil	Nil	1.28	Nil	Nil	1.48
		Basirhat ..	Nil	0.06	0.40	1	0.41	1.03	Nil	Nil	1.66
		Gosaba ..	Nil	Nil	(a)	Nil	Nil	(a)	Nil	Nil	(a)
		Total ..	3	0.59	3.82	1	0.55	10.44	1	0.27	14.37
		District average ..	0.33	0.07	0.42	0.11	0.06	1.16	0.11	0.03	1.60
	Nadia ..	Ranaghat ..	Nil	0.04	0.40	Nil	Nil	1.21	Nil	0.05	1.64
		Krishnagar (Obsy.) ..	2	1.66	0.44	Nil	Nil	1.20	Nil	Nil	1.82
		Chudanga ..	2	0.28	0.39	Nil	Nil	1.11	Nil	Nil	1.75
		Meherpore ..	1	0.20	0.36	Nil	Nil	1.03	Nil	Nil	1.67
		Kustia ..	Nil	Nil	0.32	Nil	Nil	0.96	2	1.27	1.50
		Haringhata ..	1	0.32	0.09	Nil	Nil	0.35	Nil	0.02	1.87
		Total ..	6	2.50	2.00	Nil	Nil	5.86	2	1.34	9.75
		District average ..	1	0.42	0.33	0.98	0.33	0.22	1.63
	Murshidabad ..	Kandi ..	Nil	0.29	0.39	Nil	Nil	0.92	1	0.75	1.17
		Berhampore (Obsy.) ..	4	0.60	0.35	Nil	0.04	0.88	Nil	Nil	1.07
		Lalbagh ..	3	1.10	0.33	Nil	0.09	0.70	Nil	Nil	1.02
		Azinganj ..	4	1.30	0.42	1	0.58	0.71	Nil	Nil	0.96
		Jangipur ..	5	1.70	0.47	Nil	Nil	0.71	Nil	Nil	0.81
		Lalgola ..	3	1.63	0.47	1	0.58	0.85	Nil	Nil	0.91
		Akriganj ..	4	1.73	0.42	1	0.30	0.66	Nil	0.05	1.02
		Patkabari ..	Nil	Nil	0.22	Nil	Nil	0.68	Nil	Nil	0.84
		Dumkal ..	1	0.31	0.33	Nil	Nil	0.70	Nil	Nil	1.32
		Kallyangunj (Ishanpur) ..	3	0.80	0.31	Nil	0.07	0.82	Nil	Nil	1.12
		Khargram ..	3	0.75	(a)	Nil	Nil	(a)	Nil	Nil	(a)
		Talibpore ..	2	0.70	(a)	Nil	Nil	(a)	Nil	Nil	(a)
		Total ..	27	9.46	3.71	3	1.66	7.63	1	0.80	10.24
		District average ..	2.7	0.95	0.37	0.3	0.17	0.76	0.1	0.08	1.02
	Jessore ..	Narail ..	1	0.47	0.51	1	0.25	1.24	1	0.10	1.98
		Jessore (Obsy.) ..	Nil	0.07	0.36	1	0.15	1.34	2	0.93	2.11
		Jhenida ..	2	0.53	0.40	1	0.31	1.23	Nil	Nil	2.09
		Magura ..	2	0.47	0.37	Nil	Nil	1.09	Nil	0.05	2.04
		Bongaon ..	Nil	Nil	0.35	Nil	Nil	1.17	Nil	Nil	1.81
		Total ..	5	1.54	1.99	3	0.71	6.07	3	1.08	10.03
		District average ..	1	0.31	0.39	0.6	0.14	1.21	0.6	0.22	2.00
	Khulna ..	Satkhira (Obsy.) ..	Nil	0.06	0.40	Nil	Nil	1.08	Nil	Nil	2.09
		Bagerhat ..	Nil	Nil	0.49	Nil	Nil	1.16	Nil	Nil	1.95
		Khulna (Obsy.) ..	Nil	Nil	0.48	Nil	0.02	1.11	Nil	0.05	2.06
		Kaliganj ..	Nil	Nil	0.59	Nil	Nil	1.43	Nil	Nil	1.80
		Nakipur ..	Nil	Nil	0.27	Nil	Nil	1.00	Nil	Nil	1.59
		Dumuria ..	Nil	Nil	0.45	Nil	Nil	1.31	Nil	Nil	1.01
		Rampal ..	1	0.10	0.46	Nil	Nil	1.24	Nil	Nil	1.94
		Kalaroa ..	1	0.15	0.45	Nil	Nil	0.99	Nil	Nil	2.45
		Paikgachha (Rarull) ..	Nil	Nil	0.57	Nil	Nil	1.29	Nil	Nil	1.98
		Mollahat ..	Nil	Nil	0.30	Nil	Nil	1.40	2	0.22	2.47
		Moreiganj ..	Nil	Nil	0.50	Nil	Nil	1.46	Nil	Nil	2.26
		Ismailkati ..	Nil	Nil	0.45	Nil	Nil	1.25	Nil	Nil	2.32
		Total ..	2	0.31	5.41	Nil	0.02	14.72	2	0.27	24.82
		District average ..	0.16	0.03	0.45	1.23	0.16	0.02	2.07
Burdwan ..	Burdwan ..	Kalna ..	Nil	0.05	0.39	Nil	Nil	1.14	Nil	Nil	1.56
		Burdwan (Obsy.) ..	2	0.82	0.36	Nil	0.01	1.25	Nil	0.03	1.67
		Katwa ..	Nil	Nil	0.40	Nil	Nil	1.09	1	0.12	1.34
		Asansol (Obsy.) ..	5	1.87	0.47	Nil	Nil	1.03	Nil	Nil	1.05
		Mankar ..	6	1.06	0.43	Nil	Nil	0.92	Nil	Nil	1.32
		Mangalkot ..	1	1.10	0.07	Nil	Nil	0.65	Nil	Nil	2.35
		Royna ..	Nil	Nil	0.61	Nil	Nil	1.13	Nil	Nil	2.08
		Monteswar ..	1	0.94	0.90	Nil	Nil	1.51	Nil	Nil	1.69
		Total ..	15	5.84	2.13	Nil	0.01	8.72	1	0.15	13.06
		District average ..	1.87	0.73	0.27	1.09	0.12	0.02	1.63
	Birbhum ..	Suri ..	3	0.63	0.40	1	1.80	0.86	Nil	Nil	1.04
		Hetampur ..	2	0.75	0.54	Nil	Nil	0.91	Nil	Nil	0.83
		Rampurhat ..	3	1.40	0.47	Nil	Nil	0.79	Nil	Nil	0.89
		Bolpur ..	2	0.59	0.41	1	0.32	0.72	2	0.29	0.98
		Murari ..	3	1.26	0.35	Nil	Nil	0.59	Nil	Nil	0.94
		Labpur ..	1	0.31	0.30	Nil	Nil	0.54	Nil	Nil	1.07
		Total ..	14	4.94	2.47	2	2.12	4.41	2	0.29	5.85
		District average ..	2.33	0.82	0.41	0.33	0.37	0.73	0.33	0.05	0.97

NOTE.—The district averages given in the Rainfall Tables prior to the year 1928, are not comparable with the district normals owing to a difference in the method of calculating the average and normal rainfalls of the district. The district averages were calculated by dividing the total rainfall of the district by the total number of stations in the district. But as there are always some stations for which normals have not been arrived at, the district normal is not derived from the full number of stations in the district, but only by dividing the sum of the available normals by the number of stations for which normals exist.

To make the two comparable, after the year 1927, the district averages also have been calculated by dividing the sum of actual amounts at those stations only for which normals are available by the number of such stations.

Province of Bengal for the year 1928.

April.			May.			June.			July.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
4	1.44	1.14	4	3.26	4.41	18	15.67	11.54	20	29.52	14.65
4	1.56	1.70	8	5.90	5.40	19	14.63	11.68	24	19.92	14.78
4	5.66	2.32	10	5.80	5.93	17	17.77	12.79	20	20.91	13.85
2	1.19	1.95	9	8.31	5.94	15	13.63	11.87	20	19.62	12.22
5	3.20	1.89	7	7.06	5.75	19	17.99	11.90	21	22.12	12.51
3	1.77	2.09	7	3.02	5.49	15	20.85	10.42	16	19.03	12.23
5	3.46	2.15	6	4.96	5.69	18	19.43	11.38	17	15.84	12.26
6	3.10	2.30	5	3.20	5.55	13	17.88	10.53	19	16.78	11.44
4	1.62	2.71	12	4.54	6.06	17	13.18	12.01	18	19.48	13.58
4	1.62	(n)	7	5.21	(n)	22	15.30	(n)	21	11.98	(n)
37	23.00	18.25	68	46.05	50.22	151	150.53	104.12	175	183.22	117.52
411	2.55	2.03	7.56	5.11	5.58	16.78	16.74	11.57	19.44	20.36	13.06
4	4.35	2.98	9	7.54	6.17	19	18.26	10.03	13	13.19	10.75
4	2.91	2.55	11	6.63	7.00	17	18.25	10.66	18	15.12	11.08
4	2.16	2.95	9	3.68	7.47	12	12.42	10.59	16	9.83	10.24
3	2.10	3.06	8	3.43	6.17	18	11.65	10.30	13	8.68	10.56
4	2.18	2.96	13	14.98	7.40	16	11.91	10.85	19	10.91	10.15
4	1.78	2.00	10	4.32	4.18	18	14.34	7.27	17	9.49	7.07
23	15.48	16.50	60	40.58	38.39	100	86.83	59.70	96	76.22	59.85
3.84	2.58	2.75	10	6.76	6.40	16.67	14.47	9.95	16	12.70	9.97
2	1.77	1.80	9	4.90	4.83	17	14.03	10.51	15	12.20	11.72
2	1.51	1.40	10	4.63	5.51	16	11.91	10.04	16	13.65	10.85
1	0.11	1.50	9	4.45	5.55	20	12.33	10.51	19	14.07	12.07
Nil	0.15	1.54	7	2.05	5.19	13	10.72	10.31	13	16.77	10.91
3	1.26	1.33	9	6.08	4.79	13	12.72	10.35	17	17.90	11.18
2	2.67	1.37	9	4.21	5.09	15	13.44	10.06	10	11.51	10.94
1	0.13	1.50	9	5.25	6.04	17	16.37	11.35	12	13.84	10.77
4	2.41	1.91	7	4.54	5.64	17	16.18	9.55	13	6.55	9.02
3	0.25	1.79	7	7.33	5.64	15	12.91	10.57	10	12.18	10.52
3	2.18	1.41	10	4.76	4.67	12	6.17	11.98	18	14.70	10.09
2	4.35	(n)	9	5.59	(n)	18	18.14	(n)	13	9.77	(n)
1	0.21	(n)	4	2.20	(n)	17	18.95	(n)	8	9.95	(n)
21	12.44	15.55	86	48.20	53.95	155	126.78	105.23	143	133.47	108.07
2.1	1.24	1.55	8.6	4.82	5.39	15.5	12.68	10.52	14.3	13.35	10.80
3	1.18	3.86	11	8.71	7.19	16	7.43	12.04	19	11.88	10.69
5	3.33	3.66	9	4.05	8.08	19	13.52	12.67	20	18.34	12.20
4	2.93	3.22	11	6.41	7.24	16	7.12	12.51	20	15.73	10.36
2	0.70	3.98	10	6.57	8.13	14	5.64	11.48	14	15.46	10.92
4	1.87	2.96	9	5.33	6.34	16	16.68	10.81	20	12.63	11.21
18	10.01	17.68	50	31.07	36.98	81	50.39	59.51	93	74.04	55.40
3.6	2.00	3.53	10	6.21	7.39	16.2	10.08	11.91	18.6	14.81	11.08
5	4.36	3.27	13	8.13	6.78	19	14.01	12.40	21	26.29	13.19
3	1.89	3.58	7	7.23	7.09	23	16.67	14.14	25	16.03	14.76
3	0.82	3.34	10	7.79	6.88	22	15.20	12.73	16	9.80	12.97
6	2.02	3.77	7	5.33	7.39	16	13.34	14.62	16	13.70	17.69
4	2.63	2.58	6	2.90	5.84	13	14.10	13.31	14	21.25	12.76
4	1.70	4.04	10	7.39	7.47	12	14.35	13.08	20	9.98	15.09
3	2.16	2.91	9	5.80	7.33	16	14.50	12.60	16	15.01	14.44
4	4.31	3.57	9	4.87	8.13	18	11.04	11.47	21	14.13	12.75
5	1.54	3.72	9	6.53	7.28	13	12.96	12.71	18	15.64	14.76
3	1.81	5.77	6	3.67	8.53	17	16.57	14.49	19	13.99	16.28
2	4.80	4.57	8	8.78	9.20	23	31.92	15.81	29	59.67	17.45
4	2.47	3.49	7	4.90	7.25	13	14.01	11.95	15	23.82	15.06
46	30.41	44.61	101	73.32	89.17	205	188.67	159.31	230	239.31	177.20
3.83	2.54	3.72	8.42	6.11	7.43	17.08	15.72	13.28	19.17	19.94	14.77
2	2.04	2.73	11	6.44	5.65	18	21.52	10.32	14	14.98	11.33
3	2.05	2.11	8	5.86	6.13	14	27.54	10.24	17	17.38	12.57
2	1.55	1.72	8	4.02	5.41	14	15.80	10.02	12	11.65	11.13
Nil	0.88	1.49	5	1.36	3.82	16	21.10	9.93	17	17.25	12.93
2	0.22	1.43	9	4.95	4.48	14	14.67	9.60	15	21.87	11.03
1	1.00	1.61	10	12.30	5.09	18	35.41	12.86	18	30.35	8.03
1	1.00	1.56	9	2.40	4.70	15	4.03	10.86	15	4.10	11.84
1	0.45	0.56	13	13.50	3.73	15	30.00	12.61	16	33.05	9.17
12	9.19	13.21	73	50.83	39.01	127	170.07	86.44	124	150.93	88.03
1.5	1.15	1.65	9.12	6.35	4.88	15.88	21.26	10.81	15.5	18.87	11.00
2	0.80	1.02	7	3.31	3.82	14	19.45	10.73	17	15.55	12.88
2	0.70	1.06	4	2.86	3.80	15	16.70	10.35	18	19.69	12.74
Nil	0.15	1.35	7	3.42	4.33	23	13.59	10.57	23	17.73	11.56
2	0.26	1.06	6	2.73	3.84	17	21.87	9.42	18	15.29	11.14
Nil	Nil	1.19	4	2.93	5.09	14	14.77	12.23	18	19.57	14.81
1	0.54	1.41	6	4.79	4.55	15	21.48	10.49	17	12.36	11.45
7	2.45	7.09	34	20.04	25.43	98	107.86	63.80	111	100.19	74.58
1.17	0.41	1.18	5.67	3.34	4.24	16.33	17.97	10.65	18.5	16.70	12.43

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	August.			September.		
			Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
Presidency ..	24-Parganas ..	Saugar Island (Obsy.) ..	20	18.70	14.13	11	6.46	10.76
		Diamond Harbour ..	21	20.71	13.73	8	3.41	10.35
		Budge-Budge ..	20	21.37	12.80	8	10.10	10.17
		Canning Town ..	13	18.82	13.48	9	5.47	9.90
		Alipore (Obsy.) ..	18	16.32	12.69	5	8.72	8.87
		Barrackpore ..	22	15.57	11.41	9	7.22	8.62
		Dum-Dum ..	13	16.69	11.81	2	2.61	9.74
		Baraset ..	19	22.44	11.62	7	1.70	9.05
		Basirhat ..	18	13.07	11.98	5	4.26	8.81
		Gosaba ..	23	17.77	(n)	13	5.04	(n)
		Total ..	164	163.69	113.70	64	49.95	87.27
		District average ..	18.22	18.19	12.63	7.11	5.55	9.70
	Nadla ..	Ranaghat ..	17	14.95	11.77	9	6.85	8.71
		Krishnagar (Obsy.) ..	15	8.89	10.17	8	7.46	8.03
		Chaudanga ..	14	18.08	11.08	7	2.36	8.62
		Meherpore ..	16	9.56	11.09	12	6.47	8.06
		Kushtia ..	13	19.22	10.09	4	4.75	9.05
		Haringhata ..	17	9.62	6.94	4	1.69	4.06
		Total ..	92	80.32	61.14	44	29.58	46.53
		District average ..	15.33	13.39	10.19	7.33	4.93	7.75
	Murshidabad ..	Kandi ..	14	12.11	11.24	4	2.35	9.21
		Berhampore (Obsy.) ..	16	8.19	11.95	9	6.22	10.12
		Lalbagh ..	17	12.16	13.11	11	7.19	10.61
		Azimganj ..	11	7.89	11.35	4	1.86	9.14
		Jangipur ..	13	9.26	11.51	6	4.43	10.02
		Lalgola ..	9	11.40	10.66	8	9.40	9.85
		Akriganj ..	18	7.80	9.93	12	8.59	8.69
		Patkabari ..	11	5.25	8.39	7	7.08	7.02
		Dumkal ..	13	11.02	10.77	6	3.90	9.00
		Kallyanganj (Ishanpur) ..	14	6.55	12.65	9	8.05	8.81
		Khargram ..	12	4.82	(n)	7	3.39	(n)
		Talibpur ..	6	4.85	(n)	4	3.80	(n)
		Total ..	136	91.63	111.56	76	59.07	92.47
		District average ..	13.6	9.16	11.5	7.6	5.91	9.24
	Jessore ..	Narail ..	16	7.27	10.23	7	1.69	7.60
		Jessore (Obsy.) ..	13	9.70	10.95	5	3.88	8.55
		Jhenida ..	13	7.99	10.99	6	3.23	9.15
		Laguna ..	16	9.06	9.92	7	4.53	8.59
		Bongaon ..	19	11.85	11.65	7	5.00	9.02
		Total ..	77	45.37	53.74	32	18.38	42.91
		District average ..	15.4	9.07	10.74	6.4	3.68	8.58
	Khulna ..	Satkhira (Obsy.) ..	22	15.53	11.13	11	4.19	8.79
		Bagerhat ..	23	9.18	12.27	8	3.80	9.32
		Khulna (Obsy.) ..	19	13.17	11.85	9	5.56	8.80
		Kaliganj ..	16	13.00	16.11	9	5.62	12.17
		Nakipur ..	13	14.90	12.29	6	10.00	9.05
		Dumuria ..	18	11.15	14.29	8	3.91	10.29
		Rampal ..	15	10.96	13.16	6	7.91	9.31
		Kalaroa ..	17	13.70	11.61	9	8.91	8.79
		Paikgachha (Raruli) ..	16	13.92	13.69	6	3.25	10.03
		Mollahat ..	15	12.03	15.85	9	4.86	11.58
		Morelganj ..	25	31.06	14.28	9	9.08	12.02
		Ismailkati ..	19	16.70	10.94	11	7.86	10.43
		Total ..	218	175.30	157.47	101	74.85	120.58
		District average ..	18.17	14.61	13.12	8.42	6.24	10.05
Burdwan ..	Burdwan ..	Kalna ..	11	11.86	10.70	10	3.86	7.63
		Burdwan (Obsy.) ..	21	13.48	11.26	5	2.26	8.60
		Katwa ..	10	7.34	11.07	4	3.34	8.07
		Asansol (Obsy.) ..	16	9.78	11.93	4	4.11	7.93
		Mankar ..	8	2.86	11.76	9	5.68	8.87
		Mangalkot ..	13	19.56	10.33	4	1.24	7.68
		Royna ..	21	4.92	9.25	11	2.56	7.81
		Monteswar ..	16	30.60	15.87	8	12.30	7.90
		Total ..	116	100.40	92.17	55	35.35	64.54
		District average ..	14.5	12.55	11.52	6.88	4.42	8.07
	Birbhum ..	Suri ..	18	9.84	12.75	7	3.71	9.57
		Hetampur ..	7	6.55	12.32	5	3.55	8.98
		Rampurhat ..	19	7.15	11.91	6	4.40	9.91
		Bolpur ..	18	7.16	10.74	6	1.88	8.00
		Mural ..	12	10.80	12.16	3	1.40	10.83
		Labpur ..	11	8.06	11.88	3	2.97	8.82
		Total ..	85	49.56	71.76	30	17.91	56.11
		District average ..	14.17	8.26	11.96	5	2.97	9.35

Province of Bengal for the year 1928.

October.			November.			December.			Annual.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
13	16.22	8.14	NH	0.04	1.47	NH	NH	0.27	90	91.31	69.41
8	5.23	5.20	NH	NH	0.91	NH	NH	0.18	92	71.36	67.44
6	3.76	4.81	NH	NH	0.65	NH	NH	0.21	86	85.55	67.22
9	5.87	4.70	NH	NH	1.13	NH	NH	0.08	77	72.91	64.21
8	2.83	4.19	NH	NH	0.66	NH	NH	0.20	83	78.57	62.54
4	5.36	3.82	NH	NH	0.71	NH	NH	0.31	81	73.14	58.42
4	0.68	4.45	NH	NH	0.61	NH	NH	0.18	65	63.78	61.34
5	2.71	4.31	NH	NH	0.58	NH	NH	0.19	74	37.31	58.85
11	5.46	4.60	NH	0.06	0.63	NH	NH	0.24	86	62.14	63.71
19	12.69	(n)	NH	0.03	(n)	NH	NH	(n)	109	69.64	(n)
70	48.12	44.22	NH	0.10	7.35	NH	NH	1.86	7.34	666.07	573.14
7.78	5.34	4.91	..	0.01	0.82	0.21	81.55	74.01	63.69
7	2.15	3.60	NH	NH	0.69	NH	NH	0.16	78	67.38	58.11
10	8.58	4.38	NH	NH	0.98	NH	NH	0.09	85	69.50	58.40
10	7.77	4.35	NH	0.02	0.90	NH	NH	0.13	74	56.60	59.58
12	11.61	4.12	NH	NH	0.60	NH	NH	0.14	83	53.70	57.16
12	24.19	4.49	NH	NH	0.69	NH	NH	0.13	83	98.41	58.59
6	4.42	2.51	NH	NH	0.32	NH	NH	0.16	77	46.00	36.32
57	58.72	23.45	NH	0.02	4.18	NH	NH	0.81	4.80	391.59	328.16
9.5	9.80	3.91	0.70	0.13	80	65.27	54.69
10	3.58	3.78	NH	NH	0.71	NH	NH	0.12	72	51.98	56.40
11	5.19	4.20	NH	NH	0.62	NH	NH	0.12	84	51.94	57.11
11	6.11	4.56	NH	NH	0.66	NH	NH	0.10	91	57.61	60.72
10	12.90	4.02	NH	NH	0.46	NH	NH	0.09	63	54.22	55.10
11	13.17	3.82	NH	NH	0.46	NH	NH	0.09	77	66.52	55.54
6	7.35	3.97	NH	NH	0.46	NH	NH	0.09	63	62.19	54.72
10	10.36	3.76	NH	NH	0.50	NH	NH	0.06	84	64.42	54.70
12	9.52	3.29	NH	NH	0.70	NH	NH	0.07	71	51.63	47.33
12	7.24	3.39	NH	NH	0.63	NH	NH	0.14	67	55.14	54.80
8	4.63	4.70	1	0.27	0.69	NH	NH	0.13	78	48.18	57.35
6	2.45	(n)	NH	NH	(n)	NH	NH	(n)	70	49.26	(n)
6	3.20	(n)	NH	NH	(n)	NH	NH	(n)	48	43.86	(n)
101	80.05	39.39	1	0.27	5.89	NH	NH	1.01	7.50	563.83	553.80
10.1	8.00	3.93	0.1	0.02	0.59	0.10	75	56.38	55.37
12	4.83	4.47	NH	NH	0.80	NH	NH	0.17	87	43.81	60.78
9	7.57	4.89	NH	NH	1.02	NH	NH	0.20	83	61.54	66.03
11	7.84	4.45	NH	NH	0.74	NH	NH	0.14	84	52.09	62.54
11	5.31	4.25	NH	NH	0.78	NH	NH	0.14	76	47.84	61.69
9	3.55	4.62	NH	NH	0.56	NH	NH	0.24	84	56.41	60.74
52	23.10	22.68	NH	NH	3.90	NH	NH	0.89	414	261.69	311.78
10.4	5.82	4.53	0.78	0.18	82.8	52.34	62.37
5	3.92	4.70	NH	NH	0.68	NH	NH	0.19	96	76.49	64.70
10	4.83	5.13	NH	NH	0.97	NH	NH	0.16	99	59.63	71.02
11	4.46	4.73	NH	NH	0.75	NH	NH	0.21	90	56.87	65.91
8	7.69	6.94	1	0.17	0.79	NH	NH	0.11	79	60.77	83.41
4	2.80	5.13	NH	NH	0.96	NH	NH	0.09	60	68.48	64.87
6	2.94	4.84	NH	NH	0.81	NH	NH	0.12	78	51.42	73.70
5	4.62	5.19	NH	NH	1.06	NH	NH	0.13	71	61.06	69.77
10	5.29	5.32	NH	NH	0.55	NH	NH	0.14	89	62.40	66.22
4	4.27	6.06	NH	NH	0.77	NH	NH	0.14	71	58.11	73.00
10	7.06	5.86	1	0.10	1.08	NH	NH	0.19	82	60.31	83.80
2	10.15	6.14	NH	NH	1.31	NH	NH	0.16	105	155.46	85.16
7	5.83	5.44	NH	NH	0.80	NH	NH	0.14	76	75.59	69.52
89	63.86	65.48	2	0.27	10.53	NH	NH	1.78	996	846.59	871.08
7.42	5.32	5.46	0.17	0.02	0.88	0.15	83.00	70.55	72.61
7	1.34	3.74	NH	NH	0.86	NH	NH	0.15	73	62.09	56.25
5	3.77	3.43	NH	0.01	0.86	NH	NH	0.15	75	73.21	58.63
5	8.31	3.98	NH	NH	0.65	NH	NH	0.12	56	52.43	55.00
10	8.00	2.95	NH	NH	0.52	NH	0.02	0.10	75	64.37	54.16
3	4.13	2.87	NH	NH	0.68	NH	NH	0.12	64	55.44	53.51
8	4.98	5.13	NH	NH	1.03	NH	NH	0.01	73	105.94	54.84
8	1.56	5.78	NH	NH	0.89	NH	NH	0.16	83	29.57	56.07
3	0.71	5.62	NH	NH	0.26	NH	NH	0.00	73	121.55	58.92
49	32.80	33.50	NH	0.01	5.76	NH	0.02	0.81	572	555.60	447.38
613	4.10	4.19	0.72	0.10	71.5	69.45	55.93
11	7.23	3.40	NH	NH	0.42	NH	NH	0.07	80	62.32	56.96
8	7.64	3.18	NH	NH	0.49	NH	NH	0.08	61	58.44	55.38
11	5.00	3.78	NH	NH	0.48	NH	NH	0.10	92	52.84	56.14
10	4.55	3.32	NH	NH	0.55	NH	NH	0.05	82	54.94	50.24
10	7.02	3.65	NH	NH	0.45	NH	NH	0.05	64	57.75	62.34
8	5.91	3.91	NH	0.08	0.58	NH	NH	0.04	62	56.50	55.04
58	37.85	21.24	NH	0.08	2.97	NH	NH	0.39	441	342.79	336.10
9.67	6.23	3.54	..	0.01	0.49	0.07	73.5	57.13	56.02

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	January.			February.			March.		
			Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.
Burdwan	Bankura	Bankura (Obsy.)	2	0.82	0.51	Nil	0.02	1.04	Nil	Nil	1.25
		Vishnupur	2	0.45	0.37	Nil	0.05	1.21	Nil	0.03	1.39
		Mallara	1	1.00	0.47	Nil	Nil	0.96	Nil	Nil	0.99
		Khatra	1	0.47	0.44	1	0.10	1.09	Nil	Nil	1.18
		Indas	2	0.38	0.36	1	0.25	1.00	Nil	0.04	1.32
		Kotalpur	2	0.67	0.35	Nil	Nil	1.10	1	0.25	1.68
		Onda	2	0.46	0.31	Nil	Nil	1.06	Nil	Nil	0.98
		Gangajalghati	3	0.90	0.43	Nil	0.02	0.88	Nil	0.03	1.12
		Rajpur	1	0.85	0.48	Nil	Nil	1.27	Nil	Nil	1.41
		Sonamukhi	1	0.32	0.42	Nil	Nil	1.21	Nil	Nil	1.37
		Taidangra	2	1.00	0.33	Nil	0.04	0.84	Nil	Nil	1.05
		Saranga	1	0.44	0.40	1	0.44	0.79	Nil	Nil	0.92
		Indpur	Nil	Nil	0.30	Nil	Nil	0.87	Nil	Nil	1.04
		Arhra	3	0.62	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Barjora	2	0.71	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Simlapal	2	0.30	(n)	1	0.35	(n)	Nil	Nil	(n)
		Mejia	2	1.46	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Siromanipur	2	1.77	(n)	Nil	0.15	(n)	Nil	Nil	(n)
		Palasdanga	3	1.00	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Chatna	1	0.39	(n)	1	0.10	(n)	1	0.20	(n)
		Ranibandh	2	0.52	(n)	1	0.13	(n)	Nil	Nil	(n)
		Saltora	2	1.00	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Joypur	2	0.34	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Ambikanagar	1	0.40	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Jairampur	2	0.61	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Total	20	7.76	5.17	3	0.92	13.32	1	0.35	15.70
		District average	154	0.59	0.40	0.23	0.07	1.02	0.08	0.03	1.21
	Midnapore	Contai	Nil	0.02	0.46	Nil	Nil	1.29	Nil	Nil	1.38
		Tamluk	Nil	0.04	0.39	Nil	Nil	1.17	1	0.14	1.78
		Midnapore (Obsy.)	2	0.89	0.55	Nil	Nil	1.14	1	0.49	1.64
		Ghatal	2	0.70	0.36	1	0.22	0.95	1	0.23	1.65
		Kukrahati	Nil	Nil	0.49	Nil	Nil	1.19	Nil	Nil	1.67
		Amlagura	1	0.66	0.41	2	0.90	1.13	1	0.19	1.61
		Panskura	1	0.30	0.49	1	0.20	1.18	Nil	Nil	1.58
		Dantan	3	0.70	0.47	Nil	Nil	1.19	1	0.10	1.52
		Chandrakona	2	1.20	0.21	1	0.30	1.07	1	0.23	1.47
		Pachet	Nil	Nil	0.27	Nil	Nil	0.95	Nil	0.05	2.18
		Bhagwanpur	Nil	Nil	0.27	Nil	Nil	1.03	Nil	Nil	1.75
		Kultikri Kashlary	1	0.18	0.29	Nil	Nil	1.17	1	0.25	2.03
		Nayabasan	Nil	Nil	0.47	1	0.15	0.65	1	0.10	0.89
		Silda (Belpahari)	1	0.92	0.39	Nil	Nil	1.05	Nil	Nil	1.15
		Kharagpur	2	0.95	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Goaltore	1	0.44	0.28	1	0.27	0.82	Nil	Nil	1.08
		Salboni	Nil	Nil	0.02	1	0.40	0.83	Nil	Nil	0.96
		Narayangarh	Nil	Nil	0.65	Nil	Nil	0.89	1	0.25	1.35
		Ramnagar	1	0.18	0.33	Nil	Nil	0.98	Nil	Nil	1.69
		Mohanpur	Nil	Nil	0.29	Nil	Nil	0.93	Nil	Nil	2.37
		Jenka (Khajri)	Nil	Nil	0.21	Nil	0.05	0.83	Nil	Nil	1.49
		Nandigram	Nil	Nil	0.34	Nil	Nil	0.99	Nil	Nil	1.90
		Moyna	Nil	Nil	0.11	Nil	Nil	1.49	Nil	0.11	1.69
		Pingla	2	0.90	0.17	Nil	Nil	2.25	Nil	0.04	1.89
		Narajole	Nil	Nil	0.19	1	0.50	1.50	Nil	Nil	2.03
		Kolaghat (Dainan)	Nil	0.01	(n)	Nil	0.04	(n)	1	0.57	(n)
		Balichak	1	0.74	(n)	Nil	Nil	(n)	1	0.17	(n)
		Jhargram	1	0.26	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Total	17	7.13	8.28	9	2.99	27.53	9	2.18	41.83
		District average	0.71	0.30	0.34	0.37	0.12	1.14	0.38	0.09	1.74
	Hooghly	Serampore	Nil	Nil	0.38	Nil	0.06	1.21	Nil	0.03	1.43
		Hooghly	Nil	Nil	0.34	1	0.55	1.21	1	0.80	1.51
		Arambagh	1	0.53	0.40	1	0.22	1.07	1	0.23	1.40
		Chanditala	Nil	Nil	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Total	1	0.53	1.12	2	0.83	3.49	2	1.06	4.34
		District average	0.33	0.18	0.37	0.66	0.23	1.16	0.66	0.35	1.45
	Howrah	Howrah	Nil	0.05	0.40	Nil	0.03	1.11	1	0.12	1.36
		Mahesreka	Nil	Nil	0.44	Nil	Nil	1.44	1	0.68	1.61
		Ulubaria	Nil	0.03	0.42	Nil	0.04	1.11	Nil	0.12	1.44
		Amta	1	0.35	0.41	Nil	Nil	1.49	2	0.83	2.41
		Total	1	0.43	1.67	Nil	0.07	5.15	4	1.75	6.82
		District average	0.25	0.11	0.42	..	0.02	1.29	1	0.44	1.71
Rajshahi	Boalia	Boalia (Obsy.)	3	1.31	0.35	1	1.31	0.58	Nil	Nil	1.20
		Nator	2	0.92	0.47	Nil	Nil	0.74	1	0.20	1.00
		Naugaon	3	0.86	0.35	Nil	Nil	0.71	Nil	Nil	1.01
		Lalpur	1	0.23	0.32	1	0.28	0.78	Nil	Nil	1.16
		Manda	Nil	Nil	0.43	Nil	Nil	0.57	Nil	Nil	0.70
		Mahadebpur	3	1.52	0.39	Nil	Nil	0.67	Nil	Nil	0.85
		Tanor	2	1.43	0.58	Nil	Nil	0.52	Nil	Nil	0.74
		Chaugram	Nil	0.05	(n)	Nil	Nil	(n)	1	0.50	(n)
		Joari	1	0.51	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Badalgachi	2	1.10	(n)	Nil	0.04	(n)	1	0.80	(n)
		Total	14	6.27	2.89	2	1.59	4.57	1	0.20	6.66
		District average	2	0.89	0.41	0.28	0.23	0.65	0.14	0.03	0.95

Province of Bengal for the year 1928.

April.			May.			June.			July.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
3	0.74	1.32	8	4.35	4.84	9	12.18	11.09	18	12.96	13.11
5	2.80	1.57	8	6.41	4.76	16	20.47	10.02	18	9.60	11.68
3	2.20	1.05	5	3.15	3.83	11	13.77	10.06	18	20.61	11.64
3	0.87	1.26	4	2.21	3.86	16	18.25	11.01	20	15.24	12.13
2	1.24	1.76	10	8.68	5.26	18	14.74	9.36	20	13.55	11.25
4	2.03	2.00	8	7.19	5.19	11	17.20	10.02	15	19.00	12.89
3	1.53	1.13	9	3.73	3.06	14	15.34	8.20	18	11.15	9.68
2	0.45	1.09	7	4.98	3.57	14	14.76	10.62	19	12.46	11.37
3	1.81	1.59	9	3.78	5.12	16	22.75	10.18	17	12.45	12.22
2	1.77	1.34	7	4.10	4.78	18	20.25	9.77	17	13.11	12.43
3	3.70	0.96	8	4.59	3.18	18	24.36	8.40	16	10.6	10.64
3	2.41	1.60	8	5.18	5.64	15	24.78	11.05	15	16.96	9.93
Nil	Nil	0.74	Nil	Nil	3.89	11	13.72	8.78	15	8.95	10.19
1	0.31	(n)	7	2.35	(n)	18	22.80	(n)	14	9.87	(n)
3	0.65	(n)	7	3.87	(n)	13	8.72	(n)	15	12.92	(n)
4	0.85	(n)	8	3.53	(n)	20	18.15	(n)	21	17.65	(n)
2	0.39	(n)	4	1.54	(n)	15	12.74	(n)	15	18.57	(n)
4	2.73	(n)	9	3.73	(n)	17	12.18	(n)	16	20.04	(n)
3	1.31	(n)	6	5.05	(n)	13	12.18	(n)	13	11.21	(n)
2	0.37	(n)	9	4.59	(n)	14	20.32	(n)	17	14.16	(n)
1	0.41	(n)	3	4.15	(n)	12	18.54	(n)	15	15.93	(n)
2	0.47	(n)	5	2.48	(n)	15	16.75	(n)	19	17.13	(n)
2	1.66	(n)	7	5.45	(n)	17	13.77	(n)	18	15.59	(n)
2	0.46	(n)	3	0.91	(n)	15	15.07	(n)	15	11.67	(n)
4	2.27	(n)	7	3.67	(n)	14	13.04	(n)	15	8.15	(n)
36	21.55	17.41	91	58.35	56.98	187	232.57	128.56	226	176.64	149.16
277	1.66	1.34	7	4.49	4.38	14.40	17.89	9.89	17.4	13.59	11.47
2	1.44	1.33	6	2.55	5.12	16	16.39	10.48	22	19.02	13.26
3	4.77	1.72	3	5.78	5.03	18	15.84	10.62	22	25.33	12.41
5	3.87	1.87	10	4.97	5.09	17	16.18	10.04	14	17.89	11.89
4	1.92	2.02	7	3.13	5.28	11	11.78	10.13	18	30.78	13.49
4	3.01	1.48	8	4.38	5.43	17	19.91	12.31	22	23.22	11.79
4	1.40	1.97	7	5.11	4.71	11	17.02	10.34	21	21.10	11.79
4	2.63	2.02	7	4.97	5.58	13	14.82	10.92	18	17.92	10.85
3	3.03	1.94	6	5.71	4.83	13	11.63	10.44	17	15.10	12.15
15	9.60	1.78	6	6.50	4.96	15	10.60	12.58	20	31.04	12.46
3	3.55	1.27	5	5.94	5.22	17	25.14	11.82	19	18.73	10.90
5	2.51	2.14	4	1.05	4.91	18	15.69	14.26	6	9.14	10.28
5	2.85	1.69	7	4.16	4.82	11	15.84	10.64	14	16.10	10.23
5	2.59	1.58	8	4.48	5.68	15	19.93	10.65	14	9.91	10.69
5	2.14	2.21	8	3.16	4.66	14	12.34	10.67	16	20.69	(n)
5	2.45	(n)	5	3.28	(n)	18	17.90	(n)	17	11.83	11.18
4	2.04	1.88	10	5.47	5.01	17	24.38	10.81	13	15.64	10.54
3	1.94	1.45	6	4.11	4.77	13	17.50	12.30	14	16.35	12.95
5	2.90	2.73	6	4.20	8.54	11	13.20	13.27	18	16.02	9.64
5	2.02	1.04	5	4.27	5.19	15	16.30	13.87	21	12.90	12.40
4	4.18	1.44	7	4.10	5.39	18	15.40	11.01	23	29.89	10.85
3	1.73	1.56	4	2.58	5.46	19	19.29	14.85	22	36.50	10.69
6	2.00	1.43	4	1.25	5.11	18	22.50	13.78	21	22.62	12.18
3	4.03	1.61	7	7.65	5.39	14	13.22	11.28	18	24.14	10.79
3	4.06	1.43	5	2.46	5.33	20	19.94	11.83	15	28.82	17.21
4	4.30	2.30	7	3.40	5.97	18	28.26	14.02	19	20.67	(n)
4	2.58	(n)	5	1.76	(n)	16	13.25	(n)	20	28.11	(n)
4	5.30	(n)	9	4.12	(n)	17	14.97	(n)	16	16.33	(n)
2	3.77	(n)	11	8.95	(n)	17	18.14	(n)	16	16.33	(n)
103	74.51	43.06	153	101.38	132.35	367	413.70	295.87	428	492.63	288.60
4.29	3.10	1.79	6.38	4.22	5.51	15.29	17.24	12.33	17.83	20.53	12.03
4	2.48	2.17	7	4.35	5.20	19	20.36	9.94	16	21.82	12.05
3	2.57	2.37	8	4.26	6.00	20	19.46	9.87	18	17.25	10.97
2	1.30	1.96	11	5.52	5.53	14	13.99	9.90	15	13.89	12.51
4	2.85	(n)	7	4.58	(n)	18	12.75	(n)	19	17.02	(n)
9	6.35	6.50	26	14.13	16.73	53	53.81	29.71	49	52.96	35.53
3	2.12	2.17	8.67	4.71	5.58	17.07	17.94	9.90	16.33	17.65	11.84
5	4.17	2.03	8	5.45	5.03	17	21.22	11.21	19	19.32	12.14
5	4.44	1.73	11	5.76	5.49	19	18.97	11.99	20	16.83	13.27
3	3.78	2.03	10	7.34	5.46	17	21.05	11.20	18	21.50	12.48
5	3.45	2.47	10	4.25	6.11	12	12.90	12.54	18	17.40	12.47
18	15.84	8.26	39	22.80	22.09	65	73.54	46.94	75	75.05	50.36
4.5	3.96	2.07	9.75	5.70	5.42	16.25	18.38	11.73	18.75	18.76	12.59
2	1.09	1.78	14	8.14	5.57	19	15.81	11.17	17	17.41	10.81
4	0.81	2.29	15	7.22	7.02	18	16.36	11.10	18	17.60	12.22
5	2.32	1.53	8	5.61	6.04	20	18.44	12.76	16	16.21	11.92
2	2.25	2.19	8	4.53	6.53	8	5.05	10.92	13	6.48	11.41
2	1.11	1.38	Nil	Nil	5.26	12	15.87	10.99	5	12.80	12.38
3	0.86	1.25	8	4.63	5.63	18	12.90	11.80	17	18.68	11.97
3	1.09	1.27	10	6.70	5.10	19	15.28	10.35	13	11.39	10.63
3	8.80	(n)	10	22.80	(n)	23	27.60	(n)	12	47.05	(n)
3	1.42	(n)	9	5.96	(n)	16	26.57	(n)	14	6.50	(n)
6	3.15	(n)	7	3.47	(n)	17	11.31	(n)	15	12.05	(n)
21	9.53	11.69	63	36.83	41.25	114	99.71	79.09	99	100.57	81.34
3	1.36	1.67	9	5.26	5.89	16.29	14.24	11.30	14.14	14.36	11.62

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	August.			September.		
			Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
Burdwan	Bankura	Bankura (Obsy.)	13	9.75	11.47	7	6.04	8.74
		Vishnupur	16	11.44	12.56	6	2.08	8.68
		Maltara	11	7.30	11.06	4	1.95	7.45
		Khatra	15	10.95	11.67	7	4.18	8.43
		Indas	15	8.24	10.14	2	1.05	8.07
		Kotalpur	14	12.27	11.66	7	3.39	8.22
		Onda	14	9.19	10.11	5	1.78	7.80
		Gangajalghati	17	13.13	10.96	5	2.36	7.89
		Rajpur	14	7.96	12.24	3	0.92	8.93
		Sonamukhi	14	7.13	11.37	3	2.19	8.47
		Taldanga	15	12.98	10.33	6	3.35	7.11
		Saranga	12	4.89	12.36	7	3.58	7.50
		Indpur	12	9.20	11.08	3	2.50	7.21
		Arhra	12	12.61	(n)	5	1.04	(n)
		Barjora	11	7.35	(n)	4	1.59	(n)
		Simlapal	19	17.07	(n)	4	2.87	(n)
		Mejia	16	12.49	(n)	5	3.74	(n)
		Seromanipur	15	12.68	(n)	7	3.28	(n)
		Palasdanga	9	6.13	(n)	5	5.94	(n)
		Chatna	14	13.12	(n)	2	0.68	(n)
		Ranibandh	7	4.69	(n)	6	2.03	(n)
		Saltora	12	9.96	(n)	3	3.99	(n)
		Joypur	9	9.59	(n)	5	1.58	(n)
		Ambikanagar	11	7.08	(n)	6	4.55	(n)
		Jairampur	9	8.82	(n)	7	2.71	(n)
		Total	182	124.43	147.01	65	35.37	105.49
		District average	14	9.57	11.41	5	2.72	8.11
	Midnapore	Contai	18	15.25	12.54	17	7.78	10.90
		Tamluk	13	15.86	12.62	8	3.46	8.96
		Midnapore (Obsy.)	17	14.21	11.91	9	5.84	8.62
		Ghatal	17	15.35	12.67	9	4.72	9.39
		Kukrahati	20	17.49	12.12	10	4.53	9.73
		Amlagura	19	15.92	12.82	3	2.22	8.75
		Panskura	20	19.02	11.30	12	6.10	8.71
		Dantan	21	12.28	11.47	7	2.56	8.75
		Chandrakona	19	20.12	11.81	3	1.92	8.89
		Pachet	22	21.94	11.38	12	9.29	9.21
		Bhagwanpur	19	16.12	11.41	5	9.80	7.88
		Kultikri Kashlary	12	11.44	10.68	6	2.92	7.67
		Nayabasan	20	14.99	9.18	6	3.11	7.15
		Silda (Belpahar)	17	11.33	11.09	6	3.25	8.62
		Kharagpur	12	8.45	(n)	6	3.77	(n)
		Goaltoro	15	8.71	11.15	6	3.37	8.27
		Saiboni	10	7.67	8.80	4	1.62	8.16
		Narayanganj	20	12.70	11.00	10	6.05	7.92
		Ramnagar	19	11.09	11.40	18	10.75	10.14
		Mohanpur	19	11.95	10.05	13	3.70	9.73
		Jenka (Khajri)	20	18.03	11.92	11	5.14	9.67
		Nandigram	24	34.50	12.55	17	5.50	9.06
		Moyna	19	20.07	10.92	11	7.31	7.74
		Pingla	14	9.93	10.62	13	7.61	7.35
		Narajole	18	25.42	10.44	6	3.50	9.26
		Kolaghat (Dainan)	19	19.30	(n)	12	7.24	(n)
		Balichak	19	18.59	(n)	9	5.12	(n)
		Jhargram	16	15.47	(n)	9	4.59	(n)
		Total	432	382.29	285.44	224	122.05	217.72
		District average	18.00	15.93	11.89	9.33	5.08	9.07
	Hooghly	Serampore	22	14.08	11.06	9	4.56	8.77
		Hooghly	20	18.83	10.72	9	4.00	8.12
		Arambagh	17	19.47	12.44	11	4.04	8.74
		Chanditala	14	14.74	(n)	6	4.25	(n)
		Total	59	52.38	34.22	29	12.60	25.63
		District average	19.67	17.46	11.41	9.67	4.20	8.54
	Howrah	Howrah	17	15.41	11.52	8	2.77	8.98
		Mahesreka	21	22.55	13.02	11	10.98	8.59
		Ulubaria	20	19.25	11.78	9	4.30	7.92
		Amta	20	22.12	12.19	6	4.05	8.24
		Total	78	79.33	48.51	34	22.10	33.73
		District average	19.5	19.83	12.13	8.5	5.52	8.43
Rajshahi	Boalia	Boalia (Obsy.)	16	17.61	10.32	6	7.45	10.04
		Nator	19	14.84	11.47	5	2.39	10.60
		Naugaon	13	14.63	10.56	8	3.94	11.01
		Lalpur	12	12.40	11.31	3	0.60	10.27
		Manda	5	8.85	10.31	8	10.94	9.99
		Mahadebpur	15	14.59	11.86	14	12.34	10.74
		Tanor	10	11.39	9.41	9	6.45	7.29
		Chaugram	10	42.20	(n)	9	11.65	(n)
		Joari	13	8.42	(n)	6	6.43	(n)
		Badalgachi	9	8.36	(n)	8	6.49	(n)
		Total	90	94.31	75.24	53	44.11	69.94
		District average	12.86	13.47	10.75	7.57	6.30	9.99

Province of Bengal for the year 1928.

October.			November.			December.			Annual.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
9	5.29	2.91	NH	NH	0.64	NH	0.01	0.08	69	52.16	57.00
7	7.58	3.05	NH	NH	0.61	NH	NH	0.13	78	60.91	56.03
4	4.59	2.99	NH	NH	0.44	NH	NH	0.11	57	54.57	51.05
5	2.38	3.30	NH	NH	0.70	NH	NH	0.17	72	54.65	55.78
6	5.36	2.79	NH	NH	0.62	NH	NH	0.10	76	53.53	52.39
6	8.34	3.31	NH	NH	0.75	NH	NH	0.10	68	70.34	57.27
5	4.78	2.83	NH	NH	0.45	NH	NH	0.08	70	47.96	45.69
5	3.44	2.75	NH	NH	0.60	NH	NH	0.08	72	52.58	51.36
7	13.56	3.61	NH	NH	0.67	NH	0.05	0.15	70	64.08	57.87
9	10.20	3.07	NH	NH	0.71	NH	NH	0.10	71	59.07	55.04
6	1.89	5.23	NH	NH	0.82	NH	NH	0	74	62.51	48.89
6	4.16	4.23	NH	NH	0.91	NH	NH	0	66	62.84	55.42
4	1.95	5.01	NH	NH	0.69	NH	NH	0	47	36.32	49.80
3	1.66	(n)	NH	NH	(n)	1	0.56	(n)	63	51.82	(n)
6	5.12	(n)	NH	NH	(n)	NH	NH	(n)	61	40.92	(n)
7	2.70	(n)	NH	NH	(n)	NH	NH	(n)	86	63.47	(n)
5	4.62	(n)	NH	NH	(n)	NH	NH	(n)	64	55.55	(n)
7	4.43	(n)	NH	NH	(n)	NH	NH	(n)	77	63.65	(n)
5	9.37	(n)	NH	NH	(n)	NH	NH	(n)	57	52.19	(n)
3	3.85	(n)	NH	NH	(n)	NH	NH	(n)	64	57.78	(n)
4	3.77	(n)	NH	NH	(n)	NH	NH	(n)	51	50.17	(n)
5	5.31	(n)	NH	NH	(n)	NH	NH	(n)	63	57.09	(n)
7	9.50	(n)	NH	NH	(n)	NH	NH	(n)	67	57.48	(n)
5	2.22	(n)	NH	NH	(n)	NH	NH	(n)	58	42.36	(n)
8	7.54	(n)	NH	NH	(n)	NH	NH	(n)	66	46.81	(n)
79	73.52	45.08	NH	NH	8.61	NH	0.06	1.10	890	731.52	693.59
6.08	5.66	3.47	0.66	0.08	68.5	56.27	53.34
11	9.45	7.01	NH	NH	1.27	NH	NH	0.23	92	71.90	65.27
9	5.40	4.35	NH	NH	0.66	NH	NH	0.18	79	76.62	59.89
9	4.27	3.87	NH	NH	0.83	NH	NH	0.22	82	68.61	57.67
9	4.64	3.44	NH	NH	0.71	NH	NH	0.19	79	60.33	58.99
10	7.28	5.01	NH	NH	0.90	NH	NH	0.08	91	87.38	63.03
6	11.56	3.36	NH	NH	0.87	NH	NH	0.16	73	78.80	57.92
12	8.68	3.65	NH	NH	1.06	NH	NH	0.16	91	78.72	58.44
11	8.08	4.91	NH	NH	1.04	NH	NH	0.13	83	62.01	57.54
6	3.48	3.83	NH	NH	0.80	NH	NH	0.34	85	69.05	59.89
13	10.20	5.31	NH	NH	0.88	NH	NH	0.05	92	107.15	60.92
11	5.36	5.79	NH	NH	1.10	NH	NH	0.14	84	69.26	61.36
10	6.20	5.86	NH	NH	2.17	NH	NH	0.05	56	52.72	56.28
7	3.63	3.61	NH	NH	0.67	NH	NH	0.33	77	65.34	52.59
8	4.81	3.88	NH	NH	(n)	NH	NH	0.10	73	47.86	55.18
9	3.26	(n)	NH	NH	0.60	NH	NH	(n)	81	60.75	(n)
10	6.71	4.63	NH	NH	1.25	NH	0.35	0.18	81	66.22	55.89
6	5.13	4.16	NH	NH	1.70	1	NH	0.21	57	54.36	53.50
NH	NH	5.46	NH	NH	1.78	NH	NH	0.23	67	55.65	66.09
16	10.00	8.66	NH	NH	1.08	NH	NH	0.03	95	70.63	64.75
14	9.40	7.87	NH	NH	1.55	NH	NH	0.01	96	61.63	62.57
15	9.56	7.27	NH	NH	1.05	NH	NH	0.06	95	86.27	66.35
14	12.00	6.92	NH	NH	1.21	NH	NH	0.03	105	114.25	62.22
11	5.73	5.21	NH	NH	0.69	NH	NH	0.02	88	80.74	58.33
11	6.93	5.21	NH	NH	0.98	NH	NH	0.01	80	75.71	57.39
10	6.90	6.39	NH	NH	(n)	NH	NH	0.15	81	101.10	70.09
8	5.29	(n)	NH	NH	(n)	NH	NH	(n)	86	67.71	(n)
10	6.46	(n)	NH	NH	(n)	NH	NH	(n)	89	63.58	(n)
9	5.73	(n)	NH	NH	(n)	NH	NH	(n)	81	73.24	(n)
239	163.10	132.85	NH	NH	26.89	1	0.35	3.36	19.82	1762.31	1503.18
9.96	6.79	5.53	1.12	0.04	0.01	0.14	82.58	73.43	62.63
8	6.00	4.09	NH	NH	0.61	NH	NH	0.20	85	73.74	57.11
10	4.81	3.87	NH	NH	0.66	NH	NH	0.27	90	72.53	55.91
8	3.25	3.77	NH	NH	0.53	NH	NH	0.15	81	62.44	58.43
NH	NH	(n)	NH	NH	(n)	NH	NH	(n)	68	56.19	(n)
26	14.06	11.73	NH	NH	1.83	NH	NH	0.62	256	208.71	171.45
8.67	4.68	3.91	0.61	0.21	85.33	69.57	57.15
9	4.34	4.27	NH	NH	0.52	NH	NH	0.19	84	72.88	58.76
9	3.30	4.12	NH	NH	0.62	NH	NH	0.19	97	83.51	62.51
8	2.99	3.81	NH	NH	0.68	NH	NH	0.16	85	80.40	58.48
6	2.25	4.39	NH	NH	0.75	NH	NH	0.24	80	67.00	63.71
32	12.88	16.59	NH	NH	2.57	NH	NH	0.77	346	303.79	243.46
8	3.22	4.15	0.64	0.19	86.5	75.95	60.87
11	13.71	3.73	NH	NH	0.49	NH	0.01	0.06	89	83.85	56.10
12	17.23	4.21	NH	NH	0.52	NH	NH	0.08	94	77.57	61.72
9	12.25	4.37	NH	NH	0.58	NH	NH	0.09	82	74.26	60.93
9	11.95	3.87	NH	NH	0.70	NH	NH	0.10	57	43.77	59.66
NH	NH	4.01	NH	NH	0.44	NH	NH	0.02	32	49.57	56.48
9	9.42	4.43	NH	NH	0.44	NH	NH	0.09	87	74.94	60.12
12	12.22	5.04	NH	NH	0.36	NH	NH	0.08	78	65.95	51.37
11	11.96	(n)	NH	NH	(n)	1	0.20	(n)	80	175.81	(n)
8	12.75	(n)	NH	NH	(n)	NH	NH	(n)	70	68.56	(n)
13	13.25	(n)	NH	NH	(n)	NH	NH	(n)	78	60.02	(n)
62	76.78	29.66	NH	NH	3.53	NH	0.01	0.52	519	469.91	406.38
8.86	10.99	4.24	0.50	0.07	74.14	67.13	58.04

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	January.			February.			March.		
			Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.
Rajshahi	Dinajpur	Nithpur	3	1.52	0.62	1	0.10	0.91	Nil	Nil	0.60
		Nawabganj	3	0.72	0.15	1	0.20	0.41	Nil	Nil	0.62
		Gangarampur	3	1.60	0.25	1	0.39	0.73	Nil	Nil	0.70
		Churamon	3	1.65	0.35	1	0.20	0.63	Nil	Nil	0.61
		Raiganj	3	2.08	0.35	1	0.37	0.57	Nil	Nil	0.77
		Dinajpur (Obsy.)	3	1.58	0.32	1	0.16	0.57	Nil	Nil	0.77
		Baharghat	3	1.82	0.36	1	0.27	0.70	Nil	Nil	0.78
		Thakurgaon	1	0.44	0.30	Nil	0.13	0.74	Nil	Nil	0.92
		Setabganj	1	0.75	0.14	1	0.15	0.64	Nil	Nil	0.96
		Ranganj	1	0.60	0.18	Nil	Nil	0.75	Nil	Nil	0.77
		Etwari	1	0.34	0.14	2	0.43	0.64	Nil	Nil	1.42
		Birganj	2	0.55	0.17	2	0.23	0.78	Nil	Nil	0.92
		Parbatipur	3	1.15	0.10	Nil	Nil	0.77	Nil	Nil	0.90
		Patnitola	3	1.25	(n)	Nil	0.04	(n)	Nil	Nil	(n)
		Total	30	14.80	2.43	12	2.63	8.84	Nil	Nil	10.72
		District average	2.31	1.14	0.26	0.92	0.20	0.68	0.82
	Jalpaiguri	Jalpaiguri (Obsy.)	2	0.25	0.30	2	0.35	0.66	1	0.10	1.36
		Alipur Duars	1	0.22	0.31	Nil	0.05	0.75	Nil	Nil	1.89
		Falakata	1	0.18	0.28	Nil	Nil	0.63	Nil	0.09	1.31
		Debiganj	1	0.25	0.35	Nil	0.04	0.79	Nil	Nil	1.05
		Buxa	Nil	Nil	1.00	Nil	0.09	1.15	1	1.26	2.99
		Kalchini	Nil	0.12	0.34	1	0.16	1.09	1	0.11	2.00
		Kumargram	1	0.14	0.40	1	0.14	1.10	Nil	Nil	2.48
		Total	6	1.16	2.98	4	0.83	6.17	3	1.56	13.08
		District average	0.86	0.17	0.43	0.57	0.12	0.88	0.43	0.22	1.87
	Darjeeling	Siliguri	Nil	0.05	0.38	2	0.25	0.70	Nil	0.03	1.24
		Darjeeling (Obsy.)	1	0.23	0.55	5	2.09	1.10	1	0.60	1.84
		Kalimpong	1	0.15	0.57	4	1.40	0.84	3	0.54	1.48
		Mongpoo	1	0.13	0.54	4	1.70	1.09	2	1.00	1.85
		Kurseong	Nil	0.11	0.67	3	2.29	1.12	Nil	0.13	1.84
		Pedong	1	0.23	0.65	5	3.74	1.15	3	1.29	2.00
		Total	4	0.90	3.36	23	11.47	6.00	9	3.59	10.25
		District average	0.67	0.15	0.54	3.83	1.91	1.00	1.5	0.60	1.71
	Rangpur	Bhawaniganj (Gaibandha)	3	1.03	0.32	1	0.14	0.70	Nil	Nil	1.21
		Rangpur (Obsy.)	Nil	0.03	0.34	1	0.18	0.69	Nil	Nil	1.13
		Pirganj	2	1.55	0.14	1	0.31	0.85	Nil	Nil	0.69
		Kuriganj	1	0.59	0.36	1	0.16	0.58	Nil	Nil	1.63
		Gobindganj	2	0.30	0.20	1	0.30	0.66	Nil	Nil	1.10
		Bagdogra (Nilphamari)	1	0.53	0.35	1	0.53	0.66	Nil	Nil	1.11
		Ulipur	2	2.07	0.24	1	0.20	0.56	Nil	Nil	1.20
		Sunderganj	3	1.15	0.21	2	0.36	0.51	Nil	Nil	1.38
		Saidpur	1	0.55	0.07	Nil	0.06	0.59	Nil	Nil	1.02
		Total	15	7.80	2.23	9	2.24	5.80	Nil	Nil	10.47
		District average	1.67	0.87	0.25	1	0.25	0.64	1.16
	Bogra	Sherpur	2	0.58	0.40	Nil	Nil	0.75	1	0.45	1.09
		Nowkhilla	Nil	Nil	0.38	Nil	Nil	0.82	1	0.15	1.15
		Bogra (Obsy.)	3	0.71	0.38	Nil	0.03	0.78	1	0.17	1.24
		Panchibibi	3	2.17	0.32	1	0.36	0.89	Nil	Nil	0.97
		Khetla	2	2.37	0.15	Nil	Nil	0.35	Nil	Nil	0.53
		Adamdighi	Nil	Nil	(n)	Nil	Nil	(n)	Nil	Nil	(n)
		Dubchanchia	2	0.75	(n)	Nil	0.03	(n)	1	0.22	(n)
		Total	10	5.83	1.63	1	0.39	3.59	3	0.77	5.01
		District average	2	1.17	0.33	0.20	0.08	0.72	0.60	0.15	1.00
	Pabna	Shazadpur	1	0.12	0.08	Nil	Nil	0.74	Nil	Nil	1.73
		Pabna	2	0.49	0.32	Nil	Nil	1.01	Nil	0.02	1.36
		Sirajganj (Obsy.)	1	0.47	0.32	Nil	Nil	0.77	2	0.69	1.33
		Iswardi	2	0.64	0.05	Nil	Nil	0.65	Nil	Nil	0.96
		Total	6	1.72	0.77	Nil	Nil	3.17	2	0.71	5.38
		District average	1.5	0.43	0.19	0.79	0.50	0.18	1.36
	Malda	Malda (Obsy.)	2	2.64	0.55	2	0.52	0.84	Nil	Nil	0.71
		Chanchal	6	2.71	0.43	1	0.32	0.78	Nil	Nil	0.62
		Gazol	3	1.99	0.35	Nil	Nil	0.72	Nil	Nil	0.66
		Sibganj	3	2.42	0.58	1	0.34	0.75	Nil	Nil	0.64
		Gomastapur	3	2.50	0.23	1	0.21	0.93	Nil	Nil	0.76
		Nawabganj	5	1.82	0.35	3	0.70	0.70	Nil	Nil	1.01
		Total	22	14.08	2.49	8	2.09	4.72	Nil	Nil	4.40
		District average	3.67	2.35	0.41	1.33	0.35	0.79	0.73

Province of Bengal for the year 1928.

April.			May.			June.			July.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
2	0.60	0.96	6	4.28	4.88	15	19.29	11.27	15	15.28	12.25
6	13.0	1.96	7	6.48	7.13	19	17.75	15.13	17	19.36	15.56
4	2.42	1.65	11	5.21	6.03	19	13.79	12.91	18	20.38	15.60
1	0.28	1.37	7	5.36	4.59	18	10.24	11.56	17	12.29	13.87
2	1.63	1.41	6	3.82	5.59	17	15.43	12.77	12	14.36	14.75
4	4.50	2.14	9	8.35	7.59	18	15.20	14.05	19	20.99	15.50
4	1.55	1.64	10	2.86	6.73	19	15.77	11.98	20	16.24	13.18
6	4.19	2.11	10	7.27	7.60	16	14.11	17.00	16	27.86	19.95
3	1.25	1.84	7	5.15	6.60	18	22.10	15.12	12	20.30	15.55
2	3.44	2.07	11	10.18	6.19	12	17.59	16.00	15	31.13	15.81
6	5.11	3.23	4	3.18	7.87	18	15.72	20.85	15	17.71	25.31
5	4.53	2.16	11	7.04	8.13	19	17.98	16.60	18	23.89	17.03
3	3.00	2.69	9	10.60	8.28	14	14.64	14.71	15	24.27	16.33
3	2.73	(n)	11	5.27	(n)	16	11.60	(n)	15	11.88	(n)
49	45.50	25.23	108	80.78	87.21	222	218.61	189.95	209	264.06	210.69
3.77	3.50	1.94	8.31	621	6.71	17.08	16.82	14.61	16.08	20.31	16.21
6	4.65	3.73	14	10.70	11.07	21	14.72	23.73	23	30.42	31.23
6	6.35	5.87	13	12.09	14.61	19	23.16	30.66	19	44.49	32.97
8	6.40	4.26	14	7.64	11.88	18	25.96	23.86	19	39.49	28.43
7	4.23	3.17	8	6.81	9.50	17	22.88	19.95	18	30.68	19.93
5	2.20	8.30	4	6.38*	19.60	5*	20.40*	39.00	22	39.43	50.36
7	4.96	6.08	16	9.68	15.20	21	32.04	28.73	21	32.38	35.36
6	6.44	7.41	18	16.74	16.74	19	24.23	32.91	19	41.94	43.20
45	35.23	38.82	87	70.04	98.60	120	163.39	198.84	141	258.83	241.53
6.43	5.03	5.55	12.43	10.01	14.09	17.14	23.34	28.41	20.14	36.97	34.50
6	6.39	3.60	13	9.33	10.79	18	39.14	25.40	18	46.20	33.40
9	4.30	3.85	15	8.06	8.70	27	28.40	24.86	26	26.31	32.31
9	3.08	2.94	11	4.30	5.53	23	22.39	17.48	72	16.35	23.90
8	5.80	4.28	18	16.26	9.16	20	22.41	26.06	25	28.26	31.08
9	4.01	4.02	10	10.54	11.81	25	30.97	32.87	27	35.29	43.60
7	2.73	5.15	19	10.49	8.94	27	23.10	19.70	26	27.48	24.42
48	26.31	23.84	86	58.98	54.93	140	166.41	146.37	144	179.89	188.71
8	4.39	3.97	14.33	9.83	9.16	23.33	27.74	24.39	24	29.98	31.45
6	4.24	2.97	12	13.99	9.81	17	17.34	15.47	17	15.82	13.15
3	2.56	3.09	15	10.09	10.93	15	10.15	17.61	16	33.66	15.26
3	3.24	3.10	13	14.11	9.90	17	18.27	16.52	19	24.71	15.75
6	10.73	4.33	14	8.27	13.66	19	22.91	22.20	19	25.58	16.09
3	3.55	2.72	7	6.10	8.33	13	18.30	14.31	11	10.70	14.04
7	2.88	3.00	11	7.60	9.63	17	14.09	19.85	17	19.03	17.18
5	4.98	4.05	16	16.36	12.98	16	22.79	18.95	15	31.89	14.08
6	6.76	3.47	14	14.27	10.54	14	18.68	15.88	16	25.21	14.97
4	1.73	2.28	10	9.49	9.58	22	13.77	15.90	18	19.69	16.71
43	40.67	29.01	112	100.28	95.36	150	156.30	156.69	148	206.29	137.23
4.78	4.52	3.22	12.44	11.14	10.60	16.67	17.37	17.41	16.44	22.92	15.25
4	3.60	2.40	10	9.92	7.58	13	20.22	11.78	16	13.80	12.22
4	2.88	2.47	7	11.20	8.94	9	13.53	13.43	10	12.33	12.22
2	1.15	2.27	12	9.52	8.50	25	26.85	14.03	18	19.10	13.06
2	1.39	2.07	10	7.27	7.28	18	12.14	11.90	18	16.01	12.70
3	1.26	2.14	8	10.72	5.16	16	19.14	8.45	19	15.27	10.16
3	1.09	(n)	6	8.81	(n)	13	19.69	(n)	11	13.86	(n)
2	1.34	(n)	6	6.60	(n)	19	18.69	(n)	19	16.39	(n)
15	10.28	11.35	47	48.63	37.49	81	91.88	59.59	81	76.57	60.36
3	2.06	2.27	9.40	9.73	7.69	16.20	18.38	11.92	16.2	15.31	12.07
2	0.86	2.90	13	9.48	6.40	18	11.43	10.60	15	11.20	10.49
3	0.91	3.11	12	7.14	7.46	15	8.03	11.33	19	11.08	10.70
4	3.31	3.31	16	10.45	7.88	19	18.50	12.41	17	13.87	11.49
4	1.55	2.20	15	12.82	6.35	16	11.78	10.96	19	14.37	9.52
13	6.63	11.52	56	39.89	28.09	68	49.74	45.30	70	50.52	42.26
3.25	1.66	2.88	14	9.97	7.02	17	12.44	11.31	17.5	12.63	10.57
Nil	0.54	1.13	8	6.27	4.50	17	17.39	10.35	15	18.09	10.97
2	0.07	1.10	8	5.99	4.82	19	24.08	11.37	14	15.12	13.83
3	0.30	1.16	6	4.31	4.36	15	12.50	10.36	17	12.20	13.60
3	1.97	1.10	6	2.81	5.01	14	16.30	9.72	15	14.29	11.10
4	1.55	1.34	9	5.63	4.41	15	13.17	10.48	18	12.58	12.02
2	1.56	1.40	5	3.88	4.64	13	9.50	11.78	16	14.03	11.10
13	5.99	7.23	42	28.89	27.74	93	92.94	64.06	95	87.31	72.62
2.16	0.99	1.21	7	4.82	4.62	155	15.49	10.68	15.83	14.55	12.10

* The rainfall for the first three weeks was not reported.

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	August.			September.		
			Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
Rajshahi	Dinajpur	Nithpur	16	14.84	11.19	8	4.37	9.89
		Nawabganj	12	18.15	14.39	12	11.92	11.05
		Gangarampur	14	16.23	14.05	13	8.55	11.02
		Churamon	14	14.22	13.02	9	5.92	11.57
		Kaiganj	13	23.36	14.18	6	6.96	10.82
		Dinajpur (Obsy.)	14	19.07	13.35	12	12.80	12.30
		Balughat	14	17.56	12.36	11	9.25	10.61
		Thakurgaon	18	13.89	17.07	9	10.53	14.74
		Setabganj	11	11.30	15.50	10	10.50	11.95
		Ramganj	11	10.79	15.46	8	14.58	13.56
		Atwari	19	18.28	21.07	15	16.56	16.63
		Birganj	13	13.42	13.85	12	11.46	11.99
		Parbatipur	9	14.90	14.53	10	10.80	11.00
		Patnitola	11	13.65	(n)	7	7.48	(n)
		Total	178	206.01	190.02	135	184.20	157.03
		District average	13.69	15.85	14.62	10.39	10.32	12.08
	Jaipalguri	Jaipalguri (Obsy.)	20	29.06	25.04	18	29.34	19.94
		Alipur Duars	16	34.82	25.30	17	23.83	22.86
		Falakata	15	27.60	22.72	16	14.50	18.16
		Debiganj	13	19.99	16.68	17	12.67	14.08
		Buxa	22	47.06	44.03	23	44.86	31.18
		Kalchini	21	39.20	31.38	16	23.52	21.05
		Kumargram	15	35.78	29.04	14	26.29	25.59
		Total	122	233.51	194.28	121	175.01	153.46
		District average	17.43	33.36	27.75	17.28	25.00	21.92
	Darjeeling	Siliguri	17	39.68	27.47	15	40.20	21.44
		Darjeeling (Obsy.)	21	20.02	26.12	14	6.55	18.38
		Kalimpong	17	19.08	19.04	10	4.92	12.52
		Mongpoo	20	19.70	25.93	14	6.65	18.11
		Kurseong	24	25.16	34.42	21	16.73	24.47
		Pedong	26	21.04	22.09	16	5.37	14.77
		Total	125	144.68	155.07	90	80.42	109.69
		District average	20.83	24.11	25.84	15	18.40	18.28
	Rangpur	Bhawanganj (Gaibandha)	13	13.56	12.05	17	15.36	12.10
		Rangpur (Obsy.)	11	23.34	13.63	7	7.19	13.74
		Pirganj	13	10.27	13.62	15	13.35	13.02
		Kurigaon	16	22.21	12.21	13	17.00	14.34
		Gobindganj	10	8.30	13.97	11	16.50	13.39
		Bagdogra (Nilphamari)	14	22.39	15.69	17	9.67	14.59
		Ullpur	10	16.20	13.07	7	10.66	13.89
		Sunderganj	9	13.55	12.27	18	15.02	13.21
		Saidpur	9	15.21	14.84	10	8.13	11.68
		Total	105	145.03	121.35	115	112.88	119.96
		District average	11.67	16.11	13.48	12.77	12.54	13.33
	Bogra	Sherpur	13	9.37	12.11	10	10.64	10.27
		Nowkhilla	7	9.12	12.25	7	8.09	10.75
		Bogra (Obsy.)	13	10.38	13.20	14	9.88	11.67
		Panchibibi	12	13.14	11.85	12	7.82	11.35
		Khetlai	12	12.63	8.18	10	12.40	8.04
		Adamdighi	6	11.97	(n)	5	6.10	(n)
		Dubchanchia	13	10.54	(n)	15	17.12	(n)
		Total	57	54.64	57.68	53	49.43	52.08
		District average	11.40	10.93	11.54	10.6	9.88	10.42
	Pabna	Shazadpur	14	13.50	12.27	4	3.32	7.91
		Pabna	15	11.69	10.63	3	1.15	9.12
		Sirajganj (Obsy.)	15	13.28	11.50	10	7.23	9.71
		Iswardi	12	12.49	10.51	7	3.84	8.64
		Total	56	50.96	44.91	24	15.54	35.28
		District average	14	12.74	11.23	6	3.88	8.82
	Malda	Malda (Obsy.)	14	9.81	11.52	11	8.67	10.79
		Chanchal	17	21.02	12.34	6	4.72	10.38
		Gazol	15	15.24	12.98	4	6.61	10.96
		Sibganj	11	6.61	10.18	5	3.14	9.17
		Gomastapur	15	8.09	10.62	12	6.19	7.60
		Nawabganj	14	9.60	11.83	8	6.08	8.76
		Total	86	70.37	69.47	46	35.41	57.66
		District average	14.33	11.73	11.58	7.67	5.90	9.61

Province of Bengal for the year 1928.

October.			November.			December.			Annual.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
11	12.57	4.60	Nil	Nil	0.32	Nil	Nil	0	78	72.85	57.40
11	12.43	5.01	1	0.30	0.18	Nil	Nil	0	89	100.31	71.59
11	9.05	4.18	Nil	Nil	0.13	Nil	Nil	0.15	94	77.62	67.40
11	10.83	3.22	Nil	Nil	0.26	Nil	Nil	0.09	81	69.99	61.14
7	7.70	3.40	1	0.25	0.19	Nil	Nil	0.11	68	75.96	64.91
16	10.87	4.25	Nil	Nil	0.22	Nil	Nil	0.06	96	93.52	71.10
15	8.79	4.45	Nil	Nil	0.32	Nil	Nil	0.08	97	75.11	63.09
11	6.56	4.09	Nil	Nil	0.19	Nil	Nil	0.05	87	84.98	84.76
11	9.45	3.72	Nil	Nil	0.16	Nil	Nil	0.06	74	80.95	72.24
5	6.17	3.74	Nil	Nil	0.25	Nil	Nil	0.01	65	94.48	74.79
8	10.08	3.48	Nil	Nil	0.00	Nil	Nil	0.02	88	87.41	100.66
11	7.16	4.85	Nil	Nil	0.30	Nil	Nil	0.07	93	86.26	76.85
5	8.65	5.05	Nil	Nil	0.33	Nil	Nil	0.03	68	88.01	74.72
12	9.02	(n)	Nil	Nil	(n)	Nil	Nil	(n)	78	62.92	(n)
133	120.31	54.04	2	0.55	2.85	Nil	Nil	0.73	107.8	1087.45	940.74
10.23	9.25	4.16	0.15	0.04	0.22	0.06	82.92	83.65	72.37
16	20.82	4.90	2	0.22	0.20	Nil	Nil	0.11	125	140.63	122.32
15	11.04	5.15	2	0.76	0.26	Nil	Nil	0.14	108	156.81	140.86
13	7.06	4.29	4	0.69	0.30	Nil	Nil	0.11	108	129.81	116.23
13	13.50	3.83	Nil	Nil	0.17	Nil	Nil	0.05	94	111.05	90.15
20	10.75	9.97	3	1.43	0.90	1	0.58	0.61	106	174.44	209.09
15	7.88	6.19	3	0.78	0.64	1	0.53	0.15	123	151.36	148.21
5	7.17	8.15	3	1.41	0.56	Nil	Nil	0.22	101	160.28	167.80
97	78.22	42.48	17	5.29	3.03	2	1.11	1.39	765	1024.18	994.66
13.86	11.17	6.07	2.43	0.76	0.43	0.28	0.16	0.19	109.28	146.31	142.09
11	13.60	6.08	2	1.35	0.43	Nil	Nil	0.10	102	196.22	131.03
9	8.15	4.54	3	0.77	0.78	Nil	Nil	0.24	131	105.48	123.27
8	3.33	3.15	2	0.32	0.62	1	0.42	0.27	111	76.28	88.34
13	5.68	3.94	1	1.13	0.65	Nil	Nil	0.31	126	108.72	123.00
13	8.98	5.09	1	0.37	0.49	Nil	Nil	0.26	133	134.58	161.26
12	6.74	3.71	4	1.59	0.73	Nil	Nil	0.44	146	103.80	103.75
66	46.48	24.11	13	5.53	3.70	1	0.42	1.62	749	725.08	730.65
11	7.75	4.52	2.17	0.92	0.62	0.17	0.07	0.27	124.83	120.85	121.78
10	10.95	5.73	Nil	Nil	0.30	Nil	Nil	0.09	96	92.43	73.90
11	10.36	5.36	Nil	Nil	0.21	Nil	Nil	0.04	79	97.56	82.03
9	9.33	5.80	Nil	Nil	0.46	Nil	Nil	0.10	92	95.14	719.9
15	15.22	5.29	Nil	Nil	0.24	Nil	Nil	0.06	104	122.67	95.03
8	9.00	5.53	Nil	Nil	0.43	Nil	Nil	0.08	66	73.05	74.74
9	8.78	4.16	Nil	Nil	0.14	Nil	Nil	0.08	94	85.50	86.44
6	8.70	6.67	Nil	Nil	0.33	Nil	Nil	0.06	78	113.85	86.08
9	6.89	6.35	Nil	Nil	0.33	Nil	Nil	0.07	91	101.89	79.19
14	14.14	4.76	Nil	0.05	0.23	Nil	Nil	0.05	88	82.82	77.71
91	93.37	49.65	Nil	0.05	2.67	Nil	Nil	0.65	788	864.91	731.07
10.11	10.37	5.52	..	0.01	0.30	0.07	87.55	96.10	81.23
9	17.02	4.44	Nil	Nil	0.60	Nil	Nil	0.12	78	85.66	63.76
5	18.17	5.13	Nil	Nil	0.52	Nil	Nil	0.11	50	76.07	68.20
18	18.43	4.96	Nil	Nil	0.74	Nil	Nil	0.05	106	96.22	70.97
8	8.26	4.93	Nil	Nil	0.31	Nil	Nil	0.09	84	68.56	64.66
10	15.83	4.20	1	0.25	0.28	Nil	Nil	0.0	81	89.87	47.64
6	8.71	(n)	Nil	Nil	(n)	Nil	Nil	(n)	50	65.23	(n)
13	11.35	(n)	Nil	Nil	(n)	Nil	Nil	(n)	90	83.03	(n)
50	77.71	23.06	1	0.25	2.45	Nil	Nil	0.37	399	416.38	315.23
10	15.54	4.73	0.20	0.05	0.49	0.07	79.8	83.28	63.06
10	11.52	5.17	Nil	Nil	0.24	Nil	Nil	0.13	77	61.43	58.60
10	10.38	4.42	Nil	Nil	0.57	Nil	Nil	0.11	79	50.89	60.20
10	17.93	4.94	Nil	Nil	3.62	Nil	Nil	0.11	94	85.73	64.39
13	14.01	4.91	Nil	Nil	0.55	Nil	Nil	0.18	88	71.50	55.41
43	53.84	19.47	Nil	Nil	1.98	Nil	Nil	0.53	338	269.55	238.60
10.75	13.46	4.87	0.49	0.13	8.45	67.39	59.65
9	7.34	4.34	Nil	Nil	0.35	Nil	Nil	0.05	80	71.27	56.10
8	7.35	2.80	Nil	Nil	0.26	Nil	Nil	0.05	79	82.38	58.78
11	6.97	3.53	Nil	Nil	0.32	Nil	Nil	0.05	73	60.12	59.05
9	10.88	3.57	Nil	Nil	0.50	Nil	Nil	0.08	67	58.76	52.40
9	9.10	4.79	Nil	Nil	0.54	Nil	Nil	0.10	86	59.02	53.82
10	11.48	4.01	Nil	Nil	0.56	Nil	Nil	0.10	76	58.65	56.24
56	53.12	23.04	Nil	Nil	2.53	Nil	Nil	0.43	461	390.20	336.39
9.34	8.85	3.84	0.42	0.07	76.83	65.03	56.06

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	January.			February.			March.		
			Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.
Dacca	Dacca	Munshiganj ..	Nil	Nil	0.46	Nil	Nil	1.30	2	3.26	2.08
		Dacca ..	Nil	Nil	0.34	Nil	Nil	1.25	3	1.79	2.63
		Nawabganj ..	Nil	Nil	0.17	Nil	Nil	1.07	2	1.63	3.29
		Narayanganj (Obsy.) ..	1	0.23	0.30	Nil	Nil	1.40	2	2.70	2.60
		Narsingdi ..	Nil	0.02	0.18	Nil	0.07	0.95	4	0.47	3.55
		Manikganj ..	Nil	0.13	0.39	Nil	0.14	1.18	1	0.70	1.85
		Joydebpur ..	1	0.11	0.26	1	0.12	1.02	2	1.43	2.31
		Kapasia ..	Nil	0.08	0.30	Nil	Nil	0.54	Nil	Nil	1.79
		Total ..	2	0.57	2.50	1	0.33	8.71	16	11.98	21.09
		District average ..	0.25	0.07	0.31	0.12	0.04	1.09	2	1.50	2.64
	Mymensingh	Kishorganj ..	1	0.29	0.53	2	0.27	0.92	3	0.72	2.56
		Atia (Tangail) ..	Nil	0.01	0.39	Nil	0.06	0.93	2	0.77	1.39
		Sarisabari ..	1	0.43	0.17	1	0.38	0.72	Nil	0.14	1.17
		Mymensingh (Obsy.) ..	1	0.19	0.33	1	0.14	0.94	1	0.65	2.09
		Jamalpur ..	2	0.60	0.37	Nil	Nil	0.88	Nil	Nil	1.39
		Netrokona ..	1	0.16	0.29	Nil	0.05	0.97	3	0.76	2.40
		Pingna ..	1	0.19	0.09	Nil	Nil	0.84	Nil	Nil	1.21
		Durgapur ..	Nil	Nil	0.35	Nil	Nil	0.80	5	1.51	2.11
		Sherpur (Town) ..	1	0.20	0.35	1	0.11	0.73	Nil	0.05	1.63
		Dewanganj ..	2	0.40	0.28	1	0.10	0.56	Nil	Nil	1.38
		Nalitabari ..	2	0.35	0.26	Nil	Nil	0.59	1	0.20	1.50
		Total ..	11	2.62	3.41	5	1.00	8.88	15	4.75	18.92
		District average ..	1.1	0.26	0.31	0.5	0.10	0.81	1.5	0.48	1.72
	Faridpur	Madaripur ..	2	0.37	0.46	Nil	Nil	1.08	3	1.25	2.36
		Faridpur (Obsy.) ..	1	0.18	0.45	Nil	0.05	1.32	2	2.06	2.33
		Rajbari (Goalundo) ..	Nil	0.08	0.39	Nil	Nil	1.21	1	0.78	2.06
		Haridaspur ..	Nil	Nil	0.27	Nil	Nil	1.02	Nil	Nil	1.91
		Takerhat ..	1	0.22	0.21	Nil	0.03	0.88	Nil	0.07	1.69
		Bhanga ..	1	0.15	0.15	Nil	Nil	0.80	3	2.41	2.14
		Pangsa ..	Nil	Nil	0.20	Nil	Nil	0.91	Nil	0.15	2.20
		Ballakandi ..	Nil	Nil	0.24	Nil	Nil	1.33	Nil	0.08	2.06
		Bhusna ..	2	0.70	0.26	Nil	0.09	1.24	1	1.26	2.02
		Palong ..	Nil	Nil	0.30	Nil	Nil	1.40	2	2.05	3.22
		Total ..	7	1.70	2.93	Nil	0.17	11.19	12	10.11	22.89
		District average ..	0.7	0.17	0.29	..	0.02	1.12	1.21	1.01	2.28
	Bakarganj	Patuakhali ..	1	0.11	0.54	Nil	Nil	1.40	Nil	0.06	2.09
		Barguna ..	Nil	Nil	0.29	Nil	Nil	1.34	Nil	Nil	2.05
		Pirozpur ..	Nil	Nil	0.53	Nil	Nil	1.28	Nil	Nil	1.67
		Barisal (Obsy.) ..	Nil	Nil	0.41	Nil	0.09	1.05	1	0.16	2.22
		Gauradi ..	1	0.22	0.22	Nil	Nil	1.04	Nil	Nil	2.44
		Bhola ..	Nil	Nil	0.33	Nil	0.04	0.92	1	1.32	2.11
		Daulatkhan ..	1	0.63	0.24	1	0.18	0.94	1	1.22	2.07
		Bauphal ..	Nil	Nil	0.41	Nil	Nil	1.00	Nil	Nil	1.68
		Total ..	3	0.96	2.97	1	0.31	8.97	3	2.76	16.33
		District average ..	0.37	0.12	0.37	0.13	0.04	1.12	0.37	0.35	2.04
Chittagong	Chittagong	Cox's Bazar (Obsy.) ..	Nil	Nil	0.06	Nil	Nil	0.37	Nil	Nil	1.52
		Chittagong (Obsy.) ..	Nil	Nil	0.28	Nil	Nil	1.03	Nil	0.04	2.56
		Kutubdia ..	Nil	Nil	0.34	Nil	Nil	0.65	Nil	Nil	2.05
		Satkalia ..	Nil	Nil	0.22	Nil	Nil	0.40	Nil	Nil	1.80
		Kodala ..	Nil	Nil	0.23	Nil	Nil	0.79	Nil	Nil	2.67
		Mirsarai ..	Nil	Nil	0.10	Nil	Nil	0.82	1	0.88	2.47
		Total ..	Nil	Nil	1.23	Nil	Nil	4.06	1	0.92	13.07
		District average	0.21	0.68	0.17	0.15	2.18
	Tippera	Comilla (Obsy.) ..	Nil	Nil	0.41	Nil	Nil	1.08	3	5.28	2.84
		Chandpur ..	Nil	Nil	0.41	Nil	0.03	1.09	4	3.93	2.88
		Brahmanbaria ..	Nil	0.05	0.49	Nil	0.05	1.19	3	1.12	3.82
		Ramchandrapur ..	Nil	Nil	0.23	1	0.68	1.01	4	1.28	2.66
		Nasirnagar ..	Nil	Nil	0.34	1	0.76	1.02	4	3.10	3.14
		Daudkandi ..	Nil	Nil	0.36	Nil	Nil	1.05	2	1.95	2.29
		Kasba ..	Nil	Nil	0.24	1	0.50	0.97	3	4.20	3.18
		Laksam ..	Nil	Nil	0.44	Nil	Nil	1.21	2	5.45	2.23
		Total ..	Nil	0.05	2.92	3	2.02	8.62	25	26.31	23.04
		District average	0.01	0.37	0.38	0.25	1.08	3.13	3.29	2.88

Province of Bengal for the year 1928.

April.			May.			June.			July.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
2	1.44	5.57	16	11.14	9.78	19	4.99	14.50	16	18.07	14.11
5	3.61	5.36	16	10.96	9.75	19	13.04	13.56	19	14.34	12.84
4	2.60	6.84	12	8.01	8.27	17	12.93	15.52	16	14.11	13.87
4	1.91	5.48	17	9.52	9.41	16	6.38	12.95	17	14.35	12.98
4	1.62	7.12	14	10.36	9.87	14	5.97	14.92	9	4.65	12.26
4	3.85	4.33	13	9.58	9.15	20	13.44	11.54	17	8.31	11.76
5	2.77	5.09	18	18.55	9.76	18	15.57	14.04	19	10.11	13.45
6	2.24	6.44	12	11.19	8.16	20	16.68	15.13	11	8.06	14.93
34	20.04	46.83	118	89.31	74.15	143	89.00	112.16	124	92.00	106.20
4.25	2.51	5.85	14.75	11.16	9.27	17.87	11.13	14.02	15.5	11.50	13.27
3	3.32	6.37	15	12.50	12.02	19	9.64	19.29	18	15.59	15.46
2	2.29	3.53	15	11.01	8.32	22	19.65	12.00	15	9.82	11.08
4	5.19	3.51	11	14.08	8.48	17	20.65	13.09	12	9.36	13.45
7	4.66	5.75	14	16.08	12.54	20	18.77	18.71	20	10.93	16.46
5	3.28	3.47	15	12.84	9.66	20	23.76	15.36	17	13.97	13.79
4	3.32	6.11	15	14.00	13.91	19	23.74	23.66	23	27.32	20.36
5	3.08	2.84	17	14.50	7.93	17	16.61	13.75	15	12.29	10.53
6	3.43	5.57	11	8.79	15.84	19	24.62	26.99	22	23.79	30.80
5	5.38	4.44	*	*	10.60	*	*	15.35	*	*	16.84
3	4.21	3.29	13	11.86	11.38	16	17.06	16.23	17	20.27	14.75
6	5.23	5.16	12	11.85	11.94	17	20.84	21.71	16	17.46	20.33
45	38.21	50.04	138	127.51	122.62	186	195.28	196.14	175	160.80	183.75
4.5	3.82	4.55	13.80	12.75	17.15	18.6	19.53	17.83	17.5	16.08	16.70
3	4.36	4.47	13	8.84	8.71	21	10.42	13.12	20	12.20	12.60
3	2.17	4.72	13	6.70	9.04	17	12.85	13.36	18	13.15	12.83
5	4.07	4.15	11	6.46	8.29	16	11.57	12.30	20	14.03	11.15
4	3.12	4.98	11	5.32	8.56	17	11.24	13.25	20	9.56	13.33
3	1.10	5.91	11	6.94	9.18	17	11.53	17.41	17	8.61	13.31
2	0.91	5.76	8	5.12	8.51	15	12.77	13.98	22	16.91	11.75
4	2.85	3.33	10	4.23	8.30	25	10.16	15.17	24	14.32	12.43
2	2.26	4.13	12	8.19	9.03	24	16.45	15.01	18	23.43	12.66
3	4.06	5.47	11	14.14	9.08	20	9.90	12.89	21	17.09	11.07
5	1.87	8.05	11	7.93	10.77	18	17.13	18.74	20	17.42	17.40
34	26.77	50.97	111	73.87	89.47	190	124.02	145.23	200	146.72	128.53
3.40	2.68	5.10	11.1	7.39	8.94	19	12.40	14.52	20	14.67	12.85
2	2.29	4.19	12	9.95	10.12	21	33.70	21.94	23	29.32	22.07
1	1.22	4.47	6	5.14	10.02	23	15.82	21.70	17	16.38	22.58
4	3.59	3.25	9	12.22	7.95	20	19.17	15.29	24	18.76	15.92
5	1.88	4.78	9	4.04	9.02	25	21.19	16.33	22	19.83	15.60
1	0.43	4.53	7	4.42	8.35	8	6.77	13.77	28	23.33	13.93
4	1.25	4.70	10	5.18	8.17	21	22.44	18.68	24	18.89	17.79
3	0.44	5.75	11	13.03	10.68	22	28.44	21.22	27	20.98	19.31
*	*	4.55	*	*	9.70	*	*	18.08	14	15.15	20.04
20	11.10	36.22	64	53.98	73.99	140	147.53	147.01	179	162.64	147.24
2.50	1.39	4.53	8	6.75	9.25	17.5	18.44	18.38	22.38	20.33	18.41
Nil	0.04	5.13	12	7.88	13.10	21	34.04	31.73	18	16.31	34.89
3	1.64	5.47	14	18.32	9.52	21	36.49	20.79	17	20.93	22.40
1	0.22	4.06	17	13.15	10.76	15	29.25	24.24	18	22.89	28.85
1	0.45	4.73	13	10.34	8.89	25	18.22	20.41	20	10.09	25.36
1	0.58	5.62	14	11.30	10.01	24	19.63	18.12	24	15.49	20.62
4	2.51	5.85	12	11.97	9.99	20	26.85	23.38	19	29.90	26.41
10	5.44	30.86	82	72.96	62.27	126	164.48	138.67	116	115.61	158.53
1.67	0.91	5.14	13.67	12.16	10.38	21	27.41	23.11	19.33	19.27	26.42
3	2.12	6.08	20	27.56	11.40	23	32.07	18.22	21	29.32	15.47
3	2.69	5.50	14	11.45	8.96	18	10.52	15.57	17	10.84	14.40
3	2.31	6.51	22	15.14	12.01	17	10.62	15.75	18	8.52	11.16
3	2.44	7.26	16	9.49	10.68	16	6.94	16.73	14	14.56	13.35
3	1.67	8.87	22	23.91	12.66	18	13.23	15.59	15	14.14	12.19
2	1.85	4.76	14	11.47	8.82	18	12.50	14.39	18	20.80	13.33
6	3.89	7.02	18	24.54	10.56	15	14.22	15.30	14	18.06	11.69
1	0.65	5.77	16	16.06	10.63	17	19.77	16.57	19	22.41	18.41
24	17.62	51.77	142	139.62	85.72	142	119.87	128.12	136	129.65	110.00
3	2.20	6.47	17.75	17.45	10.71	17.75	14.97	18.01	17	16.21	13.75

* The rain gauge was out of order.

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	August.			September.		
			Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
Dacca	Dacca	Munshiganj	19	10.26	13.68	10	5.61	10.97
		Dacca	19	15.29	13.14	7	4.86	9.76
		Nawabganj	17	15.79	11.47	7	3.68	7.99
		Narayanganj (Obsy.) ..	18	17.02	12.74	10	7.88	9.63
		Narsingdi	15	12.68	12.30	10	6.58	8.88
		Manikganj	17	15.29	11.83	7	6.59	8.51
		Joydebpur	20	21.93	14.03	6	8.29	10.18
		Kapasia	18	16.05	13.04	10	7.42	7.36
		Total ..	143	124.31	102.23	67	50.91	73.28
		District average ..	17.88	15.54	12.78	8.38	6.36	9.16
	Mymensingh	Kishorganj	22	27.41	15.58	16	10.65	13.00
		Atia (Tangail)	15	19.03	11.41	5	0.87	8.67
		Sarisabari	11	10.90	14.22	7	3.34	7.22
		Mymensingh (Obsy.) ..	15	15.86	15.64	17	12.98	13.74
		Jamalpur	17	12.51	13.99	9	5.51	12.42
		Netrokona	18	16.66	21.15	18	14.78	15.41
		Pingna	11	9.66	15.32	7	2.07	8.92
		Durgapur	18	21.70	31.30	19	22.91	19.95
		Sherpur (Town)	*	*	15.89	*	*	12.46
		Dewanganj	12	13.51	14.32	13	15.75	11.54
		Nalitabari	11	11.92	19.21	12	18.27	14.10
		Total ..	150	159.16	188.03	123	107.13	137.43
		District average ..	15	15.91	17.09	12.3	10.71	12.49
	Faridpur	Madaripur	18	6.25	11.99	7	3.73	8.71
		Faridpur (Obsy.)	19	17.98	12.42	8	6.97	9.29
		Rajbari (Goalundo) ..	16	12.90	10.96	5	3.62	8.29
		Haridaspur	12	7.74	12.70	7	7.63	8.15
		Takerhat	16	6.89	13.80	6	5.11	9.18
		Bhanga	13	6.39	12.19	3	1.95	9.52
		Pangsa	20	10.49	12.29	7	2.56	6.68
		Baliakandi	13	14.67	13.33	5	2.53	7.80
		Bhusna	15	9.37	12.85	6	6.68	9.60
		Palong	21	15.06	17.22	3	1.01	8.64
		Total ..	163	107.74	129.84	57	41.79	85.95
		District average ..	16.3	10.77	12.98	5.7	4.18	8.59
	Bakarganj	Patuakhali	19	11.54	18.95	11	4.69	13.90
		Barguna	23	17.12	19.61	12	5.20	12.64
		Pirozpur	14	14.04	13.40	4	1.57	10.49
		Barisal (Obsy.)	17	6.18	13.62	10	5.91	11.15
		Gauradi	26	13.12	12.74	12	8.62	9.21
		Bhola	19	11.57	16.93	17	6.82	12.07
		Daulatkhan	18	14.98	19.26	20	5.24	12.90
		Bauphal	21	9.10	18.61	11	4.43	13.42
		Total ..	157	97.65	133.12	97	42.48	95.78
		District average ..	19.63	12.20	16.64	12.13	5.31	11.97
Chittagong	Chittagong	Cox's Bazar (Obsy.) ..	20	15.85	30.51	12	7.00	15.40
		Chittagong (Obsy.) ..	22	21.94	19.30	7	2.62	11.93
		Kutubdia	14	20.56	25.07	8	4.97	12.89
		Satkania	26	19.64	20.00	16	3.38	11.59
		Kodala	26	18.43	18.67	8	2.71	11.63
		Mirsarai	25	22.72	25.51	16	8.09	15.79
		Total ..	133	119.14	139.06	67	28.77	79.23
		District average ..	22.17	19.86	23.18	11.16	4.79	13.21
	Tippera	Comilla (Obsy.)	20	23.33	16.31	10	8.84	10.86
		Chandpur	17	13.35	16.22	12	4.32	10.65
		Brahmanbaria	18	11.13	12.14	13	6.82	10.23
		Ramchandrapur	15	18.34	13.52	4	8.15	10.05
		Nasirnagar	15	14.46	11.94	14	10.73	11.27
		Daudkandi	24	21.15	12.54	15	14.30	8.79
		Kasba	14	14.65	12.14	6	7.54	9.13
		Laksam	15	19.41	17.17	12	5.44	11.61
		Total ..	138	135.82	111.98	86	66.14	82.59
		District average ..	17.25	16.98	14.90	10.75	8.27	10.32

* The rain gauge was out of order.

Province of Bengal for the year 1928.

October.			November.			December.			Annual.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
10	8.70	5.56	NH	NH	1.03	NH	NH	0.21	94	63.47	80.15
14	12.65	4.60	NH	0.02	0.84	NH	NH	0.17	102	76.56	74.24
9	8.15	4.81	NH	NH	0.39	NH	NH	0.21	84	66.90	73.90
10	13.64	5.07	NH	0.08	0.98	NH	NH	0.19	95	73.71	73.82
7	4.90	5.50	NH	NH	0.83	NH	NH	0.27	77	47.32	76.63
8	8.67	4.16	NH	NH	0.89	NH	NH	0.15	87	66.70	65.74
13	11.26	4.74	NH	NH	0.98	NH	NH	0.13	103	90.14	76.67
9	14.82	4.65	NH	NH	0.31	NH	NH	0.14	86	76.54	72.79
80	82.79	39.09	NH	0.10	6.25	NH	NH	1.47	728	561.34	593.96
10	10.35	4.99	..	0.01	0.78	0.18	91	70.17	74.25
14	19.37	5.88	1	1.10	0.79	NH	NH	0.19	114	100.86	92.59
11	9.18	4.35	NH	NH	0.51	NH	NH	0.10	87	72.69	62.68
10	22.55	5.33	NH	NH	0.48	NH	NH	0.26	74	87.02	68.10
15	24.30	5.80	NH	NH	0.88	NH	NH	0.07	111	104.76	92.95
13	23.59	5.22	NH	NH	0.46	NH	NH	0.13	98	96.06	77.14
16	33.67	7.05	NH	0.02	0.76	NH	NH	0.12	117	134.48	112.19
10	21.21	5.22	NH	NH	0.18	NH	NH	0.05	83	79.61	66.88
11	23.45	7.33	NH	NH	0.80	NH	NH	0.04	111	130.20	141.88
12	19.53	5.35	*	*	0.78	*	*	0.04	*	*	84.46
13	18.14	5.44	1	0.17	0.63	NH	NH	0.03	90	102.80	79.91
			NH	NH	0.72	NH	NH	0.04	90	104.26	100.99
125	214.99	62.49	2	1.29	6.99	NH	NH	1.07	975	1012.74	979.77
12.5	21.50	5.68	0.2	0.13	0.64	0.10	97.5	101.27	89.07
12	7.46	4.69	NH	NH	0.81	NH	NH	0.17	99	54.88	69.17
10	9.01	4.74	NH	0.05	1.10	NH	NH	0.12	91	71.17	71.72
12	10.78	4.43	NH	0.08	0.87	NH	NH	0.12	86	64.37	64.22
9	7.23	5.59	NH	NH	0.87	NH	NH	0.22	80	51.84	70.85
13	7.94	5.02	NH	NH	0.67	NH	NH	0.28	84	48.44	77.63
10	5.56	5.83	NH	NH	0.58	NH	NH	0.17	77	52.17	71.38
12	10.81	5.18	NH	NH	0.54	NH	NH	0.22	102	55.57	67.45
11	10.36	6.06	NH	NH	0.36	NH	NH	0.43	85	77.97	73.43
10	7.72	6.68	NH	NH	0.79	NH	NH	0.22	89	71.01	72.17
9	6.12	7.56	NH	NH	0.74	NH	NH	0.28	89	68.59	94.32
108	82.99	55.58	NH	0.13	7.33	NH	NH	2.23	882	616.01	732.34
10.8	8.30	5.55	..	0.01	0.73	0.22	88.2	61.60	73.24
9	11.53	8.01	NH	0.09	1.61	NH	NH	0.42	98	103.28	105.24
10	10.08	8.72	NH	NH	1.06	NH	NH	0.20	92	70.96	104.68
5	5.69	5.55	NH	NH	1.19	NH	NH	0.22	80	75.04	76.74
11	8.00	6.26	NH	NH	1.48	NH	NH	0.39	100	67.28	82.31
NH	NH	4.90	NH	NH	1.08	NH	NH	0.16	83	56.91	72.35
12	7.35	6.60	1	0.24	1.37	NH	NH	0.33	109	75.10	90.00
17	14.04	7.15	1	0.24	1.50	NH	NH	0.25	122	99.42	101.27
12	13.73	7.15	1	0.19	1.40	NH	NH	0.39	59	42.60	96.43
76	70.42	54.34	3	0.76	10.69	NH	NH	2.36	743	590.59	729.01
9.50	8.80	6.79	0.37	0.09	1.34	0.29	92.88	73.82	91.13
16	19.35	7.46	3	3.16	4.94	NH	NH	0.66	102	103.63	145.77
10	7.52	6.88	2	0.34	1.87	NH	NH	0.70	96	109.84	102.73
11	7.65	7.13	2	0.77	2.48	NH	NH	0.52	86	99.46	119.04
12	5.10	6.68	3	2.05	1.79	NH	NH	0.38	116	69.27	102.25
1	1.73	6.49	1	0.98	1.73	NH	NH	0.63	90	70.85	97.21
12	14.97	7.43	1	0.20	1.38	NH	NH	0.46	110	118.09	119.59
62	56.32	42.07	12	7.50	14.19	NH	NH	3.35	609	571.14	686.59
10.33	9.39	7.01	2	1.25	2.37	0.56	101.5	95.19	114.45
12	9.47	5.98	NH	NH	0.95	NH	NH	0.32	112	128.99	89.92
12	4.38	5.71	NH	NH	0.87	NH	NH	0.35	97	61.51	82.51
14	16.42	5.22	1	0.55	0.76	NH	NH	0.23	109	72.73	79.51
9	11.98	5.62	NH	NH	1.11	NH	NH	0.10	82	73.86	82.32
16	14.63	5.20	NH	NH	0.85	NH	NH	0.16	108	96.63	83.23
11	9.36	4.16	NH	NH	0.97	NH	NH	0.11	104	93.38	71.57
6	12.63	4.45	NH	NH	1.11	NH	NH	0.23	83	100.23	76.02
9	8.53	5.75	NH	NH	1.04	NH	NH	0.22	91	97.72	91.05
89	87.40	42.09	1	0.55	7.66	NH	NH	1.62	786	725.05	656.13
11.11	10.93	5.26	0.13	0.07	0.96	0.20	98.25	90.63	82.01

* The rain gauge was out of order.

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	January.			February.			March.		
			Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.	Number of rainy days.	Rain-fall.	Normal rain-fall.
Chittagong	Noakhali	Noakhali (Obsy.)	Nil	Nil	0.33	Nil	Nil	1.07	1	1.68	2.84
		Feni	Nil	Nil	0.33	Nil	Nil	0.97	2	0.74	3.23
		Harishpur	Nil	Nil	0.25	1	0.30	0.87	1	0.30	2.18
		Ramganj	Nil	Nil	0.25	Nil	Nil	1.02	Nil	Nil	2.87
		Chhagalnaya	Nil	Nil	0.17	Nil	0.16	0.95	4	3.16	2.91
		Hatiya	Nil	Nil	0.15	Nil	Nil	1.01	1	2.20	2.06
		Lakshmipur	Nil	Nil	0.21	Nil	Nil	1.05	1	1.84	2.08
		Total	Nil	Nil	1.69	1	0.46	6.94	10	9.92	18.17
		District average	0.24	0.14	0.07	0.99	1.43	1.42	2.60
	Chittagong Hill Tracts.	Rangamati	Nil	0.02	0.32	1	0.12	1.04	1	0.22	2.83
		Bandarban	Nil	Nil	0.19	Nil	Nil	0.64	Nil	Nil	2.54
		Barkal	Nil	Nil	0.15	Nil	Nil	0.93	4	2.93	2.41
		Mahalchari	Nil	Nil	0.07	Nil	Nil	0.49	1	1.22	2.29
		Lama	Nil	Nil	0.03	Nil	Nil	0.86	Nil	Nil	1.01
		Ramgarh	Nil	Nil	0.09	Nil	Nil	0.55	Nil	Nil	3.15
		Manikseri	Nil	Nil	(n)	1	0.12	(n)	2	1.07	(n)
		Dighinala	Nil	Nil	(n)	Nil	Nil	(n)	2	1.54	(n)
		Mainmukh	Nil	Nil	(n)	Nil	Nil	(n)	1	0.65	(n)
		Kaptai	Nil	Nil	(n)	1	0.20	(n)	Nil	Nil	(n)
		Nakhyongchhari*	Nil	Nil	(n)	Nil	Nil	(n)
		Panchhari†
		Total	Nil	0.02	0.85	1	0.12	4.51	6	4.37	14.23
		District average	0.14	0.17	0.02	0.75	1	0.73	2.37
	Hill Tippera	Agartala	Nil	Nil	0.39	3	1.27	1.24	4	1.80	3.78
	Cooch-Bihar	Dinbata	1	0.36	0.42	2	0.25	0.66	Nil	Nil	1.54
		Cooch-Bihar (Obsy.)	1	0.23	0.31	Nil	0.05	0.64	Nil	Nil	1.70
		Mickliganj	2	0.21	0.28	Nil	0.16	0.79	Nil	Nil	1.31
		Mathabhanga	1	0.25	0.28	Nil	0.11	0.67	Nil	Nil	1.67
		Fulbaria (Tufanganj)	1	0.19	0.29	1	0.66	0.81	3	1.39	1.61
		Total	6	1.24	1.58	3	1.23	3.57	3	1.39	7.89
		District average	1.20	0.25	0.32	0.60	0.25	0.71	0.60	0.28	1.58

* Newly opened from February 1925.
† Newly opened from April 1928.

Province of Bengal for the year 1928.

April.			May.			June.			July.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
1	0.22	5.64	11	13.40	11.00	21	25.36	23.27	21	22.99	24.36
3	0.74	6.23	17	15.85	10.98	23	28.48	22.89	23	28.86	24.29
2	0.74	4.45	16	9.16	10.15	21	22.48	21.68	18	25.44	27.73
4	1.70	4.92	14	18.95	9.56	22	31.60	17.16	21	28.15	17.12
3	1.73	8.57	14	12.70	11.03	18	19.13	20.51	22	23.21	23.94
Nil	Nil	6.16	9	12.04	10.44	23	32.13	22.66	12	27.21	28.01
2	0.37	6.67	9	11.14	10.17	16	29.63	20.80	9	18.33	19.37
15	5.50	42.64	90	93.24	73.33	144	188.75	148.96	126	174.19	164.82
2.14	0.79	6.15	12.86	13.32	10.48	20.57	26.96	21.28	18	24.88	23.55
4	1.29	5.01	20	16.05	9.75	19	16.93	17.85	26	24.50	18.94
2	1.42	5.26	16	17.65	10.13	20	11.71	20.07	20	10.38	21.99
1	0.47	6.43	17	13.97	8.60	20	14.08	18.64	23	19.97	21.10
2	1.55	5.32	15	17.35	5.54	19	17.86	15.39	23	19.49	17.86
2	1.62	6.47	17	18.44	6.37	22	29.20	26.80	22	17.26	34.46
2	0.99	5.90	18	15.46	5.92	21	22.72	17.33	25	28.18	18.74
3	2.40	(n)	15	13.69	(n)	21	24.48	(n)	20	24.58	(n)
5	2.76	(n)	15	13.86	(n)	18	19.66	(n)	22	25.81	(n)
3	1.41	(n)	20	14.54	(n)	16	12.52	(n)	22	18.07	(n)
5	2.03	(n)	14	17.32	(n)	20	21.32	(n)	21	17.12	(n)
2	0.96	(n)	14	10.32	(n)	21	18.39	(n)	19	21.47	(n)
2	2.92	(n)	18	13.26	(n)	24	25.81	(n)	22	17.80	(n)
13	7.34	34.89	103	98.92	46.31	121	112.50	116.08	139	119.78	133.09
2.17	1.22	5.81	17.17	16.49	7.72	20.17	18.75	19.35	23.17	19.96	22.18
3	1.42	6.54	18	18.11	11.31	12	9.12	15.41	17	12.55	12.10
8	5.66	4.37	16	10.26	13.66	21	19.28	25.99	17	29.50	19.97
7	6.71	5.77	13	10.90	15.49	19	30.25	32.70	20	33.52	28.11
6	4.75	3.68	12	10.14	11.76	19	22.31	25.06	18	31.65	24.04
7	5.95	4.42	14	10.43	13.13	20	22.97	28.28	19	42.95	26.23
7	10.51	6.59	15	11.97	15.90	21	18.31	29.10	19	35.32	28.94
35	33.58	24.83	70	53.70	69.94	100	113.12	141.13	93	172.94	127.29
7	6.72	4.97	14	10.74	13.99	20	22.62	28.23	18.6	34.59	25.46

Monthly and Annual Rainfall Table in the

Division.	District.	Station.	August.			September.		
			Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
Chittagong	Noakhali	Noakhali (Obsy.) ..	23	22.15	25.90	18	6.55	17.22
		Feni ..	20	20.71	24.41	17	11.15	14.68
		Harishpur ..	27	21.71	26.14	22	14.24	17.15
		Ramganj ..	26	18.65	17.63	18	9.18	12.10
		Chhagalnaya ..	20	16.40	23.72	14	9.26	14.53
		Hatiya ..	21	20.99	26.78	16	9.99	17.03
		Lakshmipur ..	5	7.90	19.78	4	7.30	14.70
		Total ..	142	128.51	164.86	109	67.67	107.41
		District average ..	20.28	18.36	23.48	15.57	9.68	15.34
	Chittagong Hill Tracts.	Rangamati ..	30	27.81	17.64	18	9.59	12.07
		Bandarban ..	27	17.67	18.05	15	7.35	12.21
		Barkal ..	29	16.75	19.36	20	11.02	14.51
		Mahalchari ..	20	19.37	17.70	12	5.15	12.79
		Lama ..	19	16.97	23.83	16	13.46	13.57
		Ramgarh ..	24	25.16	22.06	14	9.08	14.32
		Manikseri ..	18	15.80	(n)	10	6.88	(n)
		Dighinala ..	21	24.12	(n)	10	8.40	(n)
		Mainmukh ..	23	22.86	(n)	16	11.97	(n)
		Kaptai ..	26	16.46	(n)	14	7.87	(n)
		Nakhyongchhari* ..	17	15.40	(n)	8	8.50	(n)
		Panchhari† ..	20	23.15	(n)	13	11.55	(n)
		Total ..	149	123.73	118.64	95	55.65	79.47
		District average ..	24.83	20.62	19.77	15.83	9.28	13.25
	Hill Tippera	Agartala ..	20	17.31	11.79	14	7.79	9.64
		Total ..	20	17.31	11.79	14	7.79	9.64
	Cooch-Bihar	Dinhata ..	14	34.98	17.75	18	22.35	19.42
		Cooch-Bihar (Obsy.) ..	14	26.89	23.20	18	16.59	23.76
		Mickliganj ..	19	25.13	22.22	19	23.99	17.69
		Mathabhanga ..	18	37.26	22.23	19	21.38	20.06
		Fulbaria (Tufanganj) ..	17	32.01	20.99	17	20.24	23.83
		Total ..	82	156.27	106.39	91	104.55	104.76
		District average ..	16.4	31.25	21.28	18.2	20.91	20.95

* Newly opened from February 1928.

† Newly opened from April 1928.

Dacca, the 18th March 1929.

Province of Bengal for the year 1928.

October.			November.			December.			Annual.		
Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.	Number of rainy days.	Rainfall.	Normal rainfall.
16	17.63	7.96	Nil	Nil	1.60	Nil	Nil	0.43	112	109.92	121.62
13	13.48	7.44	1	0.44	1.94	Nil	Nil	0.52	119	120.45	117.91
14	12.91	9.17	3	0.78	1.57	Nil	Nil	0.45	125	108.06	121.79
15	11.28	6.37	2	0.35	1.13	Nil	Nil	0.22	122	119.86	90.34
11	4.67	8.74	Nil	Nil	1.54	Nil	Nil	0.35	106	90.42	116.96
15	14.47	9.84	Nil	Nil	2.00	Nil	Nil	0.39	97	119.03	126.53
6	12.28	7.76	Nil	Nil	1.16	Nil	Nil	0.23	52	88.79	103.98
90	86.72	57.28	6	1.57	10.94	Nil	Nil	2.59	733	756.53	799.13
12.86	12.37	8.18	0.86	0.22	1.56	0.37	104.71	108.07	114.22
9	5.07	6.60	2	0.80	1.73	Nil	Nil	0.56	130	102.40	94.34
11	6.24	7.02	3	0.88	1.82	Nil	Nil	0.49	114	73.30	100.41
11	7.67	7.35	1	0.25	1.61	Nil	Nil	0.64	126	87.11	101.73
15	7.15	6.13	Nil	Nil	1.29	Nil	Nil	0.01	107	89.14	85.33
11	4.68	4.71	3	2.75	2.57	Nil	Nil	0.09	112	104.38	120.77
12	11.71	5.52	1	0.10	1.93	Nil	Nil	0	117	113.40	95.51
8	6.58	(n)	1	0.17	(n)	Nil	Nil	(n)	99	95.77	(n)
9	8.78	(n)	Nil	Nil	(n)	Nil	Nil	(n)	102	104.93	(n)
12	6.76	(n)	1	0.50	(n)	Nil	Nil	(n)	114	88.78	(n)
13	8.07	(n)	2	0.75	(n)	Nil	Nil	(n)	113	91.14	(n)
11	11.71	(n)	1	3.42	(n)	Nil	Nil	(n)	(n)
10	10.27	(n)	1	0.83	(n)	Nil	Nil	(n)	(n)
69	42.52	37.33	10	4.78	10.95	Nil	Nil	1.79	706	569.73	598.14
11.50	7.09	6.22	1.67	0.79	1.83	0.30	117.67	94.96	99.69
13	20.29	5.14	1	0.31	1.06	Nil	Nil	0.30	105	89.97	78.70
17	13.48	5.82	Nil	0.08	0.25	Nil	Nil	0.09	114	136.20	109.94
17	11.53	6.31	3	0.55	0.19	Nil	Nil	0.09	112	137.22	138.33
12	14.80	5.19	2	1.60	0.14	Nil	Nil	0.12	169	134.74	112.28
13	11.54	5.67	4	1.53	0.18	Nil	Nil	0.08	115	154.37	122.90
17	12.50	7.15	3	1.23	0.32	Nil	Nil	0.15	121	144.33	135.68
76	63.85	30.14	12	4.99	1.08	Nil	Nil	0.53	571	706.86	619.13
15.2	12.77	6.03	2.4	0.99	0.22	0.11	114.2	141.37	123.85

J. C. Roy,

for Director of Agriculture, Bengal.

Vital Statistics for the month of March 1928 of the

Districts.	No.	Towns.	Population under registration according to census of 1921.			Births registered.		Deaths							
			Male.	Female.	Total.	Number registered (excluding still-births).	Still-born number registered.	Cholera.	Small-pox.	Plague.	Malaria.	Enteric fever.	Measles.	Relapsing fever.	Kala-azar.
Burdwan..	1	Burdwan ..	19,583	15,033	34,616	52	..	4	5	..	13	3	3
	2	Raniganj ..	8,040	6,496	14,536	32	2
	3	Asansol ..	15,464	11,035	26,499	23
Bankura	4	Bankura ..	13,523	11,889	25,412	40	..	1	1	..	1
	5	Vishnupur ..	9,736	9,662	19,398	33	1
	6	Sonamukhi	5,140	5,504	10,644	99	..	4
Midnapur	7	Midnapur ..	15,724	13,241	28,965	43	..	1
	8	Ghatal ..	5,655	5,115	10,770	20	..	1	1	..	1
Hooghly ..	9	Hooghly-Chinsura.	16,723	13,215	29,938	55	..	5	6	5
	10	Serampur ..	20,210	12,987	33,197	48	..	5	5	..	2	3	1
	11	Rishra-Kon-nagar.	15,030	8,229	23,259	12	..	7	1	1
	12	Baldyabati	9,174	7,297	16,471	37	..	3	2
	13	Bhadreswar	14,487	7,594	22,081	18	..	3	1
Howrah ..	14	Champdani	17,193	7,459	24,652	29	..	13
	15	Howrah ..	128,472	66,829	195,301	342	..	78	6	..	14	9	5
	16	Bally ..	15,264	7,945	23,209	22	..	4	1
	17	South Suburban.	19,083	14,262	33,345	71	1	77	1	..	7	1	1
	18	Tallyganj ..	13,326	8,311	21,637	39	..	6	3	..	1
24-Parganas.	19	Budge-Budge	17,883	7,840	25,723	18	..	73	2
	20	Baranagar	19,989	12,095	32,084	47	3	28	19	..	1	4	1
	21	Kamarhati	14,965	8,053	23,018	36	..	12	1	1	..	1
	22	Rajpur ..	5,760	5,652	11,412	26	..	3	1	..	1
	23	South Dum-Dum.	5,736	5,294	14,030	37	..	4	1	..	1
	24	Barrackpur	14,877	7,583	22,460	20	2	1	..
	25	Panlhati ..	6,148	4,013	10,161	19	..	18	1
	26	North Barrackpur.	9,452	5,981	15,433	22	..	5	1
	27	Titagarh ..	36,533	15,918	52,451	44	..	7
	28	Garulia ..	9,077	4,019	13,096	21	..	1	4
	29	Naihati ..	15,464	7,822	23,286	30	..	1
	30	Kanchrapara	7,182	3,150	10,332	23
Calcutta ..	31	Bhatpara ..	45,723	19,886	65,609	116	..	2	5	..	3	1
	32	Basirhat ..	10,162	9,105	19,267	60	..	11	2
	33	Baduria ..	7,434	6,623	14,057	16	..	12	2
	34	Calcutta ..	724,248	353,016	1,077,264	1,072	106	455	98	..	129	54	65	..	43
Nadia ..	35	Krishnagar	11,377	10,932	22,309	29	..	2	3
	36	Nabadwip ..	7,291	8,293	15,584	25	1	37	3	1
	37	Santipur ..	11,342	13,450	24,792	72	..	28	15

registered.

towns with a population of 10,000 and over in Bengal.

Other fevers.	Dysentery.	Diarrhoea.	Influenza.	Pneumonia.	Phthisis.	Other respiratory diseases.	Injuries, including suicide.	Deaths from child-birth.	Other causes.	Total of all causes.			Total of corresponding month of previous year.			No.	Towns.
										Male.	Female.	Total.	Male.	Female.	Total.		
3	10	11	..	17	2	7	..	3	21	59	46	105	47	22	69	1	Burdwan.
2	3	1	..	11	10	9	19	12	12	24	2	Raniganj.
..	2	1	..	14	9	8	17	14	11	25	3	Asansol.
2	1	1	..	2	1	11	15	6	21	11	16	27	4	Bankura.
3	..	1	4	6	10	4	14	10	12	22	5	Vishnupur.
1	2	1	1	2	1	..	8	11	9	20	13	5	18	6	Sonamukhi.
4	2	4	..	3	..	5	11	22	8	30	18	18	36	7	Midnapur.
3	..	1	..	5	3	..	5	10	10	20	11	9	20	8	Ghatal.
10	6	9	..	11	1	1	23	44	42	86	53	37	90	9	Hooghly-Chinsura.
8	5	9	..	5	4	4	1	..	5	29	28	57	16	30	46	10	Serampur.
2	2	3	..	1	3	1	..	1	3	16	9	25	22	16	38	11	Rishra-Kon-nagar.
5	3	7	..	1	2	11	15	19	34	13	16	29	12	Baidyabati.
9	2	1	..	3	..	1	14	11	23	34	17	17	34	13	Bhadreswar.
6	1	3	2	1	..	4	..	1	5	20	16	36	11	15	26	14	Champdani.
101	45	44	..	82	22	74	6	1	169	367	289	656	437	345	782	15	Howrah.
3	4	..	1	2	..	2	1	..	2	9	11	20	8	7	15	16	Bally.
15	8	6	..	9	2	7	2	1	17	79	75	154	53	37	90	17	South Suburban.
11	3	1	..	1	4	8	16	22	38	25	33	58	18	Tallyganj.
7	6	1	..	3	..	1	9	56	46	102	35	18	53	19	Budge-Budge.
4	16	7	..	8	3	1	2	..	11	61	44	105	27	34	61	20	Baranagar.
8	2	2	2	3	20	12	32	37	17	54	21	Kamarhati.
7	1	5	1	1	..	1	2	17	6	23	13	17	30	22	Rajpur.
..	2	1	..	7	..	2	9	16	11	27	17	8	25	23	South Dum-Dum.
3	..	1	..	1	..	2	1	..	1	6	6	12	8	8	16	24	Barrackpur.
5	1	1	..	3	3	9	30	11	41	12	13	25	25	Panihati.
7	1	3	3	4	17	7	24	9	8	17	26	North Barrackpur.
50	2	1	2	2	..	4	36	32	68	47	25	72	27	Titagarh.
..	2	3	..	1	..	2	8	5	13	3	5	8	28	Garulia.
3	..	1	..	1	1	..	11	10	8	18	16	10	26	29	Naihati.
8	5	3	8	12	4	16	30	Kanchrapara.
56	4	1	2	9	2	4	27	68	48	116	59	38	97	31	Bhatpara.
6	1	2	..	4	1	..	1	..	4	21	11	32	22	19	41	32	Basirhat.
5	1	13	7	20	4	3	7	33	Baduria.
167	177	212	41	495	281	341	69	4	990	2,107	1,514	3,621	2,289	1,760	4,049	34	Calcutta.
3	3	2	1	4	10	8	18	10	8	18	35	Krishnagar.
9	6	3	..	2	1	15	40	37	77	24	32	56	36	Nabadwip.
12	5	9	..	7	1	1	3	..	9	39	51	90	28	38	66	37	Santipur.

Vital Statistics for the month of March 1928 of the

Districts.	No.	Towns.	Population under registration according to census of 1921.			Births registered.		Deaths							
			Male.	Female.	Total.	Number registered (excluding still-births).	Still-born number registered.	Cholera.	Small-pox.	Plague.	Malaria.	Enteric fever.	Measles.	Relapsing fever.	Kala-azar.
Murshidabad.	38	Berhampur	14,719	11,951	26,670	35	2	12	5	..	19	1
	39	Murshidabad	5,401	5,268	10,669	17	..	5	5	1
	40	Jiaganj-Azimganj	5,876	5,355	11,231	14	6	..	12
	41	Kandi ..	5,903	5,884	11,787	23	1	8
	42	Jangipur ..	5,167	5,572	10,739	21	..	5
Jessore ..	43	Jessore ..	6,410	3,729	10,139	10	..	2	5
Khulna ..	44	Khulna ..	10,235	5,814	16,049	18	..	2	6
	45	Satkhira ..	5,548	4,751	10,299	27	..	7	3	..	6
Rajshahi	46	Rajshahi ..	13,831	10,767	24,598	58	1	16	2	..	2
Dinajpur	47	Dinajpur ..	10,973	7,052	18,023	16	..	1	1
Jalpaiguri	48	Jalpaiguri ..	8,965	5,555	14,520	19	3
Darjeeling	49	Darjeeling ..	12,877	9,381	22,258	47	3	..	1	..	1	2
Rangpur	50	Rangpur ..	12,059	7,017	19,076	46
Bogra ..	51	Bogra ..	7,257	5,065	12,322	6	2
Pabna ..	52	Pabna ..	10,352	8,991	19,343	17	1	..	14
	53	Sirajganj ..	13,756	11,762	25,518	41	..	7	21
Malda ..	54	English Bazar	7,869	6,188	14,057	25	..	1	1
	55	Nawabganj	6,081	6,552	12,633	44	5
Dacca ..	56	Dacca ..	67,333	52,117	119,450	411	11	64	3	1	..	11
	57	Narayanganj	19,442	11,160	30,602	104	7	28	10	..	1
Mymensingh.	58	Mymensingh	16,597	8,690	25,287	31	1	4	1
	59	Jamalpur ..	12,566	10,547	23,113	73	8	2	1	3
	60	Sherpur ..	9,768	8,045	17,813	61	3	1
	61	Kishorganj	10,600	8,918	19,518	14	1	1
	62	Bajitpur ..	5,946	5,622	11,568	17
Faridpur	63	Tangail ..	7,542	6,763	14,305	28
	64	Faridpur ..	8,772	5,731	14,503	32	1	9	8
	65	Madaripur	14,309	10,988	25,297	62	..	21	1
Bakarganj	66	Barisal ..	17,584	9,160	26,744	35	..	32	1	1
	67	Pirojpur ..	7,515	6,326	13,841	28	..	4
Chittagong	68	Chittagong	24,117	11,913	36,030	62	5	2	9	2	2
Tippera ..	69	Comilla ..	15,533	10,381	25,914	37	..	8	2
	70	Brahmanbaria	12,367	11,047	23,414	103	..	32	11	..	2	1
	71	Chandpur ..	10,636	4,482	15,118	17	..	16
Total of month			1,769,376	1,049,372	2,818,748	4,947	153	1,197	215	..	316	88	70	1	84
Total of corresponding month of previous year.			4,022	174	514	1,282	..	285	85	36	16	99
Increase + or decrease —			+925	-21	+683	-1,067	..	+31	+3	+34	-15	-15

REMARKS.—1. The above table is compiled from returns collected by the municipalities and submitted to the Director of Public Health by the Civil actual in a proportion of cases and in a few instances are obviously incomplete.
 2. The vital statistics of municipalities with a population of less than 10,000 have been excluded from this statement and incorporated.
 3. The birth and death ratios per mille per annum have been omitted from this statement according to Government of India, Educa-

CALCUTTA, the 20th March 1929.

towns with a population of 10,000 and over in Bengal.

registered.

Other fevers.	Dysentery.	Diarrhoea.	Influenza.	Pneumonia.	Phthisis.	Other respiratory diseases.	Injuries including suicide.	Deaths from child-birth.	Other causes.	Total of all causes.			Total of corresponding month of previous year.			No.	Towns.
										Male.	Female.	Total.	Male.	Female.	Total.		
12	4	1	..	5	..	4	1	..	8	41	31	72	26	25	51	38	Berhampur.
11	..	2	..	8	15	17	32	16	9	25	39	Murshidabad.
..	1	1	..	4	5	..	4	12	21	33	9	6	15	40	Jiaganj-Azinganj.
13	1	1	3	9	18	17	35	6	8	14	41	Kandi.
8	2	1	1	9	8	17	8	6	14	42	Jangipur.
1	2	1	..	4	5	8	12	20	12	5	17	43	Jessore.
..	..	2	..	2	1	1	1	10	5	15	12	5	17	44	Khulna.
3	1	2	..	1	5	21	7	28	4	4	8	45	Satkhira.
2	..	1	..	5	2	10	20	20	40	28	21	49	46	Rajshahi.
5	1	3	8	8	11	19	6	12	18	47	Dinajpur.
..	2	3	4	..	2	..	3	13	4	17	12	4	16	48	Jalpaiguri.
5	5	1	19	21	13	34	23	18	41	49	Darjeeling.
1	3	2	10	14	2	16	15	6	21	50	Rangpur.
3	3	1	..	2	..	2	8	5	13	2	1	3	51	Bogra.
..	7	6	17	11	28	10	4	14	52	Pabna.
..	..	1	2	..	5	18	18	36	22	13	35	53	Sirajganj.
2	2	1	3	..	3	7	6	13	10	9	19	54	English Bazar.
1	1	1	..	1	..	2	2	..	4	7	10	17	6	7	13	55	Nawabganj.
26	20	17	..	33	6	40	9	3	91	194	130	324	136	122	258	56	Dacca.
14	4	3	..	2	2	32	54	42	96	37	22	59	57	Narayan- ganj.
17	1	2	..	4	19	10	29	17	14	31	58	Mymen- singh.
8	..	1	4	9	10	19	9	8	17	59	Jamalpur.
5	..	2	1	1	7	12	5	17	10	12	22	60	Sherpur.
4	1	3	1	2	9	4	13	9	10	19	61	Kishorganj.
2	1	3	..	3	6	2	8	62	Bajitpur.
2	1	3	..	3	7	11	18	63	Tangail.
1	4	1	..	1	1	2	14	13	27	13	10	23	64	Faridpur.
2	6	1	1	8	15	25	40	21	14	35	65	Madaripur.
17	5	1	1	..	2	39	21	60	22	13	35	66	Barisal.
3	2	..	6	9	6	15	5	9	14	67	Pirojpur.
11	5	1	..	6	3	1	16	30	28	58	30	32	62	68	Chittagong.
1	..	1	1	1	..	11	14	11	25	9	8	17	69	Comilla.
12	..	1	11	36	34	70	22	18	40	70	Brahman- baria.
2	5	13	10	23	..	1	1	71	Chandpur.
751	395	387	47	785	358	528	133	18	1,767	4,072	3,068	7,140		
658	319	272	70	792	322	558	149	14	1,755	4,034	3,192	7,226		
+93	+76	+115	-23	-7	+36	-30	-16	+4	+12	+38	-124	-86		

Surgeons. Taken as a whole, the statement possesses a relative value, although the figures for individual towns probably only approximate to the rates in the returns for districts as ordered in Government of Bengal, Municipal Department, letter No. 118 San., dated the 8th February 1918. tion Department, letter No. 93, dated the 26th March 1918.

CHAS. A. BENTLEY, M.B., D.P.H., D.T.M. & H.,

Director of Public Health, Bengal.

Vital Statistics for the month of March 1928 of the

Division.	No.	Districts.	Population under registration according to census of 1921.			Births registered.		Deaths							
			Male.	Female.	Total.	Number registered (excluding still-births).	Still-born number registered.	Cholera.	Small-pox.	Plague.	Malaria.	Enteric fever.	Measles.	Relapsing fever.	Kala-azar.
Burdwan	1	Burdwan ..	680,282	673,993	1,363,275	4,501	28	1,236	129	1	1,535	17	7	3	6
	2	Birbhum ..	422,986	424,584	847,570	2,951	79	388	13	..	272	..	2	..	2
	3	Bankura ..	480,935	483,552	964,487	3,214	8	188	25	..	552	8	12	22	1
	4	Midnapur ..	1,318,273	1,308,652	2,626,925	6,628	198	859	605	..	1,590	14	1	17	5
	5	Hooghly ..	468,451	462,093	930,544	2,224	2	335	82	..	1,011	36	1	..	8
	6	Howrah ..	391,415	387,478	778,893	2,085	..	664	24	..	268	21	6	8	21
Presidency	7	24-Parganas	1,062,266	980,125	2,051,391	5,698	75	2,459	148	..	680	4	15	3	160
	8	Nadia ..	731,335	693,552	1,424,887	4,131	50	742	121	..	1,868	3	3	6	20
	9	Murshidabad	591,676	599,742	1,191,418	4,633	205	957	214	..	1,962	1	7
	10	Jessore ..	887,182	824,898	1,712,080	4,522	196	496	45	..	3,193	11	2	3	15
	11	Khulna ..	741,741	684,945	1,426,686	3,655	81	824	13	..	818	80	5	21	60
Rajshahi	12	Rajshahi ..	753,539	711,538	1,465,077	5,153	260	988	28	..	3,269
	13	Dinajpur ..	885,427	801,961	1,687,328	6,414	297	119	183	..	3,068	..	1	..	7
	14	Jalpalguri ..	494,432	427,317	921,749	2,843	127	4	8	..	1,412
	15	Darjeeling ..	136,217	124,273	260,490	765	20	2	3	..	209	2	..	1	2
	16	Rangpur ..	1,304,781	1,183,997	2,488,778	6,016	319	161	110	1	2,340	145	3	..	6
	17	Bogra ..	531,470	504,814	1,036,284	3,265	142	35	230	..	701	16	..	8	35
	18	Pabna ..	682,594	662,039	1,344,633	3,117	171	94	62	..	1,715	..	18	7	1
	19	Malda ..	478,872	480,103	958,975	3,977	65	74	451	..	1,760
Dacca	20	Dacca ..	1,485,445	1,490,470	2,975,915	4,432	394	1,500	409	..	262	216	21	..	27
	21	Mymensingh	2,447,431	2,278,695	4,726,126	12,181	492	1,124	593	..	194	5	8	2	34
	22	Faridpur ..	1,124,661	1,085,397	2,210,058	6,861	85	1,196	255	..	1,429	23	29	101	159
	23	Bakarganj ..	1,318,064	1,265,107	2,583,171	6,495	127	1,669	11	..	47	9
Chittagong	24	Chittagong	753,765	821,627	1,575,392	3,917	164	468	633	..	127	1	6	50	22
	25	Noakhali ..	738,722	734,064	1,472,786	5,094	286	472	48	..	64	2	4	46	21
	26	Tippera ..	1,367,598	1,311,029	2,678,627	7,703	342	1,093	214	..	351	56	9	62	179
	27	Chittagong Hill Tracts.													
Total of month for Bengal.			22,288,560	21,414,985	43,703,545	121,572	4,219	18,747	4,667	2	30,697	660	153	361	837
Total of corresponding month of previous year.			135,068	5,445	7,597	5,116	..	34,592	173	70	298	796
Increase + or decrease -.			-13,496	-1,226	11,110	-459	+2	-4,295	+487	+83	+63	+41

REMARKS.—1. The above table is compiled from returns collected by the thana officers and submitted to the Director of Public Health by the Civil
 2. The vital statistics of municipalities with a population of less than 10,000 have been included in this statement with those of the
 3. Divisional totals and the birth and death ratios per mille per annum have been omitted from this statement according to Government

CALCUTTA, the 20th March 1929.

districts, excluding towns with a population of 10,000 and over in Bengal.

registered.

Other fevers.	Dysentery.	Diarrhoea.	Influenza.	Pneumonia.	Phthisis.	Other respiratory diseases.	Injuries, including suicide.	Deaths from child-birth.	Other causes.	Total of all causes.			Total of corresponding month of previous year.			No.	Districts.
										Male.	Female.	Total.	Male.	Female.	Total.		
1,093	42	121	13	243	27	38	33	31	355	2,541	2,389	4,930	1,793	1,552	3,345	1	Burdwan.
1,422	11	3	1	12	4	3	28	4	315	1,246	1,234	2,480	1,088	1,044	2,132	2	Birbhum.
685	47	64	19	83	29	36	1	12	339	1,122	1,018	2,140	1,095	1,029	2,124	3	Bankura.
1,909	78	82	11	148	46	54	51	34	723	3,211	3,016	6,227	3,452	3,328	6,780	4	Midnapur.
83	24	51	7	104	6	16	41	4	271	1,059	1,021	2,080	900	782	1,682	5	Hooghly.
381	33	144	17	73	48	40	25	15	208	1,003	993	1,996	1,029	1,016	2,045	6	Howrah.
1,726	43	36	8	104	38	42	73	22	617	3,256	2,922	6,178	2,951	2,379	5,330	7	24-Parganas.
372	16	13	7	57	17	17	37	12	314	1,928	1,697	3,625	1,565	1,440	3,005	8	Nadia.
177	2	3	..	10	1	1	21	8	534	2,038	1,860	3,898	1,750	1,743	3,533	9	Murshidabad.
350	18	11	..	26	12	9	46	12	385	2,525	2,109	4,634	1,863	1,583	3,416	10	Jessore.
529	9	14	3	23	15	23	31	13	455	1,575	1,361	2,936	1,463	1,136	2,599	11	Khulna.
41	5	5	..	9	1	4	29	8	555	2,672	2,270	4,942	2,013	1,611	3,624	12	Rajshahi.
689	..	7	2	6	2	9	23	20	279	2,381	2,034	4,415	2,585	2,341	4,926	13	Dinajpur.
30	18	32	24	50	31	12	8	6	82	972	745	1,717	1,238	871	2,109	14	Jalpaiguri.
200	19	8	6	13	14	2	7	2	102	336	256	592	294	268	562	15	Darjeeling.
213	11	3	..	7	..	3	36	9	40	1,661	1,427	3,088	2,931	2,474	5,405	16	Rangpur.
360	8	12	13	11	10	11	29	18	113	865	745	1,610	950	844	1,794	17	Bogra.
86	7	3	..	1	1	4	18	..	193	1,179	1,031	2,210	1,720	1,496	3,216	18	Pabna.
3	5	3	1	13	7	207	1,420	1,104	2,524	999	853	1,852	19	Malda.
1,828	191	21	22	5	22	63	29	14	901	2,896	2,645	5,541	2,467	2,112	4,579	20	Dacca.
3,611	78	41	..	13	24	36	56	25	984	3,578	3,250	6,828	3,997	3,709	7,706	21	Mymensingh.
1,290	174	166	11	76	57	109	28	49	632	3,364	3,020	6,384	2,109	1,861	3,970	22	Faridpur.
3,366	73	28	9	9	11	38	82	16	1,177	3,480	3,065	6,545	3,895	3,310	7,205	23	Bakarganj.
2,357	29	30	2	10	3	4	24	5	122	2,008	1,885	3,893	1,695	1,657	3,352	24	Chittagong.
1,804	42	35	45	34	22	384	1,560	1,463	3,023	1,668	1,658	3,326	25	Noakhali.
1,672	116	64	23	14	15	44	23	31	715	2,432	2,249	4,681	2,327	2,153	4,480	26	Tippera.
registration.	27	Chittagong Hill Tracts
26,277	1,099	997	178	1,107	437	664	843	399	11,002	52,308	46,809	99,117		
28,367	785	647	136	625	316	440	911	264	12,594	49,877	44,250	94,127		
-2,090	+314	+350	+42	+482	+121	+224	-68	+135	-1,592	+2,431	+2,559	+4,990		

Surgeons. Taken as a whole, the statement possesses a relative value, although the figures for individual districts probably only approximate to the actuals of India, Education Department, letter No. 93, dated the 26th March 1918.

CHAS. A. BENTLEY, M.B., D.P.H., D.T.M. & H.,

Director of Public Health, Bengal.

**Statement of weekly gauge readings on the river Ganges at Rampur Boalia
for the week ending the 30th March 1929.**

Date.	Hour.	Height of surface above zero of gauge.	Height of surface above P. W. D. datum.	Height of surface above P. W. D. datum on the same date last year.	Remarks.
1929.					
24th March	.. 7 A.M.	..	35.10	37.60	P. W. D. datum 6.25 feet above Kidderpore Old Dock sill.
25th "	.. "	..	35.10	37.50	
26th "	.. "	..	35.10	37.35	
27th "	.. "	..	35.10	37.25	B. M. on Rajshahi College step 64.73.
28th "	.. "	..	35.10	37.20	
29th "	.. "	..	35.05	37.10	Value of zero = 0.00
30th "	.. "	..	35.05	37.00	P. W. D.

The previous year's highest water-level—			Old value.	P. W. D. datum.
Do.	lowest	"		
Record	highest	"	69.25 on 2nd August 1879	64.44
Do.	do.	"	69.08 on 9th September 1885	64.27
Do.	do.	"	68.30 on 25th August 1890 ..	63.47
Do.	do.	"	68.21 on 26th August 1906 ..	63.40
Do.	do.	"	on 13th August 1922 ..	61.70
Do.	do.	"	on 27th August 1923 ..	61.05
Do.	do.	"	on 18th August 1924 ..	61.35
Do.	do.	"	on 16th September 1925	61.45
Do.	do.	"	on 11th September 1926	60.15
Do.	do.	"	on 10th September 1927	58.75
Do.	do.	"	on 7th August 1928	59.20
Do.	do.	"	on 1929	
Do.	lowest	"	37.63 on 25th April 1884 ..	32.82
Do.	do.	"	38.13 on 14th-15th April 1883	33.32
Do.	do.	"	39.02 on 21st-22nd April 1897	34.21
Do.	do.	"	39.28 on 6th-7th May 1903 ..	34.47
Do.	do.	"	on 9th May 1922 ..	34.70
Do.	do.	"	on 4th May 1923 ..	35.80
Do.	do.	"	on 25th May 1924 ..	35.95
Do.	do.	"	on 15th April 1925 ..	35.80
Do.	do.	"	on 8th May 1926 ..	35.20
Do.	do.	"	on 25th May 1927 ..	34.95
Do.	do.	"	on 21st April 1928 ..	36.15
Do.	do.	"	on 1929 ..	

N.B.—The gauge readings commenced from the 1st August 1887.

P. C. BOSE, *Subdivisional Officer,*

RAMPUR BOALIA, the 30th March 1929.

I. D., *Rajshahi.*

**Statement of weekly gauge readings on the rivers Ganges and Brahmaputra at
Goalundo for the week ending the 30th March 1929.**

Month and date.	Hour.	Height of surface above zero.	Height of surface above mean sea level.	Height of surface above mean sea level on the same date of last year.	Remarks.
1929.					
24th March	.. 7 A.M.	6.6	6.6	7.2	Zero is placed at mean sea level. The bench mark for this gauge is marked on a pucca base between passenger ghat and Chandpur ghat at Goalundo.
25th "	.. "	7.0	7.0	7.4	
26th "	.. "	7.3	7.3	7.4	
27th "	.. "	7.6	7.6	7.2	
28th "	.. "	7.7	7.7	7.1	
29th "	.. "	7.5	7.5	6.9	
30th "	.. "	7.3	7.3	6.6	

Highest recorded flood during previous year .. 25.7 on 20th to 23rd and on 25th August 1928.

Previous highest recorded flood .. 26.7 on 23rd and 24th August 1914, 25.55 on 15th September 1925, 25.75 on 28th August 1906 and 25.66 on 11th to 17th and 31st August 1889 and 1st to 3rd September 1883.

Lowest recorded water level during previous year .. 6.7 on 2nd and 3rd February 1928 and on 1st March 1928

Previous recorded low water level .. 1.0 on 8th February 1914.

A. M. PAUL, *for Subdivisional Officer,*

RAJBARI, the 4th April 1929.

P. W. D., *Faridpur.*

DISTRICT REPORTS ON WEATHER AND CROPS.

For the week ending on the 3rd April 1929.

Summary.—During the week light and scattered showers fell over the greater part of the Presidency. Cultivation of jute and other autumn crops is progressing favourably, but more rain is needed to facilitate the operation. Harvesting of spring crops is approaching completion. The state and prospects of standing crops are generally fair. The average price of common rice for the province has fallen by about 0·96 per cent. as compared with that of the previous week.

Serial No.	District and subdivision.	Rainfall.	Price of common rice, in seers, per rupee.		Character of the weather, condition of crops, etc.
			This week.	Previous week.	
1	2	3	4	5	6
		Inches.			
1	24-PARGANAS	Nil	6 $\frac{7}{16}$	5 $\frac{7}{16}$	Weather stormy in Diamond Harbour, elsewhere seasonable. Lands are being prepared for the next season's crops. Fodder and water are sufficient.
	Diamond Harbour.	Nil	7 $\frac{1}{4}$	7 $\frac{1}{4}$	
	Barrackpore ..	Nil	5	5	
	Baraset ..	Nil	6	(n)	
	Basirhat ..	Nil	7	(n)	
2	NADIA ..	0·12	5 $\frac{1}{2}$	5 $\frac{1}{2}$	Weather seasonable. Harvesting of <i>rabi</i> crops is finished. Ploughing of lands for <i>aus</i> paddy is in progress.
	Kushtia ..	0·90	6 $\frac{1}{2}$	6 $\frac{1}{2}$	
	Meherpur ..	0·15	6	6	
	Chuadanga ..	0·77	5 $\frac{1}{2}$	5 $\frac{1}{2}$	
	Ranaghat ..	Nil	5 $\frac{1}{2}$	5 $\frac{1}{2}$	
3	MURSHIDABAD	1·19	7 $\frac{1}{2}$	7 $\frac{1}{2}$	Weather seasonable. Prospects of standing crops are fair. Fodder is sufficient. Cattle-disease is reported from thana Sagardighi in Jangipur.
	Lalbagh ..	Nil	7	7	
	Jangipur ..	Nil	7 $\frac{1}{4}$	(n)	
	Kandi ..	0·25	8	(n)	
4	JESSORE ..	1·36	7	7	Weather cloudy. Ploughing of lands continues; more rain is wanted. Prospects of standing crops are fair. Fodder and water are sufficient.
	Jhenidah ..	0·20	6	7	
	Magura ..	1·15	7	7	
	Narail ..	0·45	6 $\frac{1}{2}$	6 $\frac{1}{2}$	
	Bongaon ..	Nil	6 $\frac{5}{8}$	6 $\frac{5}{8}$	
5	KHULNA ..	0·25	8	8	Weather seasonable. Cultivation of <i>til</i> is over. Ploughing of jute and <i>aus</i> paddy has commenced. Fodder and water are sufficient. Export is going on. Cattle-disease is reported from Bagerhat police-station.
	Satkhira ..	Nil	7 $\frac{9}{16}$	8	
	Bagerhat ..	Nil	8	8	

(n) Not reported.

Serial No.	District and subdivision.	Rainfall.	Price of common rice, in seers per rupee.		Character of the weather, condition of crops, etc.
			This week.	Previous week.	
1	2	3	4	5	6
		Inches.			
6	BURDWAN ..	Nil	6½	6½	Weather hot and dry. Stock of rice and fodder and water are sufficient.
	Asansol ..	Nil	7	7	
	Katwa ..	Nil	8	7¼	
	Kalna ..	Nil	7¼	6½	
7	BIRBHUM ..	Nil	8	8	Weather seasonable. Fodder and water are sufficient. Cattle-disease is reported from Mallarpur circle.
	Rampurhat ..	Nil	7	7	
8	BANKURA ..	Nil	6¾	6¾	Weather seasonable. Pressing of sugarcane and harvesting of <i>rabi</i> crops are finished.
	Vishnupur ..	Nil	7½	7	
9	MIDNAPORE ..	Nil	8	7 ⁹ / ₁₆	Weather seasonable. Fodder and water are sufficient. Cattle-disease in epidemic form is reported from Kharagpur.
	Contai ..	Nil	7½	7	
	Tamluk ..	Nil	7	(n)	
	Ghatal ..	Nil	7¼	5½	
	Jhargram ..	Nil	6¾	(n)	
10	HOOGHLY ..	Nil	6¾	6¾	Weather seasonable. Fields are being ploughed. Fodder is sufficient.
	Serampore ..	Nil	6½	6¼	
	Arambagh ..	(n)	(n)	7¼	
11	HOWRAH ..	Nil	6	6	Lands are being prepared for jute. Rain is badly wanted.
	Uluberia ..	Nil	6	6	
12	RAJSHAHI (RAMPUR-BOALIA) ..	Nil	7¼	7¾	Weather seasonable. Prospects of standing crops are good. Harvesting of spring crops is going on. Lands are being prepared for jute and autumn paddy. Fodder and water are sufficient.
	Naogaon ..	Nil	7½	(n)	
	Nator ..	Nil	6¾	(n)	
13	DINAJPUR ..	Nil	7	(n)	Weather seasonable. Its effects on agricultural operations are favourable. Lands are being prepared for jute and <i>bhadoi</i> paddy. Cattle-disease is reported from Khansama police-station in Thakurgaon. Fodder and water are sufficient.
	Thakurgaon ..	Nil	7½	(n)	
	Balurghat ..	Nil	8	(n)	
14	JALPAIGURI ..	0·78	6	6	Condition and prospects of crops are fair. No damage is reported.
	Alipur ..	1·17	5½	5½	
15	DARJEELING ..	0·20	4	4	Potatoes and maize are growing. Lands are being prepared for jute and paddy. Fodder and water are sufficient.
	Kurseong ..	0·28	5	(n)	
	Siliguri ..	0·15	5¼	5¼	
	Kalimpong ..	0·55	5	5	

(n) Not reported.

Serial No.	District and subdivision.	Rainfall.	Price of common rice, in seers, per rupee.		Character of the weather, condition of crops, etc.
			This week.	Previous week.	
1	2	3	4	5	6
		Inches.			
16	RANGPUR ..	0·52	6½	6½	Weather seasonable. Sowings of jute and <i>aus</i> paddy are going on. Prospects of crops are good. Fodder and water are sufficient.
	Nilphamari ..	Nil	6	6	
	Kurigram ..	0·79	6	(n)	
	Gaibandha ..	Nil	6	6	
17	BOGRA ..	Nil	7½	7½	Rain is wanted for sowings of jute and <i>aus</i> paddy.
18	PABNA ..	0·23	6½	6½	Weather stormy and cloudy. Prospects of crops are good. Fodder and water are sufficient. Cattle-disease is reported from Shahzadpur thana only.
	Sirajganj ..	0·54	6½	6½	
19	MALDA ..	0·19	7¾	7½	Weather seasonable. Harvesting of <i>rabi</i> crops continues. Sowings of jute and <i>bhadoi</i> paddy have commenced. Fodder and water are sufficient.
20	COOCH BEHAR	0·85	6½	6½	Weather seasonable. Sowings of autumn paddy and jute continue. Tobacco crop is partially damaged by hailstorm in Mekliganj. Fodder and water are sufficient.
21	DACCA ..	0·71	6½	6½	Weather seasonable. Rainfall at North Sadar (Kaptasia) nil. Sowing of jute is going on. Prospects of <i>boro</i> paddy are satisfactory. Rice market is almost steady. Fodder and water are sufficient.
	Manikganj ..	0·49	6½	(n)	
	Narayanganj ..	0·51	7	6½	
	Munshiganj ..	0·34	6½	6½	
22	MYMENSINGH	1·02	5½	5½	Weather seasonable. Rice market is almost steady. Fodder and water are available.
	Jamalpur ..	Nil	6¾	(n)	
	Tangail ..	Nil	5½	5½	
	Netrokona ..	2·63	6½	6½	
	Kishorganj ..	1·08	6¾	6½	

(n) Not reported.

Serial No.	District and subdivision.	Rainfall.	Price of common rice, in seers, per rupee.		Character of the weather, condition of crops, etc.
			This week.	Previous week.	
1	2	3	4	5	6
		Inches.			
23	FARIDPUR ..	0.58	6	6	Weather occasionally cloudy and rainy. Prospects of standing crops are fair. Harvesting of <i>rabi</i> crops is going on. Sowings of jute and <i>aus</i> paddy have commenced. Fodder and water are sufficient. No large import and export are reported.
	Goalundo (Rajbari).	1.05	6	6	
	Madaripur ..	0.43	7½	7¼	
	Gopalganj (a)	Nil	7¼	7½	
24	BAKARGANJ (BARISAL).	Nil	6½ ¹⁵ / ₁₆	6½ ⁵ / ₆	Weather seasonable. Prospects of crops are good. Fodder and water are sufficient. Cattle-disease has subsided in Bhandaria thana but is reported from Swarupkati thana.
	Pirojpur ..	0.01	6¼	6¼	
	Patuakhali ..	Nil	7¾	7¾	
	Dakshin Shabazpur (Bhola).	Nil	7½	(n)	
25	CHITTAGONG ..	0.71	{ 7¾ 7½*	{ 7 7½*	More rain is wanted for agricultural operations. Fodder and water are insufficient in some parts of the district. <i>Panga</i> salt sells at 16 seers per rupee at Sadar and 12 seers at Cox's Bazar.
	Cox's Bazar ..	Nil	7	(n)	
26	TIPPERA (COMILLA).	0.55	6½ ¹⁵ / ₁₆	6½ ⁵ / ₆	Prospects of crops are fair.
	Brahmanbaria	0.85	6¾	6¾	
	Chandpur ..	0.56	7	7½	
27	NOAKHALI ..	0.89	7½	7½	Weather squally. Fodder and water are sufficient.
	Feni ..	0.03	8	8	
28	CHITTAGONG HILL TRACTS.	0.65	9	9	Weather seasonable.
29	TRIPURA STATE	0.18	6½	7¾	Weather seasonable. Cattle-disease exists in Sabroom. Fodder is sufficient, but water insufficient in places. Cleansed cotton sells at Rs. 20 to Rs. 40 per maund and jute at Rs. 8 to Rs. 9 per maund.

* Burma rice.

(n) Not reported.

(a) The rainfall at Haridaspur, which is very near to Gopalganj, is not shown here.

Dacca, the 6th April 1929.

J. C. Roy, for Director of Agriculture, Bengal.

**Statement showing the gauge-readings at Dacca Water-works on the river Buriganga
for the week ending 23rd March 1929.**

Date.	At highest water.		At lowest water.		Commencement of		Remarks.	
	Time.	Reading.	Time.	Reading.	Ebb tide.	Flow tide.		
1929.							At 7 A.M.	At 5 P.M.
17th March ..	17-10	5.7	11-20	4.15	17-20	11-30	5.1	5.65
18th " ..	18-0	5.45	12-5	3.95	18-8	12-17	4.4	5.2
19th " ..	6-45	5.0	12-50	3.5	6-50	13-5	4.95	4.5
20th "	4.7	4.15
21st " ..	8-10	4.7	14-15	3.25	8-20	14-25	4.4	3.9
22nd " ..	9-0	4.2	15-0	2.7	9-12	15-10	3.6	3.2
23rd " ..	9-50	4.5	15-45	3.0	10-5	16-0	3.75	3.25

B. M. on settling tank 39.49 O.M.S.L. Zero is at O.M.S.L.

Notable high and low water-levels of previous years.

		Taken at high tide.			Taken at low tide.
27th August	1906	.. 70.5	23rd February	1907	.. 51.06
5th September	1909	.. 66.86	13th "	1908	.. 51.06
10th August	1910	.. 69.86	12th March	1912	.. 51.06
1st "	1911	.. 68.46	6th "	1914	.. 50.60
13th "	1912	.. 67.16	22nd February	1915	.. 50.30
31st "	1915	.. 69.7	15th "	1916	.. 50.60
8th "	1916	.. 68.1	3rd March	1917	.. 51.0
12th "	1917	.. 67.1	21st February	1918	.. 51.40
13th "	1918	.. 69.12	26th "	1919	.. 50.4
2nd "	1919	.. 66.8	18th "	1920	.. 50.9
8th September	1920	.. 66.9	19th "	1921	.. 50.9
28th July	1921	.. 68.4	8th March	1922	.. 51.05
10th August	1922	.. 68.00	14th "	1923	.. 50.8
31st July	1923	.. 66.15	16th February	1924	.. 50.50
29th August	1924	.. 68.82	5th March	1925	.. 50.9
8th September	1925	.. 68.52	9th February	1926	.. 2.2
15th August	1926	.. 19.6	27th "	1927	.. 2.10
17th September	1927	.. 18.70	16th "	1928	.. 2.2
22nd August	1928	.. 20.0			

N.B.—Zero of the gauge at Dacca Water-works prior to 11 A.M. on 8th January 1926= -48.51 with reference to P. W. D. datum.

Zero of the gauge at Dacca Water-works since 11 A.M. on 8th January 1926=0.00 with reference to P. W. D. datum.

P. C. Roy, *Executive Engineer,*
Khulna Division.

KHULNA, the 6th April 1929.

Wholesale prices-current of food-grains, salt, etc., in the undermentioned marts of Bengal for the second-half of March 1929.

Marts.	Paddy, local (best quality).			Paddy, local (common quality).			Rice, local (best quality).		
	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
	2	3	4	5	6	7	8	9	10
	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.
Calcutta ..	4 6 0	4 6 0	4 6 0	4 4 0	4 4 0	4 4 0	10 0 0	10 0 0	10 4 0
Burdwan ..	3 4 0	3 4 0	4 4 0	3 1 0	3 1 0	4 4 0	7 0 0	7 0 0	8 4 0
Raniganj
Midnapore ..	3 0 0	4 4 0	3 10 0	2 12 0	3 0 0	3 6 0	5 8 0	8 8 0	7 0 0
Chittagong ..	2 8 0	2 8 0	4 0 0	2 4 0	2 4 0	3 8 0	7 8 0	7 8 0	8 8 0
Dacca ..	3 12 0	3 12 0	3 12 0	3 4 0	2 4 0	3 8 0	7 12 0	7 12 0	7 12 0
Pabna ..	3 6 0	3 6 0	4 8 0	3 5 0	3 5 0	4 4 0	(a)	(a)	8 8 0
Rangpur ..	3 4 0	3 4 0	3 8 0	3 0 0	3 0 0	3 0 0	8 8 0	8 8 0	9 8 0
Serajganj (Pabna)
Sarisabari (Mymensingh)
Narayanganj (Dacca)

Marts.	Rice, local (common quality).			Wheat.			Kalai Dal.		
	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
	11	12	13	14	15	16	17	18	19
	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.
Calcutta ..	8 3 0	8 3 0	8 7 0	6 12 0	6 12 0	5 12 0	8 0 0	8 0 0	7 8 0
Burdwan ..	6 8 0	6 8 0	7 4 0	7 0 0	7 0 0	6 0 0	9 0 0	9 0 0	7 0 0
Raniganj
Midnapore ..	4 15 0	5 8 0	6 10 0	8 12 0	7 4 0	7 0 0	8 8 0	8 8 0	8 0 0
Chittagong ..	{ 5 12 0 to 5 8 0*	{ 5 12 0 to 5 8 0*	7 8 0
Dacca ..	6 12 0	6 12 0	7 4 0	8 0 0	8 0 0	7 0 0	6 8 0	6 8 0	7 8 0
Pabna ..	5 12 0	5 12 0	7 0 0	(a)	(a)	6 0 0	9 8 0	9 8 0	7 0 0
Rangpur ..	6 8 0	6 8 0	8 8 0	10 0 0	10 0 0	8 0 0	8 12 0	8 12 0	6 0 0
Serajganj (Pabna)
Sarisabari (Mymensingh)
Narayanganj (Dacca)

* Burma rice.

(a) Not available.

Wholesale prices-current of food-grains, salt, etc., in the undermentioned marts of Bengal for the second-half of March 1929.

Marts.	Gram.			Arhar dal.			Linseed.		
	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
	20	21	22	23	24	25	26	27	28
	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.
Calcutta ..	6 4 0	6 4 0	5 8 0	8 0 0	8 0 0	7 8 0	7 12 0	7 12 0	7 8 0
Burdwan ..	8 0 0	8 0 0	5 0 0	7 4 0	7 4 0	7 8 0	(b)	(b)	7 0 0
Raniganj
Midnapore ..	6 12 0	6 12 0	5 8 0	9 0 0	10 0 0	9 8 0	6 8 0	6 8 0	6 0 0
Chittagong ..	6 8 0	6 12 0	5 8 0	9 0 0	9 0 0	8 8 0	9 8 0	9 8 0	10 0 0
Dacca ..	8 0 0	8 0 0	7 0 0	10 0 0	10 0 0	9 8 0	10 0 0	10 0 0	9 0 0
Pabna ..	8 8 0	8 8 0	5 12 0	9 8 0	9 8 0	8 8 0	7 0 0	7 0 0	7 0 0
	to	to							
Rangpur ..	7 4 0	7 4 0	5 0 0	10 0 0	10 0 0	8 12 0	(a)	(a)	(a)
	6 4 0	6 4 0							
Seraiganj (Pabna)
Sarisabari (Mymensingh)
Narayanganj (Dacca)

Marts.	Mustard.			Gur.			Cotton (unginned).		
	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
	29	30	31	32	33	34	35	36	37
	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.
Calcutta ..	10 8 0	10 8 0	9 0 0	9 0 0	9 0 0	8 8 0	33 0 0	32 12 0	33 8 0
Burdwan ..	8 0 0	8 0 0	8 12 0	8 4 0	8 0 0	7 8 0
Raniganj
Midnapore ..	10 8 0	10 8 0	10 0 0	9 0 0	8 8 0	8 0 0
Chittagong ..	10 8 0	10 8 0	10 0 0	8 0 0	8 0 0	10 0 0
Dacca ..	11 0 0	11 0 0	11 0 0	10 0 0	10 0 0	9 0 0 to 12 0 0
Pabna ..	9 6 0	9 6 0	8 0 0	7 0 0	7 0 0				
Rangpur ..	13 8 0	13 8 0	10 0 0	9 0 0	9 0 0	12 3 0
Seraiganj (Pabna)
Sarisabari (Mymensingh)
Narayanganj (Dacca)

(a) Not available.

(b) Not in stock.

Wholesale prices-current of food-grains, salt, etc., in the undermentioned marts of Bengal for the second-half of March 1929.

Marts.	Jute.			Ghee.			Hide (Cow).		
	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
	38	39	40	41	42	43	44	45	46
	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.
Calcutta	13 4 0*	13 8 0*	(1) 11 8 0	65 0 0	65 0 0	70 0 0	14 0 0	13 0 0	17 0 0
	12 4 0†	12 8 0†	(2) 10 8 0	to	to	to	to	to	to
	11 4 0‡	11 8 0‡	(3) 9 0 0	70 0 0	72 0 0	77 0 0	18 8 0§	18 0 0§	25 0 0§
Burdwan
Raniganj
Midnapore
Chittagong
Dacca
Pabna
Rangpur
Serajganj (Pabna)	10 12 0	11 2 0	7 13 0
Sarisabari (My- mensingh)	10 8 0	10 12 0	7 8 0
	to	to	to
	13 0 0	13 4 0	10 8 0
Narayanganj (Dacca)	8 8 0	9 12 0	7 12 0
	to	to	to
	10 8 0	11 8 0	10 0 0

*Price of jat fours.

†Price of district fours.

‡Weighted average price.

§Price per 20 lbs.

Marts.	Iron.			Salt.			Kerosine oil.*		
	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
	47	48	49	50	51	52	53	54	55
	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.
Calcutta	(a) 6 0 0	(a) 6 0 0	(a) 6 8 0	2 2 0	2 1 6	2 6 6	Swan 4 13 6	Swan 4 13 6	Swan 4 13 6
	to	to	to	Rising sun 6 3 6	Rising sun 6 3 6	Rising sun 6 3 6
	10 8 0	10 8 0	15 8 0	Elephant 6 6 6	Elephant 6 6 6	Elephant 6 3 6
Burdwan
Raniganj
Midnapore
Chittagong
Dacca
Pabna
Rangpur
Serajganj (Pabna)
Sarisabari (Mymen- singh)
Narayanganj (Dacca)

(a) British mild steel per cwt.

*Per two tins.

Wholesale prices-current of food-grains, salt, etc., in the undermentioned marts of Bengal for the second-half of March 1929.

Marts.	Mustard oil.			Firewood.			Coal (Bengal).		
	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
	56	57	58	59	60	61	62	63	64
	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.	Rs. A. P.
Calcutta	21 0 0 to 22 0 0	21 8 0 to 23 0 0	22 0 0 to 23 0 0	(a)	(a)	{ 0 14 0 to 1 0 0 }	{ 0 8 6* to 0 8 6* }	{ 0 8 6* to 0 8 6* }	{ 0 7 6* to 0 7 6* }
Burdwan
Raniganj	0 1 9	0 3 0	0 3 0
Midnapore
Chittagong
Dacca
Pabna
Rangpur
Serajganj (Pabna)
Sarisabari (Mymen-singh)
Narayanganj (Dacca)

(a) Not available.

* Soft coke.

Dacca, the 6th April 1929.

J. C. Roy, for Director of Agriculture, Bengal.

Prices-current (retail) of food-grains, salt, etc., in the

Division.	District.	Number and Marts.	Quantity per rupee					
			Common rice.					
			Average.			Cheapest.		
			Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
			S. CH.	S. CH.	S. CH.	S. CH.	S. CH.	S. CH.
Presidency.	24-Parganas	1 Chetla Hat	6 7	5 7	5 4	6 13	6 8	6 4
		2 Magra Hat	8 0	7 5	6 3	8 6	8 0	6 10
		3 Calcutta-Beliaghata ..	4 9	4 9	4 8	5 4	5 4	5 4
	Nadia ..	4 Goari	6 4	6 8	4 12	(a)	6 12	5 4
		5 Ranaghat	5 8	5 8	5 0	6 0	6 0	5 8
	Murshidabad	6 Berhampore	7 8	7 4	5 0	8 0	7 8	5 12
		7 Kandi	8 0	8 0	5 9	8 4	8 4	5 12
		8 Jangipur	7 4	7 6	5 12	7 8	7 8	5 14
	Jessore ..	9 Sadar	7 0	7 0	6 0	8 0	7 8	6 4
		10 Bongaon	7 4	6 10	5 2	7 10	7 10	6 2
Burdwan.	Khulna ..	11 Sadar	8 0	8 0	5 5	8 4	8 4	6 8
		12 Bagerhat	8 0	8 0	6 0	8 4	8 4	6 0
	Burdwan ..	13 Sadar	7 8	7 8	5 4	8 0	8 0	6 0
		14 Kalna	7 4	6 0	4 14	7 8	6 14	5 6
	Birbhum ..	15 Suri	7 4	7 8	5 8	8 0	8 0	6 0
		16 Rampur Hat	7 0	6 8	5 8	7 8	7 0	5 12
	Bankura ..	17 Sadar	6 8	6 8	6 0	7 0	7 0	6 4
		18 Vishnupur	7 8	7 0	5 8	8 0	7 8	6 0
	Midnapore ..	19 Sadar	7 12	7 8	6 4	8 4	8 0	6 8
		20 Contai	7 8	7 8	7 8	8 8	8 8	8 0
Rajshahi.	Hooghly ..	21 Sadar	6 12	6 8	5 4	7 0	7 0	5 8
		22 Arambagh	7 8	7 12	5 8	8 0	8 4	6 4
	Howrah ..	23 Sadar	5 8	5 8	5 8	6 0	6 0	6 8
		24 Ulubaria	6 4	6 0	6 0	6 12	6 8	6 12
	Rajshahi ..	25 Rampur-Boalia ..	6 12	6 12	5 4	7 4	7 4	5 10
		26 Nator	6 6	6 6	5 4	6 12	6 12	6 0
	Dinajpur ..	27 Dinajpur—Railway Bazar Hat.	7 3	7 3	4 13	7 8	7 8	6 0
		28 Jalpaiguri—Sadar ..	6 4	6 4	6 0	7 0	7 0	6 12

(a) Not available.

(b) New.

N.B.—The prices of Karkach and Liverpool

districts of Bengal for the second-half of March 1929.

In acres of eighty tolas.

Kalai dal (<i>Phaseolus radiatus</i>).			Arhar dal or Thur Cadjan Pea (<i>Cajanus indicus</i>).			Salt.		
Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.	Present return.	Next preceding return.	Corresponding return of last year.
S. CH.	S. CH.	S. CH.	S. CH.	S. CH.	S. CH.	S. CH.	S. CH.	S. CH.
5 0	4 8	5 0	3 8	4 8	4 8	13 4	14 0	14 0
(a)	(a)	(a)	4 0	3 8	4 0	15 0	15 0	13 0*
4 11	4 11	5 0	4 11	4 11	5 0	10 8†	10 8†	13 5
4 0	4 0	4 0	4 0	4 0	4 0	13 0	13 0	10 8†
5 0	5 0	5 4	5 0	5 0	5 4	11 6*	11 8*	12 12*
5 8	5 4	5 8	6 8	6 0	5 8	16 0	16 0	13 4
3 12	3 12	5 8	4 0	4 0	4 0	13 0*	13 0*	16 0
4 8	4 8	5 0	4 8	4 4	5 0	14 0*	14 0*	13 0*
4 4	4 4	4 0	4 0	4 0	4 0	14 8	14 8	14 0*
4 0	4 0	4 0	4 0	4 0	4 0	14 8*	14 8*	14 0*
5 8	5 4	4 8	5 0	5 0	4 0	14 0	14 0	14 0†
7 0	7 0	7 0	4 8	4 8	4 8	13 0*	13 0*	13 0†
4 0	4 0	5 0	5 1	5 1	5 0	13 0†	13 0†	12 0†
4 8	5 0	5 0	5 0	4 8	4 6	13 0†	13 0†	12 8
5 8	5 8	7 8	4 8	4 8	4 8	12 8*	12 8	13 8*
5 4	5 4	5 12	5 0	5 0	5 0	16 0	16 0	16 0*
5 8	5 8	4 4	4 8	4 8	4 8	16 0*	16 0*	13 0
5 4	6 0	6 4	4 8	5 0	5 0	15 0	15 0	13 0
4 8	6 8	4 0	4 4	5 4	3 12	13 4*	13 0*	13 0†
4 0	5 0	4 0	3 12	4 8	4 0	14 0†	14 0†	14 0*
4 8	4 8	5 0	4 4	4 2	4 0	12 8†	12 8†	13 0
3 8	3 8	3 8	3 8	3 8	4 0	11 0	13 0	12 4*
5 0	5 0	5 8	4 0	5 0	4 8	8 0*	8 0*	8 0*
5 0	5 0	5 4	4 8	4 8	4 0	15 8	15 0	11 0
6 0	6 0	6 6	5 0	5 0	6 0	12 8*	12 8*	13 8
5 8	4 7	4 14	6 8	4 8	4 14	13 0	13 0	13 0*
4 13	4 13	6 6	4 13	4 13	4 13	12 8	13 0	12 0
4 4	4 4	4 8	4 4	4 4	5 0	10 0*	13 0	13 0
						12 8	13 0	12 12*
						13 0	16 0	12 0
						16 0	12 0†	12 0
						12 0†	12 0†	9 12†
						13 0†	13 0†	11 0†
						11 0†	11 0†	11 8†

* Karkach.
salt tally with each other in marts marked †.

IRRIGATION DEPARTMENT

Statement showing heights above the Bengal P. W. D. datum and low water in the rivers Ganges, Bhagirathi, Jalangi the Bengal P. W. D. datum as well as the

River Ganges.											
Date.	Mirzapur. Zero of gauge is 200.00 ft. above Bengal P. W. D. datum.			Benares. Zero of gauge is 197.05 ft. above Bengal P. W. D. datum.		Buxar. Zero of gauge is 169.06 ft. above Bengal P. W. D. datum.		Dinapore. Zero of gauge is 135.51 ft. above Bengal P. W. D. datum.		Monghyr. Zero of gauge is at Bengal P. W. D. datum.	
	Dis- tance in miles.	From Allaha- bad, 86.		From Allaha- bad, 134.	From Mirza- pur, 48.	From Benares, 90.		From Bena- res, 177.	From Buxar, 87.	From Bena- res, 287.	From Dina- pore, 110.
	Highest level.	2nd September 1916. 267.26 ft.		2nd September 1916. 244.55 ft.		7th September 1919. 202.55 ft.		21st August 1923. 172.41 ft.		8th September 1901. 129.60 ft.	
	Lowest level.	11th April 1878. 198.92 ft.		10th May 1879. 191.70 ft.		15th May 1914. 160.80 ft.		26th April 1902. 136.41 ft.		2nd May 1914. 95.75 ft.	
		Height above zero of gauge.	Height above P. W. D. datum.	Height below zero of gauge.	Height above P. W. D. datum.	Height above zero of gauge.	Height above P. W. D. datum.	Height above zero of gauge.	Height above P. W. D. datum.	Height above zero of gauge.	Height above P. W. D. datum.
1	2	3	4	5	6	7	8	9	10	11	12
1st	..	12.25	212.25	0.75	196.30	4.42	173.48	9.00	144.51	100.60	100.60
2nd	..	11.83	211.83	0.75	196.30	4.33	173.39	9.00	144.51	100.60	100.60
3rd	..	11.58	211.58	1.25	195.80	4.25	173.31	9.20	144.71	100.70	100.70
4th	..	11.42	211.42	1.42	195.63	4.08	173.14	9.30	144.81	100.90	100.90
5th	..	11.17	211.17	1.67	195.38	3.67	172.73	9.30	144.81	101.00	101.00
6th	..	11.00	211.00	1.83	195.22	3.50	172.56	9.40	144.91	101.10	101.10
7th	..	10.96	210.96	2.25	194.80	3.42	172.38	9.30	144.81	101.20	101.20
8th	..	10.87	210.87	2.25	194.80	3.08	172.14	9.30	144.81	101.40	101.40
9th	..	10.87	210.87	2.25	194.80	2.83	171.89	9.30	144.81	101.40	101.40
10th	..	10.87	210.87	2.33	194.72	2.83	171.89	9.30	144.81	101.30	101.30
11th	..	10.87	210.87	2.33	194.72	2.75	171.81	9.30	144.81	101.20	101.20
12th	..	10.87	210.87	2.42	194.63	2.67	171.73	9.30	144.81	101.10	101.10
13th	..	10.87	210.87	2.42	194.63	2.67	171.73	9.30	144.81	101.06	101.00
14th	..	10.87	210.87	2.25	194.80	2.58	171.64	9.30	144.81	100.90	100.90
15th	..	10.83	210.83	2.25	194.80	2.58	171.64	9.30	144.81	100.80	100.80
16th	..	10.79	210.79	2.33	194.72	2.58	171.64	9.30	144.81	100.80	100.80
17th	..	10.75	210.75	2.33	194.72	2.58	171.64	9.30	144.81	100.70	100.70
18th	..	10.75	210.75	2.42	194.62	2.50	171.56	9.30	144.81	100.60	100.60
19th	..	10.71	210.71	2.50	194.55	2.50	171.56	9.30	144.81	100.50	100.50
20th	..	10.67	210.67	2.67	194.38	2.50	171.56	9.30	144.81	100.50	100.50
21st	..	10.58	210.58	2.75	194.30	2.42	171.48	9.30	144.81	100.40	100.40
22nd	..	10.50	210.50	2.75	194.30	2.42	171.48	9.30	144.81	100.40	100.40
23rd	..	10.46	210.46	2.75	194.30	2.42	171.48	9.30	144.81	100.30	100.30
24th	..	10.37	210.37	2.83	194.22	2.42	171.48	9.30	144.81	100.30	100.30
25th	..	10.25	210.25	2.83	194.22	2.33	171.39	9.10	144.61	100.20	100.20
26th	..	10.17	210.17	2.92	194.13	2.33	171.39	8.60	144.11	100.20	100.20
27th	..	10.08	210.08	2.92	194.13	2.17	171.23	8.30	143.81	100.20	100.20
28th	..	10.08	210.08	2.92	194.13	2.00	171.06	8.20	143.71	100.20	100.20
29th	..										
30th	..										
31st	..										
Average Level	..	10.85	210.85	2.25*	194.80	2.90	171.96	9.20	144.71	100.70	100.70
				* Below ze.o							

NOTE.—Since the 1st January 1929 the datum of all gauges has been finally altered to refer to the Bengal Public Works Department datum. Printed notes on the corrections to be applied to all reduced levels recorded since each gauge was established have been prepared.

BENGAL.

and Brahmaputra for the month of February 1929, and the highest level of each gauge above lowest level since 1873.

						River Bhagirathi.		River Jalangi.		River Brahmaputra.	
Rajmahal. Zero of gauge is at Bengal P. W. D. datum.		Rampur-Boalia. Zero of gauge is at Bengal P. W. D. datum.		Goalundo. Zero of gauge is 1'409 ft. above Bengal P. W. D. datum.		Berhampore. Zero of gauge is at Bengal P. W. D. datum.		Sarupganj. Zero of gauge is at Bengal P. W. D. datum.		Gauhati. Zero of gauge is 136'958 ft. above Bengal P. W. D. datum.	
From Benares, 407.	From Monghyr, 120.	From Benares, 471.	From Rajmahal, 64.	From Benares, 591.	From Rampur- Boalia, 120.						
15th August 1913. 90'37 ft.		26th August 1879. 62'24 ft.		23rd August 1924. 28'21 ft.		14th August 1890. 63'46 ft.		25th September 1900. 35'30 ft.		24th August 1906. 169'25 ft.	
12th May 1916. 55'46 ft.		25th April 1884. 32'62 ft.		8th February 1914. 2'41 ft.		26th May 1884. 32'00 ft.		7th May 1896. 2'11 ft.		9th February 1888. 129'23 ft.	
Height above zero of gauge. 13	Height above P. W. D. datum. 14	Height above zero of gauge. 15	Height above P. W. D. datum. 16	Height above zero of gauge. 17	Height above P. W. D. datum. 18	Height above zero of gauge. 19	Height above P. W. D. datum. 20	Height above zero of gauge. 21	Height above P. W. D. datum. 22	Height below zero of gauge. 23	Height above P. W. D. datum. 24
59.20	59.20	36.85	36.85	7.80	9.209	34.30	34.30	4.67	4.67	4.30	132.658
59.25	59.25	36.90	36.90	7.70	9.109	34.30	34.30	4.60	4.60	4.10	132.853
59.30	59.30	36.90	36.90	7.60	9.009	34.30	34.30	4.84	4.84	4.40	132.558
59.30	59.30	36.95	36.95	7.50	8.909	34.30	34.30	4.73	4.73	4.60	132.358
59.40	59.40	36.95	36.95	7.20	8.609	34.30	34.30	4.67	4.67	4.60	132.358
59.50	59.50	37.00	37.00	7.00	8.409	34.30	34.30	4.50	4.50	4.40	132.558
59.60	59.60	37.10	37.10	7.20	8.609	34.25	34.25	4.33	4.33	4.20	132.758
59.60	59.60	37.20	37.20	7.30	8.709	34.25	34.25	4.30	4.30	4.00	132.958
59.55	59.55	37.20	37.20	7.40	8.809	34.25	34.25	4.26	4.26	4.00	132.958
59.50	59.50	37.15	37.15	7.40	8.809	34.25	34.25	4.40	4.40	3.90	133.058
59.40	59.40	37.10	37.10	7.50	8.909	34.25	34.25	4.46	4.46	3.90	133.058
59.25	59.25	37.05	37.05	7.60	9.009	34.25	34.25	4.82	4.82	3.70	133.258
59.15	59.15	37.00	37.00	7.60	9.009	34.25	34.25	4.92	4.92	3.70	133.258
59.00	59.00	37.00	37.00	7.60	9.009	34.25	34.25	5.02	5.02	3.60	133.358
58.90	58.90	36.90	36.90	7.50	8.909	34.25	34.25	4.86	4.86	3.60	133.358
58.80	58.80	36.80	36.80	7.30	8.709	34.25	34.25	4.72	4.72	3.50	133.458
58.65	58.65	36.65	36.65	7.10	8.509	34.20	34.20	4.46	4.46	3.60	133.358
58.55	58.55	36.55	36.55	6.90	8.309	34.20	34.20	4.30	4.30	3.90	133.058
58.45	58.45	36.45	36.45	6.70	8.109	34.20	34.20	4.22	4.22	4.00	132.958
58.35	58.35	36.35	36.35	6.50	7.909	34.20	34.20	4.13	4.13	3.90	133.058
58.25	58.25	36.30	36.30	6.40	7.809	34.20	34.20	4.08	4.08	3.90	133.058
58.25	58.25	36.25	36.25	6.50	7.909	34.20	34.20	4.18	4.18	3.90	133.058
58.20	58.20	36.20	36.20	6.60	8.009	34.20	34.20	4.19	4.19	3.70	133.258
58.10	58.10	36.10	36.10	6.70	8.109	34.20	34.20	4.43	4.43	3.90	133.058
58.05	58.05	36.00	36.00	6.80	8.209	34.20	34.20	5.28	5.28	4.00	132.958
58.00	58.00	35.95	35.95	7.00	8.409	34.20	34.20	4.68	4.68	4.20	132.758
57.95	57.95	35.90	35.90	7.10	8.509	34.20	34.20	4.57	4.57	4.20	132.758
57.95	57.95	35.90	35.90	7.00	8.409	34.15	34.15	4.70	4.70	4.30	132.658
58.85	58.58	36.65	36.65	7.20	8.609	34.25	34.25	4.46	4.46	4.00*	132.958

datum which is 6'25 feet above the Kidderpore Old Dock Sill. The values of the highest and lowest readings have similarly been altered.

D. N. SEN GUPTA,
Personal Assistant to Chief Engineer,
Government of Bengal, Irrigation Department.

**Statement showing the gauge readings at Dacca Water Works on the river Buriganga
for the week ending 30th March 1929.**

Date.	At highest water.		At lowest water.		Commencement of		Remarks.	
	Time.	Reading.	Time.	Reading.	Ebb tide.	Flow tide.	At 7 A.M.	At 5 P.M.
1929.								
24th March ..	10-40	5.1	16-30	3.6	10-50	16-45	4.2	3.7
25th „ ..	11-30	5.4	17-20	3.9	11-40	17-30	4.35	4.25
26th „ ..	12-20	5.9	6-15	4.35	12-30	6-20	4.5	4.75
27th „ ..	13-10	6.6	7-5	5.0	13-20	7-15	5.05	5.6
28th „ ..	14-0	7.0	7-50	5.2	14-10	8-0	5.45	6.2
29th „ ..	14-45	6.6	8-35	5.0	15-0	8-45	5.35	6.05
30th „ ..	15-30	6.0	9-25	4.4	15-45	9-35	4.95	5.65

B. M. on settling tank 39.49 O. M. S. L. Zero is at O. M. S. L.

Notable high and low water-levels of previous years.

			Taken at high tide.				Taken at low tide.
27th August	1906	..	70.5	23rd February	1907	..	51.06
5th September	1909	..	66.86	13th „	1908	..	51.06
10th August	1910	..	69.86	12th March	1912	..	51.06
1st „	1911	..	68.46	6th „	1914	..	50.30
13th „	1912	..	67.16	22nd February	1915	..	50.30
31st „	1915	..	69.7	15th „	1916	..	50.60
8th „	1916	..	68.1	3rd March	1917	..	51.0
12th „	1917	..	67.1	21st February	1918	..	51.40
13th „	1918	..	69.12	26th „	1919	..	50.4
2nd „	1919	..	66.8	18th „	1920	..	50.9
8th September	1920	..	66.9	19th „	1921	..	50.9
28th July	1921	..	68.4	8th March	1922	..	51.05
10th August	1922	..	68.00	14th „	1923	..	50.8
31st July	1923	..	66.15	16th February	1924	..	50.50
29th August	1924	..	68.82	5th March	1925	..	50.9
8th September	1925	..	68.52	9th February	1926	..	2.2
15th August	1926	..	19.6	27th „	1927	..	2.10
17th September	1927	..	18.70	16th „	1928	..	2.2
22nd August	1928	..	20.0				

N. B.—Zero of the gauge at Dacca water-works prior to 11 A.M. on 8th January 1926 = -48.51 with reference to P. W. D. datum.
Zero of the gauge at Dacca water-works since 11 A.M. on 8th January 1926 = 0.00 with reference to P. W. D. datum.

P. C. Roy, *Executive Engineer,*
Khulna Division.

KHULNA, the 6th April 1929.

Vital statistics of towns with a population of 50,000 and over of the Bengal Presidency for the week ending Saturday, the 23rd March 1929.

District.	No.	Towns.	Population under registration according to Census of 1921.			Births registered.		Deaths registered.																Total of all causes.			Total of corresponding week of the previous year.		
			Male.	Female.	Total.	Number registered (excluding still-births).	Still-born number registered.																						
Calcutta	1	Calcutta	724,248	353,016	1,077,264	401	35	83	21	..	22	4	..	11	34	24	11	60	60	109	11	1	235	422	289	711	453	360	843
Burdwan	2	Asansol Mining Settlement.	176,814	152,539	329,353	169	1	1	3	13	4	..	14	..	15	2	..	56	49	59	108	76	67	143
Howrah	3	Howrah	128,472	66,829	195,301	109	6	31	7	..	3	1	28	5	14	18	8	16	4	2	32	94	77	171	80	57	137
Dacca	4	Dacca	67,333	52,117	119,450	107	3	3	6	1	3	1	5	11	..	8	1	2	28	39	33	72	49	26	75
24-Parganas	5	Bhatpara	45,723	19,886	65,609	22	1	3	1	5	1	..	8	2	10	13	8	21
	6	Titagarh	36,533	15,918	52,451	28	2	2	14	8	8	16	6	5	11

CHAS. A. BENTLEY, M.B., D.P.H., D.T.M. & H., Director of Public Health, Bengal.

CALCUTTA, the 1st April 1929.

Vital statistics of Towns with a population of 50,000 and over of the Bengal Presidency for the week ending Saturday, the 30th March 1929.

District.	No.	Towns.	Population under registration according to census of 1921.			Births registered.		Deaths registered.																							
			Male.	Female.	Total.	Number registered (excluding still-births).	Still-born number registered.	Cholera.	Small-pox.	Plague.	Malaria.	Enteric fever.	Measles.	Relapsing fever.	Kala-Azar.	Other fevers.	Dysentery.	Diarrhoea.	Influenza.	Pneumonia.	Phthisis.	Other respiratory diseases.	Injuries including suicide.	Deaths from child-birth.	Other causes.	Total of all causes.			Total of corresponding week of the previous year.		
																										Male.	Female.	Total.	Male.	Female.	Total.
Calcutta	1	Calcutta	724,248	353,016	1,077,264	415	25	79	13	..	23	17	1	..	16	27	35	9	13	63	60	108	29	1	222	425	282	707	508	339	847
Burdwan	2	Asansol Mining Settlement.	176,814	152,539	329,353	185	2	10	2	..	1	2	4	17	..	8	1	1	77	72	76	148	111	108	219
Howrah	3	Howrah	123,472	66,829	190,301	69	7	33	4	..	4	2	1	8	5	6	..	15	8	12	1	2	37	78	70	148	100	75	175
Dacca	4	Dacca	67,333	52,117	119,450	75	4	1	12	1	1	..	2	17	4	3	..	9	..	5	..	1	27	46	34	83	55	46	101
24-Parganas.	5	Bhatpara	45,723	19,886	65,609	16	..	9	1	..	1	..	1	7	1	4	14	10	24	21	12	33
	6	Titagarh	36,533	15,918	52,451	6	1	8	15	14	9	23	11	12	23

CHAS. A. BENTLEY, M.B., D.P.H., D.T.M. & H., Director of Public Health, Bengal.

CALCUTTA, the 6th April 1929.

IRRIGATION DEPARTMENT, BENGAL.

Abstract statement showing the approximate volume of traffic and the tollage on canals in Bengal classed as Major Works and Minor Works and Navigation for the month of February 1929 as compared with the corresponding month of the previous year.

Canals.	1928-29.					
	Weight of cargo.		Rafts.		Tollage.	
	During the month.	To end of the month.	During the month.	To end of the month.	During the month.	To end of the month.
	Tons.	Tons.	No.	No.	Rs.	Rs.
<i>Major Works.</i>						
Midnapore Canal	1,966	24,577	12,200	23,750	2,389	36,742
Hijili Tidal Canal	225	39,958	150	2,250	328	62,682
Total ..	2,191	64,535	12,350	26,000	2,717	99,424
<i>Minor Works and Navigation.</i>						
Calcutta and Eastern Canals ..	51,205	439,247	63,028	492,436	38,546	3,13,113
Tolly's Nala	25,345	258,737	21,760	241,331	8,823	90,742
Madaripur Bil Route	11,906	1,169,990	6,845	21,442	7,644	2,96,300
Total ..	88,456	1,867,974	91,633	755,209	55,013	7,00,155
Magrahat Channels	12,502	72,728	..	2,823	4,706	29,258
Orissa Coast Canal	2,237	28,052	2,026	22,915
GRAND TOTAL ..	103,195	1,968,754	91,633	758,032	61,745	7,52,328

Canals.	1927-28.					
	Weight of cargo.		Rafts.		Tollage.	
	During the month.	To end of the month.	During the month.	To end of the month.	During the month.	To end of the month.
	Tons.	Tons.	No.	No.	Rs.	Rs.
<i>Major Works.</i>						
Midnapore Canal	2,407	29,089	12,250	45,079	4,035	45,672
Hijili Tidal Canal	2,435	24,894	610	2,388	3,812	38,546
Total ..	4,842	53,983	12,860	47,467	7,847	84,218
<i>Minor Works and Navigation.</i>						
Calcutta and Eastern Canals ..	50,038	412,884	4,153	146,598	36,609	3,02,650
Tolly's Nala	29,140	244,286	11,472	214,185	9,684	86,384
Madaripur Bil Route	12,074	923,323	2,804	19,162	8,147	2,67,635
Total ..	91,252	1,580,493	18,429	379,945	54,440	6,56,669
Magrahat Channels	9,960	60,403	245	3,446	4,134	25,640
Orissa Coast Canal	2,398	18,106	..	425	1,811	16,510
GRAND TOTAL ..	103,610	1,659,002	18,674	383,816	60,385	6,97,819

Canal.	February 1929.			
	Tollage, 1928-29.		Tollage, 1927-28.	
	During the month.	To end of the month.	During the month.	To end of the month.
	Rs.	Rs.	Rs.	Rs.
Sunderbans Steamer Route ..	4,250	63,030	4,850	57,590

D. N. SEN GUPTA,

Personal Assistant to the Chief Engineer
to the Government of Bengal.

CALCUTTA, the 8th April 1929.

A statement of the donations over Rs. 1,000 and up to Rs. 5,000 in value which were made during the year 1928 and acknowledged by the Commissioner, Dacca Division, is published for general information :—

Division.	District.	Name of donor.	Purpose.	Amount.	Total of district.	Total of division.
1	2	3	4	5	6	7
				Rs.	Rs.	Rs.
Dacca	Dacca	Babu Nripendra Kumar Roy Choudhuri of Baliati.	For the improvement of the Manikganj Urban Girls' School.	5,000	7,000	
		Rai Sahib Nanda Kumar Bose, President, Rajanagar-Saidpur Union Board.	For the improvement of Primary Girls' Schools and village dispensary in Rajanagar-Saidpur Union.	2,000		
	Mymensingh	Babu Dhirendra Kanta Lahiri Choudhuri, M.L.A., Zamindar, Kalipur.	For the improvement of the Mymensingh Surya Kanta Hospital.	3,000		
		Babus Heramba Chandra Choudhuri, Profulla Chandra Choudhuri, Ganesh Chandra Choudhuri, and Jogesh Chandra Choudhuri, Zamindars, Hemnagar.	Ditto	3,000	6,000	
	Faridpur	Babu Gopal Chandra Sarkar, Merchant of Kalamridha.	For construction of a new building for the Union Board Dispensary at Kalamridha.	1,200	1,200	
	Bakarganj	Babu Sitanath Dutta of Banaripara.	For the Medical School at Barisal.	5,000	5,000	19,200

A. H. CLAYTON, Commissioner, Dacca Division.

Dacca, the 4th April 1929.



The Calcutta Gazette

THURSDAY, APRIL 18, 1929.

CONTENTS:

	PAGE.
Third Forecast of the Wheat Crop of Bengal, 1928-29	493-494
Forecast of the Rabi Crops of Bengal, 1928-29	495-506
Statement under the Cotton Ginning and Pressing Factories Act, 1925	507
Daily rainfall recorded in Bengal for the month of March 1929	508-523
Monthly Weather and Crop Report of Bengal for March 1929	524
Weather and Crop Report for the week ending on the 10th April 1929	525-528
Vital statistics for the towns of Bengal for the week ending 6th April 1929	529
Statement of weekly gauge-readings on the rivers in Bengal	530-532

Supplement.

Official Papers.

DEPARTMENT OF AGRICULTURE, BENGAL.

Third Forecast of the Wheat Crop of Bengal, 1928-29.

[NOTE.—On an average of the five years ending 1926-27, the area under wheat in Bengal has represented some 0.4 per cent. of the total area under wheat in India. The ratio of the irrigated wheat acreage to total wheat acreage in (a) British India and (b) in the territory now reported on has, in the five years ending 1926-27, averaged (a) 38.5 and (b) 14.0 per cent., respectively.]

Character of the season.—Since the issue of the second forecast in February last, weather was on the whole favourable for the growth, and the crop improved in the districts of Birbhum, Dinajpur and Malda. On the whole, a better crop is expected than last year.

Acreage.—According to District Officers' estimates, the total area sown amounts to 122,900 acres this year as against 106,600 acres both in the corresponding and final forecasts of last year.

Outturn.—The average outturn for the province, as worked out from district estimates, is 80 per cent. of the normal as against 68 and 64 per cent., respectively, in the corresponding and final forecasts of last year.

Taking the normal yield to be 8½ maunds per acre, the gross yield of the crop for the province is estimated at 31,600 tons this year as against 23,300 and 21,900 tons, respectively, in the corresponding and final forecasts of last year.

G. P. HECTOR,

Director of Agriculture, Bengal (offg.).

Dacca, the 8th April 1929.

APPENDIX.

Third Forecast of the Wheat Crop of Bengal, 1928-29.

District.	Estimated normal area under wheat crop.	Estimated area under wheat.		Estimated outturn as a percentage of the normal yield per unit of area.		Date by which the harvesting generally commenced this year and whether that date was early, normal or late.	Remarks by District Officers.
		Last year.	This year.	Last year.	This year.		
	Acres.	Acres.	Acres.				
Nadia ..	23,100	10,500	12,500	25	67	First week of March. Normal.	The increase in area is due to extension of cultivation in the Meherpur subdivision. Continuous rain at the time of sowing and want of sufficient rain at the time of growth have caused some damage to the crop. Hence the outturn is below the normal.
Murshidabad ..	35,500	17,800	35,800	50	83	Middle of March. Normal.	The increase in area as compared with that of the last year is due to favourable weather conditions at the sowing time. The outturn is below the normal owing to occasional drought.
Jessore ..	700	700	700	50	64	March. Normal	The outturn is below the normal owing to unfavourable weather at sowing time.
Burdwan ..	1,500	800	1,000	58	92	Middle of March. A little earlier at Katwa.	The weather was generally favourable.
Birbhum ..	3,000	2,200	2,500	50	83	March. Normal	The weather was fairly favourable.
Bankura ..	6,500	3,800	7,000	75	100	Ditto ..	The increase in area is due to adequate soil-moisture at the sowing time. The weather has been favourable, and a normal outturn is expected.
Midnapore ..	800	800	800	83	83	Ditto ..	The weather has been fairly favourable. The outturn is below the normal owing to drought in some places.
Hooghly ..	400	300	300	67	58	Beginning of March. Normal.	The outturn is much below the normal owing to want of rain at the time of sowing.
Rajshahi ..	18,600	7,500	6,300	50	83	March. Normal	The decrease in area is due to the fact that on account of heavy rains in October some lands were under water and could not be cultivated in the Sadar circle. The weather has been favourable on the whole. The outturn is below the normal owing to some damage caused by drought in Nator.
Dinajpur ..	1,300	1,700	1,300	67	67	Owing to unfavourable weather conditions, the outturn is below the normal.
Jalpaiguri ..	800	600	600	92	100	Third week of March. Normal.	The weather was favourable on the whole.
Darjeeling ..	2,900	2,500	2,500	92	92	End of March	The weather was favourable.
Rangpur ..	3,400	3,900	3,900	100	100	First week of March. Normal.	The weather was favourable.
Bogra ..	100	300	300	40	60	March. Normal.	
Pabna ..	8,800	6,300	5,700	83	83	Beginning of March. Normal.	The weather was fair. The outturn is below the normal owing to some damage done by insect-pests in Serajganj subdivision.
Malda ..	43,000	40,000	35,000	75	75	By the end of March. Normal.	The decrease in area this year is due to unfavourable conditions at sowing time. The weather has since been fairly favourable.
Dacca ..	4,100	3,500	3,300	85	84	March. Normal	The weather has been fairly favourable.
Mymensingh ..	500	600	600	100	75	Middle of March	The weather has been fairly favourable.
Faridpur ..	2,700	2,800	2,800	51	76	Middle of March. Normal.	The crops suffered from drought to the extent of about 25 per cent., hence the outturn is below the normal.
Total Bengal	157,700	106,600	122,900	64	80		

DEPARTMENT OF AGRICULTURE, BENGAL.

Forecast of the Rabi crops of Bengal for 1928-29.

(NOTE.—On an average of the five years ending 1926-27, the area under summer rice in Bengal has represented some 0.5 per cent. of the total area under rice in British India.)

Character of the Season.—During the month of October the rainfall was markedly in excess of the normal especially in North and East Bengal. As a consequence field operations for early spring crops generally commenced in the usual time. In some East Bengal districts, however, late subsidence of water hampered sowings in places. Since then a period of drought followed up till the middle of January interfering with the growth and development of the early crops. The excessive rainfall in the latter part of January caused some damage to the early crops then maturing, but generally improved the prospects of late crops. On the whole a better crop is expected than last year.

Acreage.—The normal area under the different spring crops dealt with in this forecast is estimated at 3,088,900 acres. The area actually sown this year is reported to be 2,759,100 acres as against 2,607,300 acres last year. Of this, the area under summer (*boro*) rice is returned at 397,500 acres as against 399,700 acres last year and that under tobacco is 291,200 acres as against 290,300 acres last year.

Outturn.—According to District Officers' estimates the outturn of the different *rabi* crops for the province as a whole works out to 79 per cent. of the normal as against 75 per cent. last year, the outturns for the more important *rabi* districts being as follows:—

Rajshahi 66, Jalpaiguri 92, Rangpur 100, Pabna 100, Malda 76, Dacca 69, Mymensingh 75, Faridpur 81, Bakarganj 75, Tippera 68, Noakhali 72, Nadia 61, Murshidabad 79, Jessore 59, Khulna 82, Burdwan 55, and Midnapore 75.

Summer rice and tobacco crops.—The outturn of summer rice according to district estimates is 79 per cent. of the normal as against 78 per cent. last year. The gross yield of the crop for the province, on a basis of the normal yield of 14 maunds of clean grain per acre, is estimated at 161,500 tons this year as against 160,300 tons last year.

The outturn of tobacco crop is estimated at 93 per cent. of the normal as against 92 per cent. last year. Taking 12½ maunds as the normal yield of the crop per acre, the gross yield of the crop for the province this year is estimated at 121,900 tons as against 120,200 tons last year.

G. P. HECTOR,

Director of Agriculture, Bengal (offg.).

Dacca, the 27th March 1929.

APPENDIX I.

Forecast of the Rabi Crops of Bengal for 1928-29.

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.
			Last year.	This year.	Last year.	This year.			
24 Parganas.		Acres.	Acres.	Acres.					
	Boro or summer rice ..	700	500	500	33	67			
	Gram ..	600	400	700	42	67			
	Other rabi cereals (excluding wheat).	2,600	2,000	2,300	50	75			
	Other rabi pulses ..	17,500	13,500	17,400	42	58			
	Rabi fruits and vegetables (including root-crops).	8,200	14,800	14,900	75	83			
	Other rabi food-crops (excluding wheat).	1,300	1,600	1,600	58	75			
	Total food-crops ..	30,900	32,800	37,400	58	70	November. Normal.	February. Normal.	The increase in area is due to favourable conditions at sowing time. The outturn is below the normal owing to untimely rain.
	Tobacco ..	1,000	900	1,200	50	75			
	Rabi fodder-crops (excluding any crops shown above).	..	100	300	33	58			
	Sunn hemp	100	100	83	83			
	Condiments and spices ..	3,300	2,100	3,000	50	67			
	Other rabi non-food-crops (excluding the crops shown above).	300	200	200	50	67			
	Total non-food-crops ..	4,600	3,400	4,800	50	69			
Nadia.	GRAND TOTAL ..	35,500	36,200	42,200	57	70			
	Barley ..	5,500	2,300	3,000	16	67			
	Boro or summer rice ..	700	500	700	16	67			
	Gram ..	76,800	23,700	33,700	25	67			
	Other rabi cereals (excluding wheat).	83,300	9,400	11,800	25	58			
	Other rabi pulses ..	500	9,500	15,000	25	58			
	Rabi fruits and vegetables (including root-crops).	13,200	2,600	3,000	33	67			
	Other rabi food-crops (excluding wheat).	12,200	800	900	33	67			
	Total food-crops ..	192,200	48,800	68,100	25	61	First part of October. Normal.	First part of February. Normal.	The increase in area is due to favourable weather at sowing time, but heavy rain in January caused damage to the crops and hence the outturn has fallen much below the normal.
	Tobacco ..	2,100	2,300	2,700	33	67			
	Other drugs and narcotics	200			
	Rabi fodder-crops (excluding any crops shown above).	1,100	4,400	5,500	42	67			
	Condiments and spices ..	500	800	1,500	33	58			
	Other rabi non-food-crops (excluding the crops shown above).	5,600	2,200	2,500	25	58			
Murshidabad.	Total non-food-crops ..	9,400	9,700	12,200	37	64			
	GRAND TOTAL ..	201,600	58,500	80,300	27	61			
	Barley ..	16,300	6,700	17,800	58	83			
	Boro or summer rice ..	6,800	3,800	1,200	50	75			
	Gram ..	41,900	16,700	52,000	50	75			
	Other rabi cereals (excluding wheat).	7,100	14,400	22,300	50	83			
	Other rabi pulses ..	47,200	4,700	52,400	50	83			
	Rabi fruits and vegetables (including root-crops).	6,100	1,500	7,200	50	67			
	Other rabi food-crops (excluding wheat).	4,900	1,700	2,000	50	83			
	Total food-crops ..	130,300	49,500	154,900	51	80	Beginning of November. Late.	Not yet commenced. Will commence towards the close of March. Late.	The increase in area is due to favourable rainfall in October. The weather has been fairly favourable. Drought in November and December has done a little damage. The fall in outturn is due to subsequent drought.
	Tobacco ..	1,200	800	700	50	83			
	Other drugs and narcotics	..	(4)	(20)	33	83			
	Rabi fodder-crops (excluding any crops shown above).	1,900	200	4,100	58	67			
	Sunn hemp ..	(20)	(30)	(10)	50	67			
	Other rabi fibres (excluding sunn hemp).	..	300	200	50	83			
	Condiments and spices ..	1,600	1,600	3,500	42	67			
	Other rabi non-food-crops (excluding the crops shown above).	3,200	900	7,500	50	75			
Murshidabad.	Total non-food-crops ..	7,900	3,800	16,000	47	72			
	GRAND TOTAL ..	138,200	53,300	170,900	51	79			

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.
			Last year.	This year.	Last year.	This year.			
Jessore.	Barley	Acres. 6,900	Acres. 800	800	54	66	October. Normal.	Beginning of March. Normal.	The weather has not been favourable. For want of timely rain the outturn is anticipated to fall much below the normal.
	Boro or summer rice ..	21,300	700	800	58	58			
	Gram	36,200	5,000	5,400	46	58			
	Other <i>rabi</i> cereals (excluding wheat).	..	34,900	33,200	50	59			
	Other <i>rabi</i> pulses	5,300	4,800	45	57			
	<i>Rabi</i> fruits and vegetables (including root-crops).	15,000	3,200	3,100	53	54			
	Other <i>rabi</i> food-crops (excluding wheat).	600	4,500	4,900	56	59			
	Total food-crops ..	80,000	54,400	53,000	50	59	October. Normal.	End of February. Normal.	
	Tobacco	4,000	3,900	4,100	54	66			
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	..	1,600	1,400	50	66			
	Total non-food-crops ..	4,000	5,500	5,500	53	66			
Khulna.	GRAND TOTAL ..	84,000	59,900	58,500	50	59	January. Normal. October. Normal. November. Normal.	Not yet commenced. End of February to middle of March. Normal.	The weather was dry and was fairly favourable. The outturn is anticipated to fall below the normal owing to want of rain.
	Boro or summer rice ..	40,500	40,500	40,200	83	83			
	Other <i>rabi</i> pulses ..	25,000	24,500	24,700	83	83			
	<i>Rabi</i> fruits and vegetables (including root-crops).	20,200	16,000	15,500	83	83			
	Other <i>rabi</i> food-crops (excluding wheat).	1,000	700	700	83	83			
	Total food-crops ..	86,700	81,700	81,100	83	83			
	Tobacco	6,800	4,500	4,700	75	75	November. Normal.	Not yet commenced.	
	Condiments and spices ..	8,000	4,100	4,300	67	75			
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	300	305	200	75	67			
	Total non-food-crops ..	15,100	8,900	9,200	71	75			
Burdwan.	GRAND TOTAL ..	101,800	90,600	90,300	82	82	November. Normal.	February. Normal.	The weather has been unfavourable.
	Barley	1,300	1,300	2,000	50	67			
	Boro or summer rice ..	900	200	400	58	83			
	Gram	4,100	1,800	3,100	42	67			
	Other <i>rabi</i> cereals (excluding wheat).	1,600	1,000	500	33	83			
	Other <i>rabi</i> pulses ..	11,000	7,400	20,000	37	33			
	<i>Rabi</i> fruits and vegetables (including root-crops).	2,600	19,000	20,000	58	67			
	Other <i>rabi</i> food-crops (excluding wheat).	2,600	1,000	1,200	42	58			
	Total food-crops ..	24,100	31,700	47,200	51	53			
	Tobacco	100	100	200	50	50			
Burdwan.	<i>Rabi</i> fodder-crops (excluding any crops shown above).	500	100	300	50	67			
	Sunn hemp	100	100	100	50	100			
	Condiments and spices ..	500	200	200	42	67			
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	300	200	500	33	67			
	Total non-food-crops ..	1,500	700	1,300	43	67			
	GRAND TOTAL ..	25,600	32,400	48,500	50	55			

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.	
			Last year.	This year.	Last year.	This year.				
Birbhum.	Barley	Acres. 300	Acres. 100	Acres. 100	58	83	October. Normal.	March. Normal.	The increase in area was due to favourable weather conditions at sowing time. The weather has been fairly favourable.	
	Gram	7,000	3,500	4,200						
	Other <i>rabi</i> cereals (excluding wheat).	1,800	1,000	1,000						
	Other <i>rabi</i> pulses ..	1,700	800	1,100						
	<i>Rabi</i> fruits and vegetables (including root-crops).	15,000	5,100	5,600						
	Other <i>rabi</i> food-crops (excluding wheat).	1,000	600	600	58	83				
	Total food-crops ..	26,800	11,100	12,600						
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	700	400	300						
	Total non-food-crops ..	700	400	300						
	GRAND TOTAL ..	27,500	11,500	12,900	58	83				
Bankura.	Barley	2,000	1,500	2,000	83	100	Beginning of November. Normal. Beginning of December. Normal.	End of February. Normal.	The weather has been favourable. A normal outturn is expected except in case of some crops which have suffered in places more or less from hail.	
	Boro or summer rice ..	500	200	500						
	Gram	1,900	1,500	1,900						
	Other <i>rabi</i> cereals (excluding wheat).	500	500	500						
	Other <i>rabi</i> pulses ..	6,000	4,800	6,000						
	<i>Rabi</i> fruits and vegetables (including root-crops).	4,300	4,400	4,000	92	Beginning of November. Normal.	Not commenced. End of January. Normal. Not yet commenced.			
	Other <i>rabi</i> food-crops (excluding wheat).	1,200	1,300	1,300						
	Total food-crops ..	16,400	14,200	16,200	83	97				
	Tobacco	600	300	500	83	100	Beginning of November. Normal. February. Normal. End of August. Normal.	November.		
	Other drugs and narcotics	(50)	..	100						
	<i>Rabi</i> fodder-crops (excluding any crops shown above).	(50)	..	(50)						
	Sunn hemp	400	200	200						
	Condiments and spices ..	1,500	500	700						
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	1,200	1,100	1,100	83	End of October. Normal.	Not commenced.			
	Total non-food-crops ..	3,700	2,100	2,600						
	GRAND TOTAL ..	20,100	16,300	18,800	83	96				
Midnapore.	Barley	500	100	100	75	75	October. Normal.	March. Normal.	The decrease in area in some cases is due to unfavourable weather at sowing time. The weather has been fairly favourable.	
	Boro or summer rice ..	17,400	5,200	4,600						
	Gram	800	5,300	5,300						
	Other <i>rabi</i> cereals (excluding wheat).	10,000	7,900	7,400						
	Other <i>rabi</i> pulses ..	24,300	5,800	6,300						
	<i>Rabi</i> fruits and vegetables (including root-crops).	17,000	6,400	6,200	75	75				
	Other <i>rabi</i> food-crops (excluding wheat).	14,700	7,800	7,700						
	Total food-crops ..	84,700	38,500	37,600	75	75				
	Tobacco	700	3,500	3,600	75	75				
	<i>Rabi</i> fodder-crops (excluding any crops shown above).	500	400	300						
	Sunn hemp	500	200	200						
	Other <i>rabi</i> fibres ..	600	500	300						
	Condiments and spices ..	3,300	1,200	1,200						
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	1,900	400	400	75	75				
	Total non-food-crops ..	7,500	6,200	6,000						
	GRAND TOTAL ..	92,200	44,700	43,600	75	75				

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.				
			Last year.	This year.	Last year.	This year.							
Hooghly.	Barley	Acres. 1,800	Acres. 1,000	Acres. 900	67	67	Middle of December. Normal.	Not yet commenced.	The weather was fairly favourable. The rainfall in the latter part of January did some damage especially to potatoes and gram. The damage is estimated at about two annas in the Sadar subdivision.				
	Boro or summer rice ..	6,800	4,800	4,800	100	97							
	Gram	2,700	1,100	1,100	67	75							
	Other <i>rabi</i> cereals (excluding wheat).	2,300	800	800	92	71							
	Other <i>rabi</i> pulses ..	3,100	2,200	2,200	58	71	End of October. Normal.	End of February. Normal.					
	<i>Rabi</i> fruits and vegetables (including root-crops) ..	6,200	4,000	4,400	63	67							
	Other <i>rabi</i> food-crops (excluding wheat).	10,300	3,800	3,800	67	75							
	Total food-crops ..	33,200	17,700	18,000	75	78							
	Tobacco	3,300	2,700	2,700	83	83	First week of December. Normal. Middle of November. Normal.	Not yet commenced.					
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	1,800	1,500	1,500	67	67							
	Total non-food-crops ..	5,100	4,200	4,200	77	77							
	GRAND TOTAL ..	38,300	21,900	22,200	75	78							
Howrah.	Boro or summer rice ..	3,200	100	100	75	83	End of November. Normal.	Not yet commenced.	The decrease in area is due to rain at sowing time. The weather has been fairly favourable. Owing to unfavourable weather at sowing time the outturn is anticipated to fall below the normal.				
	Gram	100	(40)	(40)	58	83							
	Other <i>rabi</i> cereals (excluding wheat).	6,700	5,600	4,600	67	75							
	<i>Rabi</i> fruits and vegetables (including root-crops).	4,300	3,300	2,100	67	75							
	Total food-crops ..	14,300	9,000	6,800	67	75							
	Tobacco	200	200	200	75	75							
	Other drugs and narcotics	100	100	100	58	67							
	Condiments and spices ..	1,600	1,000	400	67	67							
	Total non-food-crops ..	1,900	1,300	700	67	68							
	GRAND TOTAL ..	16,200	10,300	7,500	67	75							
	Rajshahi.	Barley	4,400	1,800	2,300	58				67	Latter part of November. Normal.	February. Normal.	The weather was not favourable. The outturn is anticipated to fall much below the normal owing to damage caused by heavy rain after sowing.
		Boro or summer rice ..	13,100	10,200	10,700	58				67			
Gram		17,000	7,000	10,100	50	75							
Other <i>rabi</i> cereals (excluding wheat).		9,300	2,700	3,200	50	67							
Other <i>rabi</i> pulses ..		105,200	46,000	45,300	50	67							
<i>Rabi</i> fruits and vegetables (including root-crops).		28,400	16,000	17,800	58	58							
Other <i>rabi</i> food-crops (excluding wheat).		2,300	1,400	1,400	50	67	November. Normal.						
Total food-crops ..		179,700	85,100	90,800	53	66							
Tobacco		4,000	3,100	2,900	58	58							
Ganja		800	600	800	83	84							
Other drugs and narcotics		900							
<i>Rabi</i> fodder-crops (excluding any crops shown above)		100	500	500	50	50							
Sunn hemp		800	300	300	58	67							
Other <i>rabi</i> fibres	1,000	1,000	50	67							
Condiments and spices ..		13,900	3,700	3,900	50	58							
Other <i>rabi</i> non-food-crops (excluding the crops shown above).		300	200	100	33	50							
Total non-food-crops ..		20,800	9,400	9,300	55	60							
GRAND TOTAL ..		200,500	94,500	100,100	53	66							

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.
			Last year.	This year.	Last year.	This year.			
Dinajpur.		Acres.	Acres.	Acres.					
	Barley	1,100	300	400	79	92	By the middle of November. Normal.	Not yet commenced.	The increase in area is due to favourable weather at sowing time. The weather has not been quite favourable. Insufficient rainfall during the period of growth is anticipated to reduce the outturn.
	Boro or summer rice ..	500	1,300	1,400	50	67			
	Gram	1,300	1,200	1,100	67	67			
	Other <i>rabi</i> cereals (excluding wheat).	3,500	2,100	2,200	58	75			
	Other <i>rabi</i> pulses ..	3,600	7,800	8,800	58	67			
	<i>Rabi</i> fruits and vegetables (including root-crops).	25,000	2,200	7,600	42	75			
	Other <i>rabi</i> food-crops (excluding wheat).	1,000	3,800	4,400	58	58			
	Total food-crops ..	36,000	18,700	25,900	56	69			
	Tobacco	14,000	9,600	10,600	67	67			
	<i>Rabi</i> fodder-crops (excluding any crops shown above).	..	200	200	67	67			
	Sunn hemp	(45)	(40)	67	67			
	Condiments and spices ..	600*	700	800	62	58			
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	400*	400	500	67	58			
	Total non-food-crops ..	15,000	10,900	12,100	67	66			
	GRAND TOTAL ..	51,000	29,600	38,000	60	68			
Jalpaiguri.	Barley	700	700	700	83	83	November. Normal.	February. Normal.	The decrease in area in some cases is due to untimely rain at sowing time. The weather was on the whole favourable.
	Other <i>rabi</i> cereals (excluding wheat).	2,500	2,400	2,400	85	85			
	Other <i>rabi</i> pulses ..	7,800	7,900	7,900	92	92			
	<i>Rabi</i> fruits and vegetables (including root-crops).	11,800	10,400	9,900	94	88			
	Total food-crops ..	22,800	21,400	20,900	92	89			
	Tea	58,800	61,800	61,900	92	92			
	Tobacco	22,300	21,600	21,300	95	95			
	Other drugs and narcotics	400	400	400	100	100			
	Sunn hemp	200			
	Condiments and spices ..	2,800	1,300	1,300	96	96			
Darjeeling.	Total non-food-crops ..	84,500	85,100	84,900	93	93	October. Normal.	Last week of January. Normal.	The weather was on the whole favourable.
	GRAND TOTAL ..	107,300	106,500	105,800	93	92			
	Barley	900	800	800	100	100			
	Boro or summer rice ..	600	600	600	100	100			
	Other <i>rabi</i> cereals (excluding wheat).	800	1,000	1,000	100	100			
	Other <i>rabi</i> pulses ..	1,900	1,600	1,600	100	100			
	<i>Rabi</i> fruits and vegetables (including root-crops).	800	900	900	92	92			
	Other <i>rabi</i> food-crops (excluding wheat).	3,000	3,600	3,600	83	83			
	Total food-crops ..	8,000	8,500	8,500	99	92			
	Tea	26,900	29,700	29,700	100	100			
	Tobacco	300	400	400	83	83			
	Condiments	500	500	500	100	100			
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	700	700	700	100	100			
	Total non-food-crops ..	28,400	31,300	31,300	100	100			
	GRAND TOTAL ..	36,400	39,800	39,800	100	98			

* Revised.

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated outturn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.
			Last year.	This year.	Last year.	This year.			
Rangpur.	Acres.	Acres.	Acres.						
	Barley	400	400	400			Middle of November.	Not yet commenced.	The weather has been favourable and a normal outturn is expected.
	Boro or summer rice	8,300	8,000					
	Gram	1,000	1,100	1,100					
	Other <i>rabi</i> cereals (excluding wheat).	2,200	4,200	4,200	100	100	Beginning of November.		
	Other <i>rabi</i> pulses ..	52,800	50,000	51,000			Beginning of January.		
	<i>Rabi</i> fruits and vegetables (including root-crops).	20,000	19,000	19,000					
	Total food-crops ..	76,400	83,000	83,700	100	100			
	Tobacco	138,200	191,000	190,000					
	Condiments and spices ..	5,600	2,100	2,100	100	100			
	Total non-food-crops ..	143,800	193,100	192,100	100	100			
	GRAND TOTAL ..	220,200	276,100	275,800	100	100			
Bogra.	Barley	100	200	200	60	60			Will begin in April.
	Boro or summer rice ..	300	300	300	60	75			
	Gram	3,000	3,500	3,000	65	60	October. Early.		
	Other <i>rabi</i> cereals (excluding wheat).	5,000	3,500	3,000	60	60			
	Other <i>rabi</i> pulses ..	17,000	16,000	15,000	60	60	October.	January.	
	<i>Rabi</i> fruits and vegetables (including root-crops).	3,000	4,000	4,000	50	60			
	Other <i>rabi</i> food-crops (excluding wheat).	10,800	9,000	9,000	65	60	September.	November.	
	Total food-crops ..	39,200	36,500	34,500	60	60			
	Tobacco	1,000	1,000	800	55	50			
	Condiments and spices ..	1,000	1,500	1,500	60	60	December. Late.	March. Normal.	
Fauja.	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	100	300	300	60	60			The weather has been favourable and a normal outturn is expected.
	Total non-food-crops ..	2,100	2,800	2,600	58	57			
	GRAND TOTAL ..	41,300	39,300	37,100	60	60			
	Barley	5,600	3,000	3,000			Early part of November.		
	Boro or summer rice ..	4,100	5,300	5,300			Middle of January.		
	Gram	3,700	2,300	2,300					
	Other <i>rabi</i> cereals (excluding wheat).	10,100	13,200	13,200	83	100			
	Other <i>rabi</i> pulses ..	71,000*	96,100	96,100			Middle of November.		
	<i>Rabi</i> fruits and vegetables (including root-crops).	2,000*	1,200	1,200				Middle of January. Normal.	
	Other <i>rabi</i> food-crops (excluding wheat).	3,300	4,300	4,300					
Fauja.	Total food-crops ..	99,800	125,400	125,400	83	100	The dates are normal.		The weather has been favourable and a normal outturn is expected.
	Tobacco	1,500	4,900	4,900					
	<i>Rabi</i> fodder-crops (excluding any crops shown above).	..	1,000	1,000					
	Sunn hemp	30,000	30,000	30,000	83	100			
	Other <i>rabi</i> fibres	200	200			Early part of November. Normal.	Middle of February. Normal.	
	Condiments and spices ..	8,400	4,900	4,900					
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	1,000	4,900	4,900					
	Total non-food-crops ..	40,900	45,900	45,900	83	100			
	GRAND TOTAL ..	140,700	171,300	171,300	83	100			

*Revised.

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.
			Last year.	This year.	Last year.	This year.			
Malda.		Acres.	Acres.	Acres.					
	Barley	39,100	13,000	14,800	58	83	First part of November. Normal.	End of March. Normal.	
	Boro or summer rice	38,600	25,300	25,500	58	83	First part of January. Normal.	Will commence by the end of April. Normal.	
	Gram	21,200	8,400	8,500	83	92	First part of November. Normal.	End of March. Normal.	The weather has been fairly favourable.
	Other rabi cereals (excluding wheat).	20,600	5,600	5,800	58	75			
	Other rabi pulses	31,700	19,400	19,600	58	83			
	Rabi fruits and vegetables (including root-crops).	2,200	1,600	1,700	50	67			
	Other rabi food-crops (excluding wheat).	12,100	8,600	8,900	58	75			
	Total food-crops	165,500	81,900	84,800	58	77			
	Tobacco	7,700	4,200	4,200	66	83	First part of November. Normal.	Middle of February. Normal.	
	Condiments and spices	1,500	1,200	1,200	83	83			
	Other rabi non-food-crops (excluding the crops shown above).	11,300	9,000	9,200	50	67			
	Total non-food-crops	20,500	14,400	14,600	57	73			
	GRAND TOTAL	186,000	95,300	99,400	58	76			
Dacca.	Barley	7,500	12,900	12,800	89	90	End of November. Normal.	March. Normal.	The weather has not been favourable owing to drought.
	Boro or summer rice	39,700	44,700	47,300	80	81			
	Gram	1,600	2,700	2,700	78	78			
	Other rabi cereals (excluding wheat).	41,000	35,200	35,100	59	59			
	Other rabi pulses	9,600	34,000	32,500	68	69			
	Rabi fruits and vegetables (including root-crops).	41,000	87,000	86,500	68	69			
	Other rabi food-crops (excluding wheat).	15,100	32,700	33,000	60	63			
	Total food-crops	155,500	249,200	249,100	69	70			
	Tobacco	6,900	6,700	6,500	61	56			
	Sunn hemp	200			
	Other rabi fibres (excluding sunn hemp).	700	300	200	33	33			
	Condiments and spices	8,100	16,000	14,500	52	54			
	Other rabi non-food-crops (excluding the crops shown above).	63,500	1,500	1,300	33	33			
	Total non-food-crops	79,400	24,500	22,500	53	53			
GRAND TOTAL	234,900	273,700	272,400	68	69				

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.
			Last year.	This year.	Last year.	This year.			
Mymensingh.	Barley ..	Acres. 8,600	Acres. 8,400	Acres. 8,400					
	Boro or summer rice ..	194,200	195,800	195,800					
	Gram ..	2,600	2,600	2,600					
	Other <i>rabi</i> cereals (excluding wheat).	94,000	37,000	37,100	80	75	November to January.	March-April. Normal.	The decrease in area is due to unfavourable weather at sowing time on account of heavy rain. Subsequently the conditions have been favourable.
	Other <i>rabi</i> pulses ..	72,900	51,800	51,800					
	<i>Rabi</i> fruits and vegetables (including root-crops).	53,600	59,000	58,100					
	Other <i>rabi</i> food-crops (excluding wheat).	14,100	34,800	34,700					
	Total food-crops ..	440,000	389,400	388,500	80	75			
	Tobacco ..	11,400	15,400	15,400					
	<i>Rabi</i> fodder-crops (excluding any crops shown above).	1,200	1,500	1,500					
	Sunn hemp ..	31,200	25,000	25,000	80	75			
	Other <i>rabi</i> fibres ..	(33)	400	..					
	Condiments and spices ..	16,000	9,200	9,000					
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	1,100	600	600					
	Total non-food-crops ..	61,200	52,100	51,500	80	75			
	GRAND TOTAL ..	501,200	441,500	440,000	80	75			
Faridpur.	Barley ..	11,700	11,200	11,200	70	81			The weather has been fairly favourable.
	Boro or summer rice ..	14,400	15,700	15,700	86	95			
	Gram ..	3,500	3,600	3,600	65	80			
	Other <i>rabi</i> cereals (excluding wheat).	2,000	67,200	67,200	73	82			
	Other <i>rabi</i> pulses ..	99,200	57,000	57,000	73	82			
	<i>Rabi</i> fruits and vegetables (including root-crops).	39,100	37,100	38,100	65	72			
	Other <i>rabi</i> food-crops (excluding wheat).	4,100	3,900	3,800	65	80			
	Total food-crops ..	174,000	195,700	195,600	72	80	November. Normal.	
	Tobacco ..	4,400	3,300	3,800	78	88			
	<i>Rabi</i> fodder crops ..	500	500	400	70	81			
	Sunn hemp ..	700	500	400	72	82			
	Other <i>rabi</i> fibres ..	200	100	100	83	83			
	Condiments and spices ..	25,300	26,100	26,100	72	81			
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	100	100	100	83	83			
	Total non-food-crops ..	34,200	30,600	30,900	75	82			
	GRAND TOTAL ..	208,200	226,300	227,500	72	81			

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.
			Last year.	This year.	Last year.	This year.			
Bakarganj.		Acres.	Acres.	Acres.					
	Boro or summer rice ..	5,000	4,500	4,500	100	100	November and December. Normal.	Not yet commenced.	
	Other rabi cereals (excluding wheat).	15,100	15,000	15,000	83	75	December.		
	Other rabi pulses ..	45,900	46,000	45,300	83	75	January.		
	Rabi fruits and vegetables (including root-crops).	1,200	20,000	20,000	83	75			
	Other rabi food-crops (excluding wheat).	1,200	1,000	1,000	83	75			
	Total food-crops ..	68,400	86,500	85,800	84	76			
	Tobacco	300	500	500	75	25			
	Sunn hemp	200	100	75	25			
	Condiments and spices ..	19,200	18,500	1,800	75	25			
Chittagong.	Total non-food-crops ..	19,500	19,200	2,400	75	25			
	GRAND TOTAL ..	87,900	105,700	88,200	82	75			
	Boro or summer rice ..	6,400	6,400	6,400	88	85	February ..	Not yet commenced.	
	Other rabi cereals (excluding wheat).	700	600	600	67	65	End of December. Normal.	February. Normal.	
	Other rabi pulses ..	2,800	2,800	2,800	83	80	November and December. Normal.	January and February. Normal.	
	Rabi fruits and vegetables (including root-crops).	3,300	3,400	3,400	83	80	November. Normal.	January. Normal.	
	Other rabi food-crops (excluding wheat).	3,000	3,000	3,000	83	80	November and December. Normal.	December and January. Normal.	
	Total food-crops ..	16,200	16,200	16,200	84	81			
	Tea	2,500	2,900	2,900	83	90			
	Tobacco	2,600	2,600	2,600	90	81	November and December. Normal.	February. Normal.	
	Rabi fodder-crops (excluding any crops shown above).	200	100	100	89	85	November. Normal.	February. Normal.	
	Sunn hemp	1,600	1,700	1,700	87	95			
	Condiments and spices ..	7,000	7,000	7,000	83	85	October and November. Normal.	January and February. Normal.	
	Other rabi non-food-crops (excluding the crops shown above).	8,000	8,000	8,000	87	83			
	Total non-food-crops	21,900	22,300	22,300	85	85			
	GRAND TOTAL ..	38,100	38,500	38,500	85	84			

The weather was fairly favourable on the whole.

The weather has been fairly favourable. Want of timely rain has affected the growth of the crops.

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.
			Last year.	This year.	Last year.	This year.			
Tippah.		Acres.	Acres.	Acres.					
	Boro or summer rice ..	30,400	24,000	21,500	67	75			
	Gram ..	300	300	300	42	50			
	Other <i>rabi</i> pulses ..	7,500	7,200	7,200	58	67			
	<i>Rabi</i> fruits and vegetables (including root-crops).	8,200	8,000	7,200	50	67			
	Other <i>rabi</i> food-crops (excluding wheat).	14,800	14,000	14,000	50	67			
	Total food-crops ..	61,200	53,500	50,200	59	70			
	Tobacco ..	3,000	2,800	2,700	50	67			
	<i>Rabi</i> fodder-crops (excluding any crops shown above).	3,000	2,700	2,700	42	42			
	Sunn hemp ..	100	100	100	42	58			
	Other <i>rabi</i> fibres ..	100	100	100	42	42			
	Condiments and spices ..	19,800	18,000	17,500	42	67			
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	500	500	500	42	67			
	Total non-food-crops ..	26,500	24,200	23,600	43	64			
	GRAND TOTAL ..	87,700	77,700	73,800	54	68			
Nookhall.	Boro or summer rice ..	500	800	700					
	Gram ..	100	100	100					
	Other <i>rabi</i> cereals (excluding wheat).	400	400	400					
	Other <i>rabi</i> pulses ..	44,000	38,000	37,000	83	75			
	<i>Rabi</i> fruits and vegetables (including root-crops).	74,000	72,000	72,800					
	Other <i>rabi</i> food-crops (excluding wheat).	9,900	9,000	9,400					
	Total food-crops ..	128,900	120,300	120,400	83	75			
	Condiments and spices ..	24,400	22,500	23,200	67	58			
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	100	100	100					
	Total non-food-crops ..	24,500	22,600	23,300	67	58			
Chittagong Hill Tracts.	GRAND TOTAL ..	153,400	142,900	143,700	80	72			
	Other <i>rabi</i> cereals ..	2,000	100	100	100	83			
	Other <i>rabi</i> pulses ..	100	100	100	100	83			
	<i>Rabi</i> fruits and vegetables (including root-crops).	3,000	5,000	5,000	100	83			
	Total food-crops ..	5,100	5,200	5,200	100	83			
	Tea ..	(44)	(44)	(44)	50	50			
	Tobacco ..	4,000	4,000	4,000	100	92			
	Other <i>rabi</i> fibres ..	2,000	1,800	1,800	100	100			
	Condiments and spices ..	2,000	1,000	1,000	100	100			
	Total non-food-crops ..	8,000	6,800	6,800	100	95			
	GRAND TOTAL ..	13,100	12,000	12,000	100	90			

Middle of January. Late.

Will begin in April. Normal.

The decrease in area in some cases is due to unfavourable weather at sowing time on account of late subsidence of water.

The weather has been unfavourable for want of proper rain which has affected the growth of the crops and caused damage to the extent of about three to four annas.

November and December. Normal.

February and March. Normal.

The weather has not been favourable for want of rain.

First week of December to third week of December.

Last week of February. Early.

Want of rain has caused the outturn to fall a little below the normal.

District.	Name of crop.	Estimated normal area under each crop.	Estimated area under each crop.		Estimated out-turn as a percentage of the normal yield per unit of area.		Dates by which the sowing of the crops generally commenced this year, and whether those dates were early, normal or late.	Dates by which the harvesting of the crops generally commenced this year, and whether those dates were early, normal or late.	Remarks by District Officers.
			Last year.	This year.	Last year.	This year.			
Total Bengal.		Acres.	Acres.	Acres.					
	Barley	114,700	66,500	81,700	70	82			
	Boro or summer rice ..	446,600	399,700	397,500	78	79			
	Gram	227,400	91,800	142,800	53	74			
	Other <i>rabi</i> cereals (excluding wheat).	325,100	267,700	274,900	63	74			
	Other <i>rabi</i> pulses ..	709,300	560,200	628,900	74	79			
	<i>Rabi</i> fruits and vegetables (including root-crops).	428,700	427,100	439,200	74	74			
	Other <i>rabi</i> food-crops (excluding wheat).	144,500	152,900	155,200	68	71			
	Total food-crops ..	2,396,300	1,965,900	2,120,200	72	77			
	Tea	88,200	94,400	94,500	94	94			
	Tobacco	241,500	290,300	291,200	92	93			
	Ganja	800	600	600	83	84			
	Other drugs and narcotics.	1,600	500	600	92	86			
	<i>Rabi</i> fodder-crops (excluding any crops shown above).	9,000	11,700	16,900	54	66			
	Sunn hemp	65,800	58,400	58,200	81	88			
	Other <i>rabi</i> fibres ..	3,600	4,700	3,900	75	83			
	Condiments and spices ..	179,700	145,700	131,100	66	70			
	Other <i>rabi</i> non-food-crops (excluding the crops shown above).	102,400	35,100	41,900	65	75			
	Total non-food-crops ..	692,600	641,400	638,900	83	86			
	GRAND TOTAL ..	3,088,900	2,607,300	2,759,100	75	79			

APPENDIX II.

Abstract statement of the estimated acreage and outturn of the summer rice crop, 1928-29.

Area (in acres).								Yield (in tons).						
Province.	Of current year's crop (1928-29).	Of previous year's crop (1927-28).	Average of preceding—		Percentage by which column 2 exceeds (+), or is less than (-), area in—			Estimated yield of current year, i.e., of area in column 2.	Yield of previous year, i.e., of area in column 3.	Average of preceding—		Percentage by which column 7 exceeds (+), or is less than (-), yield in—		
					Column 3.	Column 4.						Column 8.	Column 9.	
1	2	3	4		5	6		7	8	9		10	11	
			Five years.	Ten years.		Five years.	Ten years.			Five years.	Ten years.	Five years.	Ten years.	
Bengal ..	397,500	399,700	398,200	390,500	—0.6	—0.2	+1.8	161,500	160,300	153,700	155,800	+0.7	+5	+3.7

FORM C—BENGAL.

Statement of cotton pressed in the Bengal Presidency for the week ending
5th April 1929.

[Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925.]

1 Name of Division or Block.	2 Number of bales pressed.		4 Number of bales pressed.		6 District included in the block.
	3 During the week.	During the correspond- ing week last year.	Since 1st Septem- ber 1928 (the date prescribed by the Local Govern- ment as the commencement of the season).	5 During the correspond- ing period last year.	
The Bengal Presidency ..	1,358 or 1339'339375 bales of 400 lbs. each.	2,305	9,812	20,107	All districts in the Presidency.

R. P. ADAMS,
Chief Inspector of Factories, Bengal.

DAILY RAINFALL RECORDED IN BENGAL

[NOTE.—The district averages given in the rainfall tables prior to year 1929 are not comparable with the district averages of the district. The district averages were calculated by dividing the total rainfall for which normals have not been arrived at, the district normal is not derived from the number of stations for which normals exist.

To make the two comparable, after year 1928 the district averages also have been calculated by number of such stations.]

Division and District.	Station.	1	2	3	4	5	6	7
PRESIDENCY.								
24-Parganas ..	Saugor Island (Observatory)
	Diamond Harbour
	Budge-Budge
	Canning Town
	Alipore (Observatory)
	Barrackpore
	Dum-Dum
	Baraset
	Basirhat
	Gosaba
Nadia ..	Ranaghat
	Krishnagar (Observatory)
	Chuadanga
	Meherpore
	Kushia
Murshidabad ..	Haringhata*
	Kandi
	Berhampore (Observatory)
	Lalbagh
	Azimganj*
	Jangipur
	Lalgola
	Akriganj*
	Patkabari
	Dumkal
Jessore ..	Kallyangunj (Ishanpur)
	Khargram
	Talibpore
	Narail
	Jessore (Observatory)
Khulna ..	Jhenida
	Magura
	Bongaon
	Satkhira (Observatory)
	Bagerhat
	Khulna (Observatory)
	Kaliganj
	Nakipur
	Dumuria
	Rampal
	Kaleroa
	Paikgachha (Raruli)
	Mollahat
BURDWAN.	Morelganj
	Ismailkati
	Burdwan
	Kalna
	Burdwan (Observatory)
	Katwa*
	Asansol (Observatory)
	Mankar*
Birbhum ..	Mangalkot
	Royna*
	Monteswar*
	Suri
	Hetampur
	Rampurhat
Birbhum ..	Bolpur
	Murrai
	Labpur

*Not reported.

DAILY RAINFALL RECORDED IN BENGAL

Division and district.	Station.	21	22	23	24	25	26	27
PRESIDENCY— concl.								
24-Parganas ..	Saugor Island (Observatory)
	Diamond Harbour
	Budge-Budge
	Canning Town
	Alipore (Observatory)
	Barrackpore
	Dum-Dum
	Baraset
	Basirhat
	Gosaba
Nadia ..	Ranaghat	0.02
	Krishnagar (Observatory)	0.05	..	0.08
	Chuadanga
	Meherpore
	Kushtia	0.10
	Haringhata*
Murshidabad ..	Kandi	0.16
	Berhampore (Observatory)
	Lalbagh
	Azinganj*
	Jangipur	0.18
	Lalgola	0.06
	Akriganj*
	Patkabari	0.22
	Dumkal
	Kallyangunj (Ishanpur)	0.04
Jessore ..	Khargram
	Talibpore
	Narail
	Jessore (Observatory)
	Jhenida
Khulna ..	Magura
	Bongaon
	Satkhira (Observatory)
	Bagerhat
	Khulna (Observatory)
	Kaliganj
	Nakipur
	Dumuria
	Rampal
	Kalaroa
BURDWAN.	Paikgachha (Raruli)
	Mollahat
	Morelganj
	Ismailkati
	Kalna
	Burdwan (Observatory)	0.05
	Katwa*
Bu dwan ..	Asansol (Observatory)	0.02
	Mankar*
	Mangalkot	0.11
	Royna*
	Monteswar*
	Suri	0.04
	Hetampur
Birbhum ..	Rampurhat
	Bolpur
	Murari	0.32
	Lalpur

* Not reported.

FOR THE MONTH OF MARCH 1929.

28	29	30	31	Number of rainy days.	Average number of rainy days.	Total rainfall for the month.	Normal rainfall for the month.	Heaviest rainfall during the month.	Total rainfall from 1st March to 31st March 1929.	Normal rainfall from 1st March to 31st March 1929.
..	1	2.0	1.47	1.43	1.47	1.47	1.43
..	1	2.2	0.99	1.66	0.99	0.99	1.66
..	2	2.7	1.64	1.85	1.45	1.64	1.85
..	1	2.2	3.32	1.74	3.32	3.32	1.74
..	2	2.4	2.59	1.44	2.44	2.59	1.44
..	2	2.6	0.90	1.65	0.75	0.90	1.65
..	2	2.3	2.83	1.40	1.80	2.83	1.40
..	1	2.3	1.50	1.48	1.50	1.50	1.48
..	1	2.5	1.32	1.66	1.32	1.32	1.66
..	1	(n)	1.77	(n)	1.77	1.77	(n)
..	1	2.5	1.98	1.64	1.96	1.98	1.64
..	1	2.4	1.38	1.82	1.25	1.38	1.82
..	1	2.6	1.47	1.75	1.47	1.47	1.75
..	1	2.5	0.60	1.67	0.60	0.60	1.67
..	0.90	3	2.7	2.12	1.50	1.12	2.12	1.50
..	2.0	..	1.27	1.37
..	3	2.0	2.13	1.17	1.67	2.13	1.17
..	2	2.0	0.87	1.07	0.65	0.87	1.07
..	2	1.9	1.13	1.02	0.64	1.13	1.02
..	1.7	..	0.96	0.96
..	3	2.0	2.18	0.81	1.03	2.18	0.81
..	2	1.7	0.71	0.91	0.37	0.71	0.91
..	1.7	..	1.02	1.02
..	..	0.22	..	3	1.5	1.34	0.84	0.90	1.34	0.84
..	2	2.1	0.46	1.32	0.35	0.46	1.32
..	2	2.2	1.03	1.12	0.64	1.03	1.12
..	2	(n)	1.15	(n)	0.90	1.15	(n)
..	Nil	(n)	Nil	(n)	Nil	Nil	(n)
..	1	3.0	1.70	1.98	1.70	1.70	1.98
..	1	3.2	1.44	2.11	1.44	1.44	2.11
..	1	2.9	1.30	2.09	1.30	1.30	2.09
..	1	3.2	1.44	2.04	1.44	1.44	2.04
..	1	2.6	2.27	1.81	2.27	2.27	1.81
..	1	2.8	1.75	2.09	1.75	1.75	2.09
..	1	2.6	1.65	1.95	1.65	1.65	1.95
..	1	3.1	2.27	2.06	2.27	2.27	2.06
..	1	2.0	3.00	1.80	3.00	3.00	1.80
..	1	1.9	2.40	1.59	2.40	2.40	1.59
..	1	2.7	2.56	1.91	2.56	2.56	1.91
..	1	3.0	2.65	1.94	2.65	2.65	1.94
..	1	2.8	1.91	2.45	1.91	1.91	2.45
..	1	2.8	4.00	1.93	4.00	4.00	1.93
..	1	3.0	1.20	2.47	1.20	1.20	2.47
..	1	2.9	1.42	2.26	1.42	1.42	2.26
..	1	3.0	2.00	2.32	2.00	2.00	2.32
..	1	2.5	2.03	1.56	2.03	2.03	1.56
..	1	2.6	4.56	1.67	4.56	4.56	1.67
..	2.3	..	1.34	1.34
..	2	2.0	1.02	1.05	0.69	1.02	1.05
..	1.9	..	1.32	1.32
..	2	2.7	1.81	2.35	1.70	1.81	2.35
..	2.5	..	2.08	2.08
..	1.7	..	1.69	1.69
..	2	1.9	1.09	1.04	0.90	1.09	1.04
..	2	1.8	0.56	0.93	0.34	0.56	0.93
..	1	1.4	1.90	0.89	1.90	1.90	0.89
..	1	1.7	0.95	0.98	0.95	0.95	0.98
..	3	1.7	1.60	0.94	0.73	1.60	0.94
..	1	2.0	1.24	1.07	1.24	1.24	1.07

(n) Not ascertained.

DAILY RAINFALL RECORDED IN BENGAL

Division and district.	Station.	1	2	3	4	5	6	7
BURDWAN—concl'd.								
Bankura	Bankura (Observatory)
	Vishnupur
	Maliara*
	Khatra
	Indas
	Kotalpur*
	Onda
	Gangajalghati
	Raipur
	Sonamukhi
	Taldangra*
	Saranga*
	Indpur
	Arhara
	Barjora
	Simlapal*
	Mejia
	Siromanipur
	Palasdanga*
	Chatna
Midnapore	Ranibandh
	Saltora*
	Joypur
	Ambikanagar*
	Jairampur*
	Contai
	Tamluk
	Midnapore (Observatory)
	Ghatal
	Kukrahati
	Amlagura
	Panskura
	Dantan
	Chandrakona*
	Pachet
	Bhagwanpur
	Kashiary
	Nayabasan
	Silda (Belpahari)*
Hooghly	Kharagpur*
	Goaltore
	Salboni
	Narayangarh*
	Ramnagar
	Mohanpur*
	Jenka (Khajri)
	Nandigram*
	Moyna
	Pingla
Howrah	Narajole
	Kolaghat (Dainan)
	Balichak
	Jhangram
	Serampore
Hooghly	Hooghly
	Arambagh
	Chanditala
	Chanditala
Howrah	Howrah
	Mahesrekha
	Ulubaria
	Amta
	Amta
RAJSHAHI.								
Boalia	Boalia (Observatory)
	Nator
	Naugaon	..	0.26
	Lalpur
	Manda	0.32
	Mahadebpur	..	0.03
	Tanor	..	0.22
	Chaugram*
	Joari*
	Badalgachi*

* Not reported.

FOR THE MONTH OF MARCH 1929.

8	9	10	11	12	13	14	15	16	17	18	19	20
..	0.02	1.40
..	0.75
..	1.39
..	1.91
..	1.53
..	0.16	1.60
..	0.02	0.45
..	1.38
..	2.80
..	0.12	0.42
..	0.70	1.00
..	1.05	0.38
..	0.69
..	0.07	1.10
..
..	0.73
..	1.89
..	3.75
..	1.01
..	1.40
..	0.07	1.58
..	0.80
..	2.08
..	4.12
..	1.13
..	1.10
..	3.30
..
..	0.75
..	3.40
..	2.74
..	1.75
..	2.12
..	1.20
..	2.00
..	0.72
..	2.22
..	1.38
..	0.89
..	2.10
..	0.84
..	1.35
..	0.12	1.69
..	2.10
..	2.30
..	1.60
..	0.53	0.90
..	0.40	0.30
..	0.63	0.18
..	0.40
..	0.45	0.23
..	..	0.40	0.10
..	0.30	0.90

DAILY RAINFALL RECORDED IN BENGAL

Division and district.	Station.	21	22	23	24	25	26	27
BURDWAN—concd.								
Bankura ..	Bankura (Observatory)	..	0·12*
	Vishnupur	..	0·08
	Maliara*
	Khatra
	Indas
	Kotalpur*
	Onda	..	0·25
	Gangajalghati	..	0·21
	Raipur
	Sonamukhi	..	0·13
	Taldangra*
	Saranga*
	Indpur	..	0·10
	Arhara
	Barjora
	Simlapal*
	Mejia
	Siromanipur
	Palasdanga*
	Chatna
	Ranibandh
	Saltora*
	Joypur
	Ambikanagar*
	Jairampur*
Midnapore ..	Contai
	Tamluk
	Midnapore (Observatory)
	Ghatal
	Kukrahati
	Amlagura
	Panskura
	Dantan
	Chandrakona*
	Pachet
	Bhagwanpur
	Kashiary
	Nayabasan
	Silda (Belpahari)*
	Kharagpur*
	Goaltore
	Salboni
	Narayangarh*
	Ramnagar
	Mohanpur*
	Jenka (Khajri)
	Nandigram*
	Moyna
	Pingla
	Narajole
	Kolaghat (Dainan)
	Balichak
	Jhargram
Hooghly ..	Serampore
	Hooghly
	Arambagh	..	0·01
	Chanditala
Howrah ..	Howrah
	Mahesrekha
	Ulubaria
	Amta
RAJSHAHI.								
Boalia ..	Boalia (Observatory)	..	0·22	..	0·09
	Nator	0·25
	Naugaon
	Lalpur
	Manda
	Mahadebpur
	Tanor
	Chaugram*
	Joari*
	Badalgachi*

* Not reported.

FOR THE MONTH OF MARCH 1929.

28	29	30	31	Number of rainy days.	Average number of rainy days.	Total rainfall for the month.	Normal rainfall for the month.	Heaviest rainfall during the month.	Total rainfall from 1st March to 31st March 1929.	Normal rainfall from 1st March to 31st March 1929.
..	2	2.2	1.54	1.25	1.40	1.54	1.25
..	1	2.5	0.83	1.39	0.75	0.83	1.39
..	1	2.1	1.39	1.18	1.39	1.39	0.99
..	1	2.0	1.91	1.32	1.91	1.91	1.18
..	1	2.2	1.68	1.32	1.91	1.91	1.32
..	2	2.1	1.78	0.98	1.53	1.78	1.68
..	3	2.3	1.97	1.12	1.60	1.97	0.98
..	1	2.0	0.47	1.41	0.45	0.47	1.12
..	2	2.2	1.51	1.37	1.38	1.51	1.41
..	1.8	1.8	1.05	1.05			1.37
..	2	1.8	0.92	0.92			1.05
..	2	1.7	2.90	1.04	2.80	2.90	0.92
..	2	(n)	0.54	(n)	0.42	0.54	1.04
..	2	(n)	1.70	(n)	1.00	1.70	(n)
..	2	(n)	1.43	(n)	1.05	1.43	(n)
..	1	(n)	0.69	(n)	0.69	0.69	(n)
..	1	(n)	1.17	(n)	1.10	1.17	(n)
..	Nil	(n)	Nil	(n)	Nil	Nil	(n)
..	1	(n)	0.73	(n)	0.73	0.73	(n)
..	1	(n)		(n)			(n)
..	1	2.1	1.89	1.38	1.89	1.89	1.38
..	1	2.5	3.75	1.78	3.75	3.75	1.78
..	1	2.7	1.01	1.64	1.01	1.01	1.64
..	1	2.6	1.40	1.05	1.40	1.40	1.05
..	1	2.3	1.65	1.67	1.58	1.65	1.67
..	..	0.16	..	2	2.1	0.96	1.61	0.80	0.96	1.61
..	1	2.6	2.08	1.58	2.08	2.08	1.58
..	1	2.6	4.12	1.52	4.12	4.12	1.52
..	1	2.0	1.47	1.47			1.47
..	0.11	2	1.7	1.24	2.18	1.13	1.24	2.18
..	1	2.5	1.10	1.75	1.10	1.10	1.75
..	1	2.7	3.30	2.03	3.30	3.30	2.03
..	Nil	1.7	Nil	0.89	Nil	Nil	0.89
..	1	2.3	1.15	1.15			1.15
..	0.65	2	(n)	1.40	(n)	0.75	1.40	(n)
..	..	0.20	..	2	2.2	3.60	0.96	3.40	3.60	1.08
..	1	1.6	1.35	1.35			0.96
..	1	1.8	2.74	1.69	2.74	2.74	1.35
..	1	2.3	2.37	2.37			1.69
..	1	1.9	1.75	1.49	1.75	1.75	2.37
..	1	2.2	1.90	1.90			1.49
..	1	2.5	2.12	1.69	2.12	2.12	1.90
..	1	2.1	1.20	1.89	1.20	1.20	1.69
..	1	3.2	2.00	2.93	2.00	2.00	1.89
..	1	(n)	0.72	(n)	0.72	0.72	2.93
..	1	(n)	2.22	(n)	2.22	2.22	(n)
..	1	(n)	1.38	(n)	1.38	1.38	(n)
..	1	2.3	0.89	1.43	0.89	0.89	1.43
..	1	2.3	2.10	1.51	2.10	2.10	1.51
..	1	2.4	0.85	1.40	0.84	0.85	1.40
..	1	(n)	1.35	(n)	1.35	1.35	(n)
..	2	2.4	1.81	1.36	1.69	1.81	1.36
..	1	2.4	2.10	1.61	2.10	2.10	1.61
..	1	2.1	2.30	1.44	2.30	2.30	1.44
..	1	2.9	1.60	2.41	1.60	1.60	2.41
..	3	2.0	1.74	1.20	0.90	1.74	1.20
..	3	1.9	0.95	1.00	0.40	0.95	1.00
..	3	2.0	1.07	1.01	0.63	1.07	1.01
..	1	2.1	0.40	1.16	0.40	0.40	1.16
..	..	0.13	..	4	1.7	1.13	0.70	0.45	1.13	0.70
..	2	1.7	0.53	0.85	0.40	0.53	0.85
..	3	1.7	1.42	0.74	0.60	1.42	0.74
..	(n)	(n)		(n)			(n)
..	(n)	(n)		(n)			(n)
..	(n)	(n)		(n)			(n)

(n) Not ascertained.

DAILY RAINFALL RECORDED IN BENGAL

Division and district.	Station.	1	2	3	4	5	6	7
RAJSHAHI—concl'd.								
Dinaipur	Nithpur
	Nawabganj
	Gangarampur
	Churamon
	Raiganj
	Dinaipur (Observatory)
	Balurghat
	Thakurgaon
	Setabganj
	Ramganj
	Atwari
	Birganj
Jalpaiguri	Parbatipur
	Patnitola
	Jalpaiguri (Observatory)
	Alipur Duars	0·06	0·01
	Falakata
	Debiganj
Darjeeling	Buxa
	Kalchini
	Kumargram*
	Siliguri
	Darjeeling (Observatory)	0·54
	Kalimpong	0·71
Rangpur	Mongpoo	0·09
	Kurseong
	Pedong	0·70
	Bhawaniganj (Gaibandha)
	Rangpur (Observatory)
	Pirganj
Bogra	Kurigaon	0·75
	Gobindganj*
	Bagdogra (Nilphamari)
	Ulipur
	Sunderganj	0·20
	Saidpur
Pabna	Sherpur*
	Nowkhilla
	Bogra (Observatory)	0·11
	Panchbibi
	Khetlal
	Adamdighi*
Malda	Dubchanchia	0·16
	Shazadpur
	Pabna
	Sirajganj (Observatory)	0·15
	Iswardi
	Malda (Observatory)	0·24
Dacca	Chanchal
	Gazol
	Sibganj	0·72
	Gomastapur	..	0·27
	Nawabganj*
	Mumshiganj
Dacca	Dacca
	Nawabganj
	Narayanganj (Observatory)
	Narsingdi
	Manikganj
	Joydebpur
Dacca	Kapasias
	Kapasias

* Not reported.

FOR THE MONTH OF MARCH 1929.

8	9	10	11	12	13	14	15	16	17	18	19	20
..	..	0.60	0.13
..	0.44
..	..	0.45
..	0.32	0.04
..	0.37	0.15
..	0.09	0.26
..	0.45
..
..	..	0.51	0.41
..	..	1.15	0.15
..	0.35	0.12
..	0.45	0.40
..	0.05	0.25
..	0.20	0.50
..	0.07	0.06
..	..	0.62	0.28
..	..	0.03	0.27	0.25
..	..	1.45	0.25	0.35
..	..	0.02	0.95	0.32
..	..	0.32	0.53	0.20
..	..	0.08	0.52	0.30
..	..	0.06	1.02	0.56	0.12	0.01	..
..	..	0.85	0.64	0.15	0.01
..	0.40
..	0.90	0.09
..
..	0.87	0.15
..	0.43	0.20
..	..	0.30	0.12
..	0.36	0.12
..	0.49
..
..	0.35	0.16
..	0.50
..
..	0.76	0.14
..	0.37	0.70
..	0.06	0.59
..	0.18	0.36
..	0.39
..	1.81	0.22
..	0.35
..	0.65
..
..
..	0.91	0.26
..	0.83
..	1.40
..	0.95	0.10
..	0.05	0.68
..	0.90
..	..	0.51	0.86
..	1.58	0.64

DAILY RAINFALL RECORDED IN BENGAL

Division and district.	Station.	21	22	23	24	25	26	27
RAJSHAHI—concd.								
Dinajpur	Nithpur
	Nawabganj
	Gangarampur
	Churamon
	Raiganj
	Dinajpur (Observatory)	..	0.06
	Balurghat
	Thakurgaon
	Setabganj
	Ramganj
	Atwari
	Birganj
	Parbatipur
	Patnitola
Jalpaiguri	Jalpaiguri (Observatory)	..	0.35	0.40	..	0.30
	Alipur Duars	..	0.42	1.00	..	0.18
	Falakata	..	0.07	0.20	..	0.10
	Debiganj
	Buxa	0.49	0.81	0.03	0.85	0.42
	Kalchini	..	0.41	0.19	..	1.34	0.70	0.05
	Kumargram*
Darjeeling	Siliguri	0.20	..	0.25	..	0.42
	Darjeeling (Observatory)	0.21	0.02	0.49	0.03
	Kalimpong	..	0.22	0.03	0.23
	Mongpoo	0.34	0.06	0.12	0.02	..	0.03	0.02
	Kurseong	0.18	..	0.02	..	0.28
	Pedong	0.78	0.03	0.19	..	0.03	0.01	0.19
Rangpur	Bhawaniganj (Gaibandha)
	Rangpur (Observatory)
	Pirganj
	Kurigaon
	Gobindganj*
	Bagdogra (Nilphamari)	..	0.04
	Ulipur
	Sunderganj	0.28
	Saidpur	..	0.25
Bogra	Sherpur*
	Nowkhilla
	Bogra (Observatory)
	Panchbibi
	Khetlal
	Adamdighi*
	Dubchanchia
Pabna	Shazadpur
	Pabna	0.06
	Sirajganj (Observatory)
	Iswardi
Malda	Malda (Observatory)
	Chanchal
	Gazol
	Sibganj
	Gomastapur
	Nawabganj*	..	0.55
DACCA.								
Dacca	Munshiganj	0.42	0.40
	Dacca
	Nawabganj
	Narayanganj (Observatory)	0.05
	Narsingdi	0.04	0.22
	Manikganj
	Joydebpur
	Kapasia

* Not reported.

FOR THE MONTH OF MARCH 1929.

28	29	30	31	Number of rainy days.	Average number of rainy days.	Total rainfall for the month.	Normal rainfall for the month.	Heaviest rainfall during the month.	Total rainfall from 1st March to 31st March 1929.	Normal rainfall from 1st March to 31st March 1929.
..	2	1.1	0.73	0.60	0.60	0.73	0.60
..	Nil	1.1	Nil	0.62	Nil	Nil	0.62
..	1	1.6	0.44	0.70	0.44	0.44	0.70
..	1	1.2	0.45	0.61	0.45	0.45	0.61
..	Nil	1.5	Nil	0.77	Nil	Nil	0.77
..	1	1.5	0.42	0.75	0.32	0.42	0.75
..	2	1.4	0.52	0.78	0.37	0.52	0.78
..	1	1.7	0.35	0.92	0.26	0.35	0.92
..	1	1.8	0.45	0.96	0.45	0.45	0.96
..	Nil	1.5	Nil	0.77	Nil	Nil	0.77
..	Nil	2.3	Nil	1.42	Nil	Nil	1.42
..	2	1.9	0.92	0.92	0.51	0.92	0.92
..	2	2.2	1.30	0.90	1.15	1.30	0.90
..	2	(n)	0.47	(n)	0.35	0.47	(n)
0.20	6	2.4	2.10	1.36	0.45	2.10	1.36
0.24	5	2.7	2.20	1.89	1.00	2.20	1.89
0.01	4	2.5	1.08	1.31	0.50	1.08	1.31
..	Nil	1.9	0.07	1.05	0.07	0.07	1.05
..	6	4.4	3.56	2.99	0.85	3.56	2.99
0.25	7	3.5	3.49	2.00	1.34	3.49	2.00
..	3.8	..	2.48	2.48
..	6	2.3	2.92	1.24	1.45	2.92	1.24
0.45	6	3.8	3.02	1.84	0.95	3.02	1.84
0.29	7	3.2	2.53	1.48	0.71	2.53	1.48
0.01	4	4.3	1.59	1.85	0.52	1.59	1.85
..	4	3.4	2.12	1.84	1.02	2.12	1.84
0.90	9	4.3	4.61	2.00	0.85	4.61	2.00
..	1	2.1	0.40	1.21	0.40	0.40	1.21
..	1	1.8	0.99	1.13	0.90	0.99	1.13
..	Nil	1.3	Nil	0.69	Nil	Nil	0.69
..	3	2.3	1.77	1.63	0.87	1.77	1.63
..	1.9	..	1.10	1.10
..	2	1.7	0.67	1.11	1.43	0.67	1.11
..	2	2.3	0.42	1.20	0.30	0.42	1.20
..	4	1.9	0.96	1.38	0.36	0.96	1.38
..	2	1.8	0.74	1.02	0.49	0.74	1.02
..	2.3	..	1.09	1.09
..	Nil	2.2	Nil	1.18	Nil	Nil	1.18
..	3	2.1	0.62	1.24	0.35	0.62	1.24
..	1	1.6	0.50	0.97	0.50	0.58	0.97
..	Nil	1.2	Nil	0.53	Nil	Nil	0.53
..	(n)	..	(n)	(n)
..	3	(n)	1.06	(n)	0.76	1.06	(n)
..	2	3.5	1.07	1.73	0.70	1.07	1.73
..	1	2.6	0.71	1.36	0.59	0.71	1.36
..	3	2.3	0.69	1.33	0.36	0.69	1.33
..	1	2.5	0.39	0.96	0.39	0.39	0.96
..	3	1.3	2.27	0.71	1.81	2.27	0.71
..	1	1.3	0.35	0.62	0.35	0.35	0.62
..	1	1.6	0.65	0.66	0.65	0.65	0.66
..	1	1.7	0.72	0.64	0.72	0.72	0.64
..	2	1.9	0.82	0.76	0.55	0.82	0.76
..	2.1	..	1.01	1.01
..	4	4.0	1.99	2.98	0.91	1.99	2.98
..	1	3.6	0.83	2.63	0.83	0.83	2.63
..	1	3.7	1.40	3.29	1.40	1.40	3.29
0.07	1	3.6	1.07	2.69	0.95	1.07	2.69
..	3	3.7	1.09	3.55	0.68	1.09	3.55
..	1	2.9	0.90	1.85	0.90	0.90	1.85
..	0.11	3	3.5	1.48	2.31	0.86	1.48	2.31
..	2	2.3	2.22	1.79	1.58	2.22	1.79

(n) Not ascertained.

DAILY RAINFALL RECORDED IN BENGAL

Division and district.	Station.	1	2	3	4	5	6	7
DACCA—concl'd.								
Mymensingh	Kishorganj	0.55
	Atia (Tangail)	1.00
	Sarisabari	0.43
	Mymensingh (Observatory)
	Jamalpur
	Netrokona
	Pingna	0.18
	Durgapur
	Sherpur (Town)*
	Dewanganj
Faridpur	Nalitabari
	Madaripur
	Faridpur (Observatory)
	Rajbari (Goalundo)
	Haridaspur
	Takerhat
	Bhanga
	Pangsa
	Baliakandi
Bakarganj	Bhusna
	Palong
	Patuakhali
	Barguna
	Pirojpur
	Barisal (Observatory)
	Geurnadi*
CHITTAGONG.	Bhola
	Daulatkhan
	Bauphal
	Chittagong
	Chittagong (Observatory)
Chittagong	Kutubdia
	Satkania
	Kodala
	Mirsarai
Tippera	Comilla (Observatory)
	Chandpur
	Brahmanbaria
	Ramchandrapur
	Nasirnagar
	Daudkandi
	Kasba
Noakhali	Laksam
	Noakhali (Observatory)
	Feni
	Harishpur
	Ramganj*	0.05
	Chhagalnaya
Chittagong Hill Tracts	Hatiya*
	Lakhmipur†
	Rangamati
	Bandarban
	Barkal
	Mahalchari
	Lama
	Ramgarh
	Manikseri
	Dighinala
Hill Tippera	Mainmukh
	Kaptai
	Panchhari
	Nakhyongchhari
Cooch Behar	Agartala
	Dinhata
	Cooch Behar (Observatory)	0.21
	Mickliganj	0.38
	Mathabhanga	0.04
	Fulbaria (Tufanganj)

* Not reported.

† The rain gauge is out of order.

FOR THE MONTH OF MARCH 1929.

8	9	10	11	12	13	14	15	16	17	18	19	20
..	0.25	0.37
..	..	0.04	0.12
..	0.34	0.44
..	0.32
..	0.25	0.04
..	..	0.06	..	0.14	0.30
..
..	..	0.25
..	..	0.56
..
..	1.41
..	1.09
..	0.80
..	0.12	..	1.03
..	..	0.01	1.14
..	0.22	0.92
..	0.95
..
..	3.40
..	1.92
..	2.28
..	1.40
..	4.35
..	2.70
..
..	2.47
..	1.70
..
..	0.07
..	1.20	0.04
..	0.50
..	0.05
..	0.25
..	0.76
..	1.13
..	0.95
..	0.65
..	1.10
..	..	0.65	0.43
..	0.30
..
..	1.00
..	0.70	0.06
..	0.63
..	1.15
..
..
..	0.27
..	0.21	0.05
..	0.19	0.06
..	1.00
..	0.35
..	0.27
..	0.76
..
..	0.45
..	0.25	0.03
..	0.39
..	0.56
..	0.85
..
..	0.24	0.16
..	0.14	0.13
..	0.45	0.20
..	..	0.38	0.08
..	0.14	0.15

DAILY RAINFALL RECORDED IN BENGAL

Division and district.	Station.	21	22	23	24	25	26	27
Dacca—concl'd.								
Mymensingh ..	Kishorganj
	Atia (Tangail)
	Sarisabari	0·11
	Mymensingh (Observatory)
	Jamalpur
	Netrokona	0·27
	Pingna
	Durgapur
	Sherpur (Town)*
	Dewanganj
	Nalitabari
Faridpur ..	Madaripur	0·13
	Faridpur (Observatory)
	Rajbari (Goalundo)
	Haridaspur	0·04
	Takerhat
	Bhanga
	Pangsa
	Baliakandi
	Bhusna
	Palong
Bakarganj ..	Patuakhali
	Barguna
	Pirojpur	0·11
	Barisal (Observatory)	0·02
	Gournadi*
	Bhola
	Daulatkhan
	Bauphal	0·80
CHITTAGONG.								
Chittagong ..	Cox's Bazar (Observatory)
	Chittagong (Observatory)
	Kutubdia
	Satkania
	Kodala
	Mirsarai
Tippera ..	Comilla (Observatory)
	Chandpur
	Brahmanbaria	0·02
	Ramchandrapur
	Nasirnagar
	Daudkandi	0·20	0·20
	Kasba
	Laksam
Noakhali ..	Noakhali (Observatory)	0·02
	Feni
	Harishpur
	Ramganj*
	Chhagalnaya
	Hatiya*
Chittagong Tracts. Hill	Lakhmipur†
	Rangamati
	Bandarban
	Barkal
	Mahalchari
	Lama
	Ramgarh
	Manikseri
	Dighinala
	Mainmukh
	Kaptai
	Panchhari
	Nakhyongchhari
Hill Tippera ..	Agartala	0·21	..	0·06
Cooch Behar ..	Dinhata	0·02	..	0·02
	Cooch Behar (Observatory)	0·09	..	0·27
	Mickliganj	0·12
	Mathabhanga	0·12	..	0·36	..	0·03
	Fulbaria (Tufanganj)	0·20	..	0·25	0·07	0·27

* Not reported.

† The rain gauge is out of order.

Dacca, the 10th April 1929.

FOR THE MONTH OF MARCH 1929.

28	29	30	31	Number of rainy days.	Average number of rainy days.	Total rainfall for the month.	Normal rainfall for the month.	Heaviest rainfall during the month.	Total rainfall from 1st March to 31st March 1929.	Normal rainfall from 1st March to 31st March 1929.
..	3	4.1	1.17	2.56	0.55	1.17	2.56
..	1	2.4	0.16	1.39	0.12	0.16	1.39
..	4	2.4	1.89	1.17	0.44	0.89	1.17
..	2	3.5	0.75	2.09	0.43	0.75	2.09
..	1	2.5	0.29	1.39	0.25	0.29	1.39
..	3	3.7	0.77	2.40	0.30	0.77	2.40
..	Nil	1.7	Nil	1.21	Nil	Nil	1.21
..	2	2.7	0.43	2.11	0.25	0.43	2.11
..	1	2.6	1.63	1.63	0.56	0.56	1.63
..	1	2.1	0.56	1.38	0.56	0.56	1.38
..	Nil	2.8	Nil	1.59	Nil	Nil	1.59
..	2	3.7	1.54	2.36	1.41	1.54	2.36
..	1	3.2	1.09	2.33	1.09	1.09	2.33
..	1	3.2	0.80	2.06	0.80	0.80	2.06
..	2	3.1	1.19	1.91	1.03	1.19	1.91
..	1	2.9	1.15	1.69	1.14	1.15	1.69
..	2	3.3	1.14	2.14	0.92	1.14	2.14
..	0.14	2	3.5	1.09	2.20	0.95	1.09	2.20
..	Nil	3.3	Nil	2.96	Nil	Nil	2.96
..	1	3.6	3.40	2.02	3.40	3.40	2.02
..	1	4.0	1.92	3.22	1.92	1.92	3.22
..	1	2.7	2.28	2.09	2.28	2.28	2.09
..	1	2.5	1.40	2.05	1.40	1.40	2.05
..	2	2.8	4.46	1.67	4.35	4.46	1.67
..	1	3.6	2.72	2.22	2.70	2.72	2.22
..	1	3.5	2.44	2.44	2.47	2.47	2.44
..	1	3.4	2.47	2.11	2.47	2.47	2.11
..	1	2.9	1.70	2.07	1.70	1.70	2.07
..	1	2.6	0.80	1.68	0.80	0.80	1.68
..	Nil	1.7	0.07	1.52	0.07	0.07	1.52
..	1	2.8	1.24	2.56	1.20	1.24	2.56
..	1	1.7	0.50	2.05	0.50	0.50	2.05
..	Nil	1.9	0.05	1.80	0.05	0.05	1.80
..	1	3.0	0.25	2.67	0.25	0.25	2.67
..	1	3.1	0.76	2.47	0.76	0.76	2.47
..	1	3.8	1.13	2.84	1.13	1.13	2.84
..	1	3.7	0.95	2.88	0.95	0.95	2.88
..	1	4.2	0.67	3.82	0.65	0.67	3.82
..	0.14	2	3.0	1.24	2.66	1.10	1.24	2.66
..	2	4.0	1.08	3.14	0.65	1.08	3.14
..	0.20	4	3.1	0.90	2.29	0.30	0.90	2.29
..	Nil	3.5	Nil	3.18	Nil	Nil	3.18
..	1	3.2	1.00	2.23	1.00	1.00	2.23
..	1	3.4	0.78	2.84	0.70	0.78	2.84
..	1	4.1	0.63	3.23	0.63	0.63	3.23
..	1	2.6	1.15	2.18	1.15	1.15	2.18
..	1	3.5	2.87	2.87	2.91	2.87	2.91
..	Nil	4.0	0.05	2.91	0.05	0.05	2.91
..	1	2.8	2.06	2.06	2.06	2.06	2.06
..	1	3.4	2.08	2.08	2.08	2.08	2.08
..	1	3.4	0.27	2.83	0.27	0.27	2.83
..	1	2.7	0.26	2.54	0.21	0.26	2.54
..	1	2.9	0.25	2.41	0.19	0.25	2.41
..	1	3.9	1.00	2.29	1.00	1.00	2.29
..	1	1.0	0.35	1.01	0.35	0.35	1.01
..	1	4.0	0.27	3.15	0.27	0.27	3.15
..	1	(n)	0.76	(n)	0.76	0.76	(n)
..	Nil	(n)	Nil	(n)	Nil	Nil	(n)
..	1	(n)	0.45	(n)	0.45	0.45	(n)
..	1	(n)	0.28	(n)	0.25	0.28	(n)
..	1	(n)	0.39	(n)	0.39	0.39	(n)
..	1	(n)	0.56	(n)	0.56	0.56	(n)
..	2	4.5	1.12	3.78	0.85	1.12	3.78
0.10	3	2.5	0.54	1.54	0.24	0.54	1.54
0.06	4	2.5	0.90	1.76	0.27	0.90	1.76
0.24	4	2.2	1.01	1.31	0.45	1.01	1.31
..	4	2.5	1.35	1.67	0.38	1.35	1.67
..	5	2.6	1.12	1.61	0.27	1.12	1.61

(n) Not ascertained.

J. C. Roy, for Director of Agriculture, Bengal.

DEPARTMENT OF AGRICULTURE, BENGAL.

Monthly Weather and Crop Report of Bengal for March 1929.

I. **Character of the Season.**—During the month under review, the rainfall was slightly in excess of the normal in the fourteen districts of the province; elsewhere it was much in defect. The usual rainfall statement is appended.

II. **Progress of agricultural operations.**—Harvesting of spring crops was approaching completion, and planting of sugarcane setts was going on favourably. Preparatory tillage and sowings of jute and paddy progressed satisfactorily especially in the lowland tracts.

III. **State of standing crops.**—The rainfall during the first part of the month proved beneficial to the growth of standing crops.

IV. **Prospects and probable outturn.**—The prospects of standing crops were reported to be generally satisfactory. The outturn of summer rice was estimated at 79 per cent. of the normal.

V. **Damage to standing crops.**—No damage to standing crops was reported except that by hailstorm in the districts of Nadia and Burdwan and in the State of Cooch Behar during the first part of the month.

VI. **Condition of agricultural stock.**—The condition of livestock was, on the whole, fair. Sporadic cases of cattle-disease, however, were reported from seven districts and from the Tripura State.

VII. **Failure of pasturage and fodder.**—The supply of fodder was reported to be generally adequate throughout the Presidency.

VIII. **Prices of food-grains.**—During the second fortnight of the month, the price of common rice of the cheapest quality rose in three districts, fell in five and remained stationary in the rest of the Presidency. The prices ranged from 4½ seers per rupee in the 24-Parganas to 8 seers per rupee at Khulna and the Chittagong Hill Tracts.

IX. **Condition of agricultural population.**—The condition of agricultural population was, on the whole, fair.

G. P. HECTOR,

Director of Agriculture, Bengal (offg.).

Dacca, the 10th April 1929.

Statement showing the normal and actual rainfall in each district during March 1929.

Division.	District.	Normal district rainfall for the month of March.	Actual district rainfall for the month of March 1929.	Variation from the normal.	Division.	District.	Normal district rainfall for the month of March.	Actual district rainfall for the month of March 1929.	Variation from the normal.
		Inches.	Inches.	Inches.			Inches.	Inches.	Inches.
Presidency	24-Parganas ..	1.60	1.84	+0.24	Rajshahi— <i>concd.</i>	Rangpur ..	1.16	0.74	-0.42
	Nadia ..	1.63	1.51	-0.12		Bogra ..	1.00	0.28	-0.72
	Murshidabad ..	1.02	1.23	+0.21		Pabna ..	1.35	0.72	-0.63
	Jessore ..	2.01	1.65	-0.36		Malda ..	0.73	0.96	+0.23
	Khulna ..	2.07	2.26	+0.19	Dacca	Dacca ..	2.64	1.37	-1.27
Burdwan	Burdwan ..	1.63	2.36	+0.73		Mymensingh ..	1.72	0.60	+1.12
	Birbhum ..	0.97	1.22	+0.25		Faridpur ..	2.29	1.33	-0.96
	Bankura ..	1.21	1.59	+0.38		Bakarganj ..	2.04	2.41	+0.37
	Midnapore ..	1.67	1.89	+0.22	Chittagong	Chittagong ..	2.18	0.47	-1.71
	Hooghly ..	1.45	1.28	-0.17		Tippera ..	2.88	0.84	-2.04
Rajshahi	Howrah ..	1.71	1.95	+0.24		Noakhali ..	2.60	0.82	-1.78
	Rajshahi ..	0.95	1.02	+0.07		Chittagong Hill Tracts.	2.37	0.43	-1.94
	Dinaipur ..	0.82	0.40	-0.42		Cooch Behar ..	1.58	0.98	-0.60
	Jalpaiguri ..	1.88	2.08	+0.20		Tripura State	3.78	1.12	-2.66
	Darjeeling ..	1.71	2.80	+1.09					

DISTRICT REPORTS ON WEATHER AND CROPS.

For the week ending on the 10th April 1929.

Summary.—During the week light rainfall was nearly general throughout the Presidency. Preparatory tillage for and sowings of jute and paddy continued favourably, but more rain is still needed for the progress of the operations especially in some West Bengal districts. Reaping of spring crops is nearly finished. The condition of standing crops is generally fair. The average price of common rice for the province has risen by about 0·23 per cent. as compared with that of the previous week.

Serial No.	District and subdivision.	Rainfall.	Price of common rice, in seers, per rupee.		Character of the weather, condition of crops, etc.
			This week.	Previous week.	
1	2	3	4	5	6
		Inches.			
1	24-PARGANAS	Nil	6 $\frac{7}{16}$	6 $\frac{7}{16}$	Weather hot in Basirhat; elsewhere seasonable. Lands are being prepared for the next season's crops. Sowing of jute has commenced in Baraset and Basirhat. Fodder and water are sufficient.
	Diamond Harbour.	0·22	7 $\frac{9}{16}$	7 $\frac{1}{4}$	
	Barrackpore ..	0·03	5	5	
	Baraset ..	Nil	6	6	
	Basirhat ..	0·77	7	7	
2	NADIA ..	0·75	5 $\frac{1}{2}$	5 $\frac{1}{2}$	Weather seasonable. Ploughing of lands for <i>aus</i> paddy is in progress.
	Kushtia ..	2·65	6 $\frac{1}{2}$	6 $\frac{1}{2}$	
	Meherpur ..	1·15	6	6	
	Chuadanga ..	1·34	6	5 $\frac{1}{2}$	
	Ranaghat ..	0·70	5 $\frac{1}{2}$	5 $\frac{1}{2}$	
3	MURSHIDABAD	Nil	7 $\frac{3}{4}$	7 $\frac{1}{2}$	Weather hot. Prospects of standing crops are fair. Fodder and water are sufficient. Cattle-disease is reported from Barala in thana Sagar-dighi in Jangipur.
	Lalbagh ..	0·99	7	7	
	Jangipur ..	0·09	7 $\frac{1}{4}$	7 $\frac{1}{4}$	
	Kandi ..	0·48	8	8	
4	JESSORE ..	Nil	7	7	Weather hot. Lands are being prepared for sowings of jute and <i>aus</i> paddy. Prospects of standing crops are fair. Fodder and water are sufficient.
	Jhenidah ..	1·91	6	6	
	Magura ..	1·57	7	7	
	Narail ..	0·83	6 $\frac{1}{2}$	6 $\frac{1}{2}$	
	Bongaon ..	1·55	6 $\frac{5}{8}$	6 $\frac{5}{8}$	
5	KHULNA ..	Nil	8	8	Weather seasonable. Ploughing of jute and <i>aus</i> paddy is going on. Fodder and water are sufficient. Export is going on.
	Satkhira ..	Nil	7 $\frac{9}{16}$	7 $\frac{9}{16}$	
	Bagerhat ..	Nil	8	8	

Serial No.	District and subdivision.	Rainfall.	Price of common rice, in seers per rupee.		Character of the weather, condition of crops, etc.
			This week.	Previous week.	
1	2	3 Inches.	4	5	6
6	BURDWAN ..	Nil	6½	6½	Weather hot and dry. Stock of rice and fodder and water are sufficient.
	Asansol ..	Nil	7	7	
	Katwa ..	Nil	8	8	
	Kalna ..	Nil	7½	7½	
7	BIRBHUM ..	Nil	7½	8	Weather seasonable. Fodder and water are sufficient.
	Rampurhat ..	Nil	7	7	
8	BANKURA ..	Nil	6¾	6¾	Weather seasonable. Cattle-disease is reported from Chhatna police-station.
	Vishnupur ..	Nil	7	7½	
9	MIDNAPORE ..	Nil	7	8	Weather seasonable. Fodder and water are sufficient.
	Contai ..	2.28	7½	7½	
	Tamluk ..	1.35	7	7	
	Ghatal ..	Nil	7½	7½	
	Jhargram ..	Nil	6¾	6¾	
10	HOOGHLY ..	0.08	6¾	6¾	Weather seasonable. Ploughing of fields continues. Fodder is sufficient.
	Serampore ..	Nil	6½	6½	
	Arambagh ..	0.30	7	(n)	
11	HOWRAH ..	Nil	6½	6	Weather hot and sultry. Harvesting of sugarcane is finished.
	Uluberia ..	0.45	6	6	
12	RAJSHAHI (RAMPUR-BOALIA). ..	0.02	6¾	7½	Weather seasonable. Harvesting of <i>rabi</i> crops is nearly finished. Lands are being prepared for jute and autumn paddy. Fodder and water are sufficient.
	Nacgaon ..	0.70	7½	7½	
	Nator ..	0.50	6¾	6¾	
13	DINAJPUR ..	Nil	7½	7	Weather seasonable. Its effects on agricultural operations are favourable. Lands are being prepared for jute and <i>bhadoi</i> paddy. Cattle-disease is reported from Khansama police-station in Thakurgaon. Fodder and water are sufficient.
	Thakurgaon ..	Nil	7½	7½	
	Balurghat ..	Nil	8	8	
14	JALPAIGURI ..	Nil	6	6	Weather favourable. Condition and prospects of crops are fair. No damage is reported.
	Alipur ..	0.90	5½	5½	
15	DARJEELING ..	0.36	4	4	Potatoes and maize have been damaged somewhat by hailstorm. Sowing of jute has begun. Fodder and water are sufficient.
	Kurseong ..	0.39	5	5	
	Siliguri ..	0.17	5½	5½	
	Kalimpong ..	0.69	5	5	

(n) Not reported.

Serial No.	District and subdivision.	Rainfall.	Price of common rice, in seers, per rupee.		Character of the weather, condition of crops, etc.
			This week.	Previous week.	
1	2	3	4	5	6
		Inches.			
16	RANGPUR ..	0.38	6 $\frac{3}{4}$	6 $\frac{3}{4}$	Weather seasonable. Prospects of crops are good. Fodder and water are sufficient.
	Nilphamari ..	0.30	6	6	
	Kurigram ..	0.87	6	6	
	Gaibandha ..	2.46	6	6	
17	BOGRA ..	0.06	7 $\frac{1}{2}$	7 $\frac{1}{2}$	Rain is necessary for sowings and growth of jute and <i>aus</i> paddy.
18	PABNA ..	1.08	6 $\frac{15}{16}$	6 $\frac{15}{16}$	Weather hot and cloudy. Prospects of crops are good. Fodder and water are sufficient.
	Sirajganj ..	0.61	6 $\frac{1}{4}$	6 $\frac{1}{4}$	
19	MALDA ..	Nil	7 $\frac{3}{4}$	7 $\frac{3}{4}$	Weather seasonable. Harvesting of <i>rabi</i> crops is approaching completion. Sowings of jute and <i>bhadoi</i> paddy continue. Fodder and water are sufficient.
20	COOCH BEHAR	0.23	6 $\frac{13}{16}$	6 $\frac{13}{16}$	Weather seasonable. Sowings of autumn paddy and jute and cutting of tobacco leaves continue. Prospects of standing crops are fair. Fodder and water are sufficient.
21	DACCA ..	0.95	6 $\frac{5}{8}$	6 $\frac{1}{2}$	Weather seasonable. Rainfall at North Sadar (Kapasias) (n). Sowing of jute is almost over in low lands. Prospects of <i>boro</i> paddy are satisfactory. Rice market is almost steady. Fodder and water are sufficient.
	Manikganj ..	0.82	6 $\frac{1}{2}$	6 $\frac{1}{2}$	
	Narayanganj ..	1.15	6 $\frac{1}{2}$	7	
	Munshiganj ..	1.48	6 $\frac{5}{8}$	6 $\frac{5}{8}$	
22	MYMENSINGH	2.15	5 $\frac{1}{2}$	5 $\frac{1}{2}$	Weather seasonable. Rice market is almost steady. Fodder and water are available.
	Jamalpur ..	2.01	6 $\frac{3}{8}$	6 $\frac{3}{8}$	
	Tangail ..	0.20	5 $\frac{1}{4}$	5 $\frac{1}{4}$	
	Netrokona ..	3.35	6 $\frac{1}{4}$	6 $\frac{1}{4}$	
	Kishorganj ..	1.42	6 $\frac{5}{8}$	6 $\frac{5}{8}$	

(n) Not reported.

Serial No.	District and subdivision.	Rainfall.	Price of common rice, in seers, per rupee.		Character of the weather, condition of crops, etc.
			This week.	Previous week.	
1	2	3	4	5	6
		Inches.			
23	FARIDPUR ..	1.82	6	6	Weather occasionally cloudy and rainy. Prospects of standing crops are fair. Harvesting of <i>rabi</i> crops is nearly finished. Sowings of jute and <i>aus</i> paddy are proceeding. Fodder and water are sufficient. No large import and export are reported.
	Goalundo (Rajbari).	1.06	6	6	
	Madaripur ..	Nil	7½	7½	
	Gopalganj (a)	0.57	7½	7½	
24	BAKARGANJ (BARISAL).	0.21	6½	6½	Weather seasonable. Prospects of crops are good. Fodder and water are sufficient. Cattle-disease is reported from Amtoli thana.
	Pirojpur ..	1.89	6½	6½	
	Patuakhali ..	1.51	7½	7½	
	Dakshin Shabazpur (Bhola).	0.49	7	7½	
25	CHITTAGONG ..	0.02	{ 7½ 7½*	{ 7½ 7½*	More rain is badly wanted for agricultural operations. Harvesting of <i>rabi</i> crops is in progress. Fodder and water are insufficient in some parts of the district. <i>Panga</i> salt sells at 16 seers per rupee at Sadar and 12 seers at Cox's Bazar.
	Cox's Bazar ..	0.23	7	7	
26	TIPPERA (COMILLA).	1.63	6½	6½	Prospects of crops are fair.
	Brahmanbaria	1.28	6½	6½	
	Chandpur ..	2.31	7	7	
27	NOAKHALI ..	0.35	7½	7½	Weather seasonable. Fodder and water are sufficient.
	Feni ..	1.37	8	8	
28	CHITTAGONG HILL TRACTS.	Nil	9	9	Weather seasonable.
29	TRIPURA STATE	1.33	6½	6½	Weather seasonable. Lands are being prepared for jute. Burning of jhooms is going on. Cattle-disease exists in Khowai. Fodder and water are insufficient in Dharmnagar. Cleansed cotton sells at Rs. 20 to Rs. 40 per maund and jute at Rs. 8 to Rs. 9 per maund.

* Burma rice.

(a) The rainfall at Haridaspur, which is very near to Gopalganj, is not shown here.

Vital statistics of Towns with a population of 50,000 and over of the Bengal Presidency for the week ending Saturday, the 6th April 1929.

District.	No.	Towns.	Population under registration according to census of 1921.			Births registered.		Deaths registered.															Total of all causes.			Total of corresponding week of the previous year.					
			Male.	Female.	Total.	Number registered (excluding still-births).	Still-born number registered.	Cholera.	Small-pox.	Plague.	Malaria.	Enteric fever.	Measles.	Relapsing fever.	Kala-Azar.	Other fevers.	Dysentery.	Diarrhoea.	Influenza.	Pneumonia.	Phthisis.	Other respiratory diseases.	Injuries including suicide.	Deaths from child-birth.	Other causes.	Male.	Female.	Total.	Male.	Female.	Total.
Calcutta	1	Calcutta	724,248	353,016	1,077,264	431	22	89	19	..	22	18	1	..	9	31	27	12	9	45	71	102	14	2	194	368	297	665	513	333	846
Burdwan	2	Asansol Mining Settlement.	176,814	152,539	329,353	151	1	13	1	12	..	6	1	..	53	49	38	87	69	61	130
Howrah	3	Howrah	128,472	66,829	195,301	91	6	13	7	..	2	2	2	..	1	16	7	10	..	9	2	22	4	2	22	54	67	121	91	82	173
Dacca	4	Dacca	67,333	52,117	119,450	60	4	4	8	1	3	..	2	5	2	6	..	9	..	6	2	..	24	46	26	72	45	40	85
24-Parganas	5	Bhatpara	45,723	19,886	65,609	26	..	9	1	7	..	1	..	2	..	1	6	15	12	27	15	11	26
	6	Titagarh	36,533	15,918	52,451	22	..	6	17	1	12	12	24	9	4	13

CHAS. A. BENTLEY, M.B., D.P.H., D.T.M. & H., Director of Public Health, Bengal.

CALCUTTA, the 12th April 1929.

**Statement showing the gauge-readings at Dacca Water-works on the river Buriganga
for the week ending 6th April 1929.**

Date.	At highest water.		At lowest water.		Commencement of		Remarks.	
	Time.	Reading.	Time.	Reading.	Ebb tide.	Flow tide.		
1929.							At 7 A.M.	At 5 P.M.
31st March ..	16-15	5.7	10-10	4.1	16-22	10-25	4.8	5.6
1st April ..	17-0	5.5	11-0	3.95	17-10	11-15	4.9	5.5
2nd „ ..	17-50	5.4	11-45	3.9	18-0	12-0	5.1	5.15
3rd „ ..	6-25	4.8	12-30	3.3	6-30	12-45	4.65	4.5
4th „ ..	7-15	4.9	13-15	3.4	7-25	13-30	4.8	4.2
5th „ ..	8-5	5.05	14-5	3.55	8-15	14-15	4.8	4.3
6th „ ..	8-55	5.4	14-50	3.85	9-10	15-0	4.9	4.35

B. M. on settling tank 39.49 O.M.S.L. Zero is at O.M.S.L.

Notable high and low water-levels of previous years.

			Taken at high tide.	Taken at low tide.
27th August	1906	..	70.5	23rd February 1907 .. 51.06
5th September	1909	..	66.86	13th „ 1908 .. 51.06
10th August	1910	..	69.86	12th March 1912 .. 51.06
1st „	1911	..	68.46	6th „ 1914 .. 50.60
13th „	1912	..	67.16	22nd February 1915 .. 50.30
31st „	1915	..	69.7	15th „ 1916 .. 50.60
8th „	1916	..	68.1	3rd March 1917 .. 51.0
12th „	1917	..	67.1	21st February 1918 .. 51.40
13th „	1918	..	69.12	26th „ 1919 .. 50.4
2nd „	1919	..	66.8	18th „ 1920 .. 50.9
8th September	1920	..	66.9	19th „ 1921 .. 50.9
28th July	1921	..	68.4	8th March 1922 .. 51.05
10th August	1922	..	68.00	14th „ 1923 .. 50.8
31st July	1923	..	66.15	16th February 1924 .. 50.50
29th August	1924	..	68.82	5th March 1925 .. 50.9
8th September	1925	..	68.52	9th February 1926 .. 2.2
15th August	1926	..	19.6	27th „ 1927 .. 2.10
17th September	1927	..	18.70	16th „ 1928 .. 2.2
22nd August	1928	..	20.0	

N.B.—Zero of the gauge at Dacca Water-works prior to 11 A.M. on 8th January 1926= -48.51 with reference to P. W. D. datum.

Zero of the gauge at Dacca Water-works since 11 A.M. on 8th January 1926=0.00 with reference to P. W. D. datum.

P. C. Roy, *Executive Engineer,*
Khulna Division.

KHULNA, the 12th April 1929.

**Statement of weekly gauge readings on the river Ganges at Rampur Boalia
for the week ending the 6th April 1929.**

Date.	Hour.	Height of surface above zero of gauge.	Height of surface above P.W.D. datum.	Height of surface above P. W. D. datum on the same date last year.	Remarks.
1929.					
31st March ..	7 A.M.	35·05	36·90	P. W. D. datum 6·25 feet above Kidderpur old dock sill.
1st April ..	7 "	35·05	36·80	
2nd " ..	7 "	35·05	36·70	B. M. on Rajshahi College step 64·73.
3rd " ..	7 "	35·15	36·55	
4th " ..	7 "	35·15	36·45	Value of zero = 0·00 P. W. D.
5th " ..	7 "	35·10	36·35	
6th " ..	7 "	35·05	36·30	

Old value. P. W. D. datum.

The previous year's highest water level—

The previous year's lowest water level—

Record highest water level	69·25 on 2-8-1879	..	64·44
Ditto	69·08 on 9-9-1885	..	64·27
Ditto	68·30 on 25-8-1890	..	63·47
Ditto	68·21 on 26-8-1906	..	63·40
Ditto	on 13-8-1922	..	61·70
Ditto	on 27-8-1923	..	61·05
Ditto	on 18-8-1924	..	61·35
Ditto	on 16-9-1925	..	61·45
Ditto	on 11-9-1926	..	60·15
Ditto	on 10-9-1927	..	58·75
Ditto	on 1928
Ditto	on 7-8-1929	..	59·20
Record lowest water level	37·63 on 25-4-1884	..	32·82
Ditto	38·13 on 14/15-4-1883	..	33·32
Ditto	39·02 on 21/22-4-1897	..	34·21
Ditto	39·28 on 6/7-5-1908	..	34·47
Ditto	on 9-5-1922	..	34·70
Ditto	on 4-5-1923	..	35·80
Ditto	on 25-5-1924	..	35·95
Ditto	on 15-4-1925	..	35·80
Ditto	on 8-5-1926	..	35·20
Ditto	on 25-5-1927	..	34·95
Ditto	on 1928
Ditto	on 21-4-1929	..	36·15

N.B.—The gauge readings commenced from the 1st August 1887.

P. C. BOSE, *Subdivisional Officer,*

I. D., Rajshahi.

RAMPUR BOALIA, the 6th April 1929.

**Statement of weekly gauge readings on the rivers Ganges and Brahmaputra at
Goalundo for the week ending the 6th April 1929.**

Month and date.	Hour.	Height of surface above zero.	Height of surface above mean sea level.	Height of surface above mean sea level on the same date of last year.	Remarks.
1929.					
31st March ..	7 A.M.	7.1	7.1	6.3	Zero is placed at mean sea-level.
1st April ..	7 "	7.0	7.0	6.3	
2nd " ..	7 "	7.0	7.0	6.2	The bench mark for this gauge is marked on a pucca base between Passenger Ghat and Chandpur Ghat at Goalundo.
3rd " ..	7 "	6.8	6.8	6.3	
4th " ..	7 "	6.9	6.9	6.4	The gauge reading commenced from 3rd October 1909.
5th " ..	7 "	7.1	7.1	6.6	
6th " ..	7 "	7.0	7.0	6.9	

Highest recorded flood during previous year .. 25.7 on 20th to 23rd and on 25th August 1928.

Previous highest recorded flood .. 26.7 on 23rd and 24th August 1914,
25.55 on 15th September 1925,
25.75 on 28th August 1906, 25.66
on 11th to 17th and 31st August
1889 and 1st to 3rd September 1883.

Lowest recorded water level during previous year .. 6.7 on 2nd and 3rd February 1928.

Previous recorded low water level .. 1.0 on 8th February 1914.

A. M. PAUL, for *Subdivisional Officer,*

P. W. D., Faridpur.

RAJBARI, the 6th April 1929.



The Calcutta Gazette

THURSDAY, MAY 2, 1929.

CONTENTS:

	PAGE.
Report on Public Instruction in Bengal for the year 1927-28	553—588
Weather and Crop Report for the week ending on the 24th April 1929	589—592
Statement of weekly gauge-readings on the rivers in Bengal	593—595
Vital statistics for the towns of Bengal for the week ending 20th April 1929	596
Statement under the Cotton Ginning and Pressing Factories Act, 1925	597

Supplement.

Official Papers.

Report on Public Instruction in Bengal for the year 1927-28.

CHAPTER I.

Introductory.

Institutions and pupils.—This report sets forth briefly the progress of education in Bengal for the year ending 31st March 1928. The total number of recognised and unrecognised institutions rose from 60,443 in 1926-27 to 63,354 in 1927-28, and that of pupils attending them from 2,343,380 to 2,501,712. Recognised institutions increased in number from 58,833 to 61,786; unrecognised institutions on the other hand fell from 1,610 to 1,568. The number of pupils reading in recognised institutions rose from 2,289,876 to 2,446,678 or by 156,802; in unrecognised institutions pupils increased from 53,504 to 55,034 or by 1,530. Of the total number of pupils reading in all classes of institutions on 31st March 1928, 2,039,786 were males and 461,926 were females as compared with 1,918,228 boys and 425,152 girls, respectively, returned on the corresponding date of 1927.

2. ***Different classes of recognised institutions.**—Of the total number of recognised institutions existing in Bengal on the 31st March 1928, 65 (including the University classes) were arts and professional colleges; 1,062 were high; 1,822 middle; 55,603 primary; and 3,234 special schools. The corresponding figures for the previous year were 64; 1,045; 1,760; 52,809 and 3,155, respectively. Of the recognised institutions 327 were managed by Government, and 4,270 by District and Municipal Boards; of the rest 48,132 were aided, and 9,057 unaided. The corresponding figures in 1926-27 were 329; 4,090; 45,427 and 8,987, respectively. The decrease in the number of institutions managed by Government was again due to reduction in the number of old-type guru-training schools.

3. **Expenditure on public instruction.**—The total expenditure on public instruction amounted during the year 1927-28 to Rs. 4,14,72,735 as compared with Rs. 3,97,76,068 in the preceding year. Of the total expenditure Rs. 1,49,88,087 were met from provincial revenues, Rs. 16,20,005 and Rs. 8,90,210 were provided from District and Municipal funds, respectively, while Rs. 1,70,95,255 accrued from fees and Rs. 68,79,178 from private sources. The corresponding figures in 1926-27 were Rs. 1,47,94,686; Rs. 16,41,190; Rs. 6,34,463; Rs. 1,62,19,593 and Rs. 64,86,136, respectively.

4. **Noteworthy features of the period under review.**—During the year preliminary discussions took place regarding the constitution and functions of the proposed Board of Secondary Education for Bengal. These have since found concrete form in a Bill for submission to the Council. Apart from this the following points deserve mention:—

(i) Revival of a public examination at the close of the Primary (Maktab) Final Course.

(ii) Publication of the Bengal (Rural) Primary Education Bill, 1927, which aims at making primary education free and compulsory in the rural areas of the province.

(iii) Distribution of an additional grant of Rs. 1½ lakhs for improving the pay and prospects of teachers employed in non-Government secondary schools.

(iv) Introduction from January 1928 of a scheme of Provident Fund for teachers in non-pensionable service.

(v) Opening of a class at the Dacca Farm for imparting agricultural training to selected teachers of non-Government secondary schools.

(vi) Distribution of a further sum of Rs. 2,70,000 out of the grant of Rs. 5,51,000 mentioned in the last Quinquennial Report to supplement the pay of trained and untrained teachers of aided primary schools and maktabas for boys in District Board areas. This increased aid granted at the same time as the discussion regarding the Government Primary Bill was going on, resulted in the year under report in a most satisfactory increase of 7.6 per cent. in the number of boys enrolled in primary schools, as compared with the increase of 5 per cent. in the previous year (when Rs. 2,81,000 was made available out of the new grant), and only 1.7 per cent. in 1925-26, before the additional grant was sanctioned. The problem of the general removal of illiteracy would therefore appear to be capable of being solved within a reasonable time by a judicious combination of increased expenditure and propaganda in the districts and villages of Bengal.

CHAPTER II.

Controlling agencies.

Educational institutions in Bengal are controlled mainly by officers of the Education Department, the two Universities of Calcutta and Dacca, the Board of Secondary and Intermediate Education, Dacca, District and Municipal Boards, and Missionary Societies, both Indian and non-Indian. During the year under review the Education Department (except for European Education which, in terms of the Government of India Act, is administered by a Member of His Excellency the

* Excludes the Board of Intermediate and Secondary Education.

Governor's Executive Council) was controlled by a Minister. The Education Ministry was at first in charge of the Hon'ble Mr. Byomkesh Chakravarty, M.A., Bar-at-Law; but in August 1927 it was entrusted to the Hon'ble Nawab Musharraf Hossain, Khan Bahadur, when the former resigned in consequence of the passing of a motion of no-confidence in the Bengal Legislative Council.

2. The Education Department is manned, as stated in previous reports, by members of (1) the Indian Educational Service, (2) the Bengal Educational Service, (3) the Subordinate Educational Service and (4) officers holding posts not included in any of the services mentioned above.

3. **Indian Educational Service.**—(i) *Men's Branch.*—The Men's Branch of the Indian Educational Service consisted, as in the previous year, of 67 appointments (excluding that of the Director of Public Instruction) of which 3 were in the higher selection grade, 10 in the lower selection grade, and 1 on a special rate of pay. The remaining 53 appointments were on the ordinary time-scale of the service. Of the 67 posts, however, 3 are in abeyance and 24 vacant.

(ii) *Women's Branch.*—The Women's cadre of the Indian Educational Service had, as previously, 4 appointments including 1 selection grade post. Of the 4 posts 1 is vacant.

4. **Bengal Educational Service.**—(i) *Men's Branch.*—The strength of the cadre comprised 219 appointments on 31st March 1928, including 3 temporary posts created during the year under report. On the corresponding date of 1927 the strength of the cadre stood at 217 posts.

(ii) *Women's Branch.*—This branch of the Bengal Educational Service included 20 appointments in 1927-28—the same number as in the preceding year.

5. **Miscellaneous posts.**—Posts outside the classified lists numbered 12 on 31st March 1928, all, except the post filled by Mr. A. H. Harley, Principal of the Islamia College, being created on a temporary basis. The number of special posts was 41; most of these are in connection with the Government European schools at Kurseong.

6. **Subordinate Educational Service.**—The posts comprising the Subordinate Educational Service or services below the Bengal Educational Service were distributed as follows, these have varying scales of pay:—

	On 31st March 1928.	On 31st March 1927.
Teaching	1,373	1,359
Inspecting	321	327
Outside the graded service (excluding 12 posts created for duplication of classes at the School of Engineering, Dacca)	65	53 Special.
Ministerial (including the establishments of the Director of Public Instruction and the As- sistant Director of Public Instruction for Muhammadan Education)	415	403
Miscellaneous	59	80

7. **Direction.**—During the year under review the Director (Mr. E. F. Oaten) was assisted in his work by Mr. A. C. Macdonald, Assistant Director of Public Instruction, Khan Bahadur Ahsanullah, Assistant Director of Public Instruction for Muhammadan Education, and Mr. K. C. Roy, the temporary Additional Assistant Director of Public Instruction, Bengal. Mr. Oaten proceeded to England on leave at the beginning of March 1928 and Mr. Macdonald acted as Director, in addition to his own duties, till the close of the year.

8. The subjoined table indicates the strength of the departmental inspecting staff as it stood on 31st March 1928. There was no change in the duties of the various grades of inspecting officers as described in the last Quinquennial Review of Education in Bengal. Owing, however, to the curtailment of the allotment available for the travelling allowance of inspecting officers, some officers were unable during

the year under report to do the required amount of touring work with the result that a considerable number of schools remained unvisited.

Inspecting staff.	Burdwan Division.	Presidency Division including Calcutta.	Dacca Division.	Chittagong Division.	Rajshahi Division.	Total.
Inspectors and Additional or Second Inspectors	3	4*	3	2	2	14
Assistant Inspectors for Muhamadan Education	1	1	1	1	1	5
District Inspectors of Schools	6	6	4	4	8	28
Subdivisional Inspectors of Schools	16	11	14	7	13	61†
Sub-Inspectors of Schools	50	41†	66	40	46	243
Assistant Sub-Inspectors of Schools	10	7	17
Assistant Inspectresses of Schools	6		6		..	12
Inspectresses of Schools	1		1		..	2
Inspector of European Schools, Bengal			1		..	1

* Includes the post of a Second Inspector of Schools which has been kept in abeyance.

† Includes the post of the Special Sub-Inspector of Schools, Calcutta, for the surveillance of ex-pupils of Reformatory Schools.

‡ Excludes four posts not yet filled for want of funds.

9. **Extra-departmental agencies.**—The interest shown in Education by Executive Officers, viz., District, Subdivisional and Circle Officers, continued unabated. The District Magistrate has to be consulted by the Department in all cases relating to grant-in-aid and his views are usually accepted. The District and Subdivisional Officers, many of whom are presidents of the managing committees of secondary schools in their jurisdiction, constantly assisted the Department with valuable advice and active co-operation. Thanks are also due to the Chairmen of District and Municipal Boards for the zeal which they evinced in developing primary and technical education in their respective areas. Special mention should be made also of the various missionary bodies, Indian and non-Indian, who have rendered yeoman service in fostering education among girls and women, and the members of backward communities. Finally, the Corporation of Calcutta has opened a large number of free primary schools for boys and girls in suitable localities in the city and has provided for their maintenance and supervision.

CHAPTER III.

University and College education.

University.—The Universities of Calcutta and Dacca continued their work, each on its characteristic lines, under the able guidance of Mr. J. N. Sarkar, M.A., C.I.E., and Mr. G. H. Langley, M.A., respectively. No decision has yet been arrived at with regard to the question of the reconstitution of Calcutta University on the basis of the recommendations of the Sadler Commission. The question of the constitution and functions of the proposed Board of Secondary Education for Bengal was, however, examined during the year by a small committee of the Calcutta University, and an officer (Dr. W. A. Jenkins) was placed on special duty in the Education Department, after the close of the period under review, to draft a workable scheme. The arts and science classes of the Post-Graduate Department of the Calcutta University had 640 and 310 students, respectively, on 31st March 1928 as compared with 696 and 293 students reading in these classes on the corresponding date of 1927. There were also 133 students in the University Commerce classes.